



3M EMEA

# Product catalogue 2023

Automotive Aftermarket

Valid from 01.02.2023

The information in this catalogue is current at the date of publication. Products availability may be amended by 3M from time to time. 3M is not liable in case of any errors or omissions.



**3M** Science.  
Applied to Life.™

# 3M body repair solutions to help you bring the car back to better than new.

## Reputable Brands. Total Solutions.

At 3M, the art and science of automotive collision repair is a crucial part of our longstanding connection to our customers. For decades we have crafted abrasives, adhesives and coatings to help solve the latest auto body repair demands. Every product, every solution, is backed by our expert technical team to guide you and your body shop every step of the way.

## Learn from our experts today.



Our on-demand webinars are available anytime and anywhere.

Register now and improve your skills.





# ■ Table of Contents

## **Abrasives and Abrasive Accessories**

Net Discs	13
Paper Discs	15
Film Discs	23
Foam Discs	28
Non-woven Discs	30
Fibre Grinding Discs	31
Flap Discs	33
Quick Change Discs	34
Bristle Brushes & Discs	35
Cut-off & Grinding Wheels	36
Sanding Sponges	37
Net Sheets & Rolls	38
Sandpaper Sheets & Rolls	39
Film Sheets & Rolls	49
Non-woven Sheets & Rolls	51
Cloth Sheets & Rolls	52
Hand Pads	52
Cloth belts	54
Non-woven Belts	54
Blocks	55
HOLDERS & Back-up Pads	59
Mandrels & Adapters	64
Dust Extraction Systems	65

## **Power tools**

Buffers & Polishers	70
Power Grinders	70
Power Sanders	71

# ■ Table of Contents

Power Tool Parts & Accessories	74
--------------------------------	----

---

## **Adhesives, Sealants & Applicators**

Structural Adhesives	80
Flexible Adhesives	81
Sealants	82
Adhesion Promoters	84
Adhesive Applicators	85
Sealing Tapes	89
Repair Adhesives & Patches	91
Nozzles & Accessories	93
Windshield Adhesives	96
Solvent-based Adhesives	97

## **Coatings & Fillers**

Automotive Fillers & Repair	100
Foam fillers	105
Corrosion Protection Coatings	105
Primers & Undercoats	106
Insulation	106
Automotive Coatings	107
Accessories and Organisation	112

## **Cleaning Supplies**

Cleaners	114
Cloths & Wipes	115
Cleaning Chemicals	117
Industrial Hand Cleansers	117

# ■ Table of Contents

## **Paint Application Systems**

Sprayer Systems	124
Spray Cup Systems	134

## **Finishing Products**

Polishing Compounds	150
Fine Polishing Compounds	152
Bonnets & Buffing Pads	157
Dry Guide Coat and Inspection Sprays	162

## **Masking Films and accessories**

Masking Films	165
Film Installation Tools	166
Surface Protection Materials	167

## **Tapes**

Masking & Paper Tapes	172
Vinyl Tapes	178
Bonding, Mounting & Transfer Tapes	178

## **Respiratory Protection**

Disposable Respirators	182
Full Face Respirators	182
Half Mask Respirators	183
Cartridges & Filters	186
Reusable Respirator Parts & Accessories	188
Hoods & Headgear	190
Powered Air Respirator Systems	191
Powered Air Cartridges & Filters	192

# ■ Table of Contents

Supplied Air Respirator Systems	193
Powered & Supplied Air Parts & Accessories	193

## **Eye Protection**

Safety Glasses	196
Safety Goggles	197

## **Hearing Protection**

Earplugs	200
Earmuffs	200
Over-ear Headsets	202

## **Head & Face Protection**

Hard Hats	204
-----------	-----

## **Welding Safety**

Welding Helmets	206
Auto Darkening & Passive Welding Lenses	207

## **Apparel & Workwear**

Coveralls	210
-----------	-----





# Abrasives and Abrasive Accessories

We feature world-class brands such as 3M™ Cubitron™ II, Trizact™ and Scotch-Brite™ in a full abrasive range to quickly match our solutions with your repair jobs. It's all part of a complete and always expanding selection of 3M abrasive discs, abrasive sheets, cut-off wheels, belts and much more for increased efficiency at every stage of body repair.



# Go for performance. Leave the dust behind.

Introducing

## 3M™ Cubitron™ II Net Abrasives

For Automotive Repair

Get the job done sooner with 3M™ Cubitron™ II Net Abrasives, our fastest-cutting and longest lasting net abrasive discs and sheets. This family of net abrasives delivers the exceptional cut rate and extended life of a Cubitron II abrasive, whilst letting dust extractors perform their best by leaving virtually no dust on the work surface and in the environment.

### Benefits



#### Performance:

Faster cutting and longer lasting than leading net abrasives in the market.



#### Efficient:

Helps shops productivity and efficiency by helping to reduce rework and cleanup time.



#### Dust Extraction:

Designed to help reduce dust in the air from sanding for a cleaner workspace.



#### Versatile:

Compatible with pneumatic and/or electric sanders with or without dust extraction capabilities.



#### Construction:

Open net structure is designed to provide a virtually dust-free environment for a cleaner, healthier shop.

### Features



Net construction for 95% + highly efficient dust extraction performance.



Precision Shaped Grain and engineered Ceramic mineral blend technology for faster cut and longer life.



Able to use multi-hole back-up pads and blocks for easy disc hole alignment and dust extraction.



3M™ Cubitron™ II Net Abrasives are compatible with your existing dust extraction equipment.



Center hole for easy disc alignment and storage.

[3M.com/auto-abrasives](https://www.3m.com/auto-abrasives)

# Get underway with the right abrasive.

3M™ Cubitron™ II Net Abrasives	3M™ Cubitron™ II Abrasive 737U	3M™ Blue Net Abrasives	3M™ Hookit™ Blue Abrasive 325U	3M™ Hookit™ Gold Abrasive 255P
<b>Cut Rate</b> ●●●●●	<b>Cut Rate</b> ●●●●●	<b>Cut Rate</b> ●●●	<b>Cut Rate</b> ●●●●●	<b>Cut Rate</b> ●●
<b>Disc Life</b> ●●●●●	<b>Disc Life</b> ●●●●●	<b>Disc Life</b> ●●●	<b>Disc Life</b> ●●●●●	<b>Disc Life</b> ●●
<b>Dust Extraction</b> ●●●●●	<b>Dust Extraction</b> ●●●●	<b>Dust Extraction</b> ●●●●●	<b>Dust Extraction</b> ●●●●●	<b>Dust Extraction</b> ●●
<b>Grades</b> 80+, 120+, 150+, 180+, 220+, 240+, 320+	<b>Grades</b> 40+, 80+, 120+, 150+, 180+, 220+, 240+, 320+, 400+	<b>Grades</b> 80, 120, 150, 180, 220, 240, 320	<b>Grades</b> 80, 120, 150, 180, 220, 240, 320, 400, 500, 600	<b>Grades</b> 80, 100, 120, 150, 180, 220, 240, 320, 360, 400, 500, 600
<b>Sizes</b> 75 mm, 125 mm, 150 mm, 203 mm	<b>Sizes</b> 75 mm, 90 mm, 125 mm, 150 mm	<b>Sizes</b> 75 mm, 125 mm, 150 mm	<b>Sizes</b> 150 mm	<b>Sizes</b> 75 mm, 125 mm, 150 mm, 203 mm
<b>Technology</b> 3M Precision-Shaped Grain	<b>Technology</b> 3M Precision-Shaped Grain	<b>Technology</b> Engineered Ceramic Mineral Blend	<b>Technology</b> Engineered Ceramic Mineral Blend	<b>Technology</b> Aluminum Oxide Mineral
<b>Material</b> Net	<b>Material</b> Paper (Multi-hole)	<b>Material</b> Net	<b>Material</b> Paper (Multi-hole)	<b>Material</b> Paper (Various hole configurations)
<b>Attachment Type</b> 3M™ Hookit™	<b>Attachment Type</b> 3M™ Hookit™	<b>Attachment Type</b> 3M™ Hookit™	<b>Attachment Type</b> 3M™ Hookit™	<b>Attachment Type</b> 3M™ Hookit™



## CUBITRON™ II Abrasive Discs

### 5 Reasons to switch to 3M™ Cubitron™ II Abrasives:

1

Cuts 30% faster with less effort.

2

Lasts twice as long as conventional abrasives.

3

Runs cooler – lower chance of warping / degrading the metal.

4

Delivers a finer, more uniform finish.

5

Improves productivity to help save time and money.

### 3M technologies applied to 3M™ Cubitron™ II abrasives

**Ce**  
Ceramics


3M has decades of experience creating minerals that match hardness and toughness of the mineral to the application.

**Mr**  
Micro-replication

Microreplication allows the same mineral structure to be repeated for all 3M Precision-Shaped Grains.

**Pp**  
Precision Processing

Precision processing deposits uniform mineral structures on the right locations, regardless of the product substrate.







# Standard Operating Procedures

## Recommended Net Sanding Process



### PERSONAL SAFETY

• Comfort Particle Mask P3



• Hearing Protection



• Comfort Goggles



• Reusable Overall



• Safety Gloves




1 Sanding down the job area



- ▶ 3M™ Cubitron™ II Net Abrasive Disc 120+ - 150+.
- ▶ To prolong the life of the backup pad when sanding with net abrasive discs (150 mm), it is recommended that Festool Automotive Systems Protection Pad is used (PN 30089, Protection Pad PP-STF D150).
- ▶ Festool Automotive Systems electric sander ETS EC 150/5 or Festool Automotive Systems pneumatic sander LEX 3 150/5 or 150/7.



3M™ Cubitron™ II Net Abrasive Disc



Festool Protective Pad



Festool ETS EC 150/5 EQ



Festool LEX 3 150/5, Festool LEX 3 150/7

2 Fine sanding of the surface & feather edges



- ▶ 3M™ Cubitron™ II Net Abrasive Disc 220+ - 240+.
- ▶ Refine previous sanding scratches which reduces the possibility of solvents from the body filler penetrating into the OEM paint layers. If this happens it can lead to surface swelling around the repair.



3M™ Cubitron™ II Net Abrasive Disc



3M™ Dry Guide Coat

3 Sanding the body filler



- ▶ 3M™ Cubitron™ II Net Abrasive Disc 150+ - 240+.
- ▶ Initial shaping of the body filler.
- ▶ Ensure that you use dust extraction.
- ▶ Identify and highlight sanding scratches through the application of dry guide coat.



3M™ Cubitron™ II Net Abrasive Disc



3M™ Cubitron™ II Net Abrasive Sheets



3M™ Hookit™ Purple Hand Block

4 Pre-sanding of edges and borders



- ▶ 3M™ Grippy Sanding Cloth, P800 - P1000.
- Note: This product is recommended for maximum process safety.



3M™ Grippy Sanding Cloth, P800



3M™ Grippy Sanding Cloth, P1000

5 Fine sanding of the surface & feather edges



- ▶ 3M™ Cubitron™ II Net Abrasive Disc 320+.
- ▶ It is advisable to work with a soft interface pad when sanding curved areas.
- Tip: The choice of the fine grit has to be adjusted to the solvent sensitivity of the original paint. The higher the solvent sensitivity of the original paint, the finer the sanding before primer application.



3M™ Cubitron™ II Net Abrasive Disc



Festool Interface-Pad

6 Flat sanding of the primer above the body filler area



- ▶ 3M Hookit™ Hand Block and 3M Abrasives 320+ - 400+.
- ▶ Highlight the texture and structure of the primer using dry guide coat.
- ▶ For best result and the most efficient process always use dust extraction.



3M™ Cubitron™ II Net Abrasive Sheets



3M™ Cubitron™ II 737U Abrasive Sheets



3M™ Hookit™ Purple Hand Block



3M™ Dry Guide Coat

7 Pre-sanding of edges and borders



- ▶ 3M™ Grippy Sanding Cloth, P800 - P1000.
- Note: This product is recommended for maximum process safety.
- ▶ Identify and highlight sanding scratches through the application of dry guide coat.



3M™ Grippy Sanding Cloth, P800



3M™ Grippy Sanding Cloth, P1000

8 Large area primer sanding



- ▶ Eccentric sanding with 3M Abrasives 400+ - P500.
- ▶ For critical colours use a 3M™ Hookit™ Flexible Foam Disc P600 as a last sanding step after 400+.
- ▶ Dedusting of the surface with 3M™ Scotch-Brite™ Abrasives Discs.
- Tip: It is advisable to work with a soft interface pad sanding curved areas.



3M™ Cubitron™ II 737U Disc



3M™ Scotch-Brite™ Abrasive Discs




Festool ETS EC 150/3



Festool LEX 3 150/3

9 Blending in to adjacent parts



- ▶ 3M™ Hookit™ Flexible Foam Disc P800 - P1000
- ▶ Prepare adjacent areas of the OEM clearcoat.
- Note: This product is recommended for maximum process safety.



3M™ Hookit™ Flexible Foam Disc



# Abrasives and Abrasive Accessories

## Net Discs

### Focus

### 3M™ Cubitron™ II Net Disc

3M™ Cubitron™ II Net Discs are fast-cutting and long-lasting family of net discs which delivers the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment.



Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.

- Fast-cutting, long-lasting net discs are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it is a self-generating-vacuum sander, a central vacuum system or a portable dust extractor
- The patented triangular-shaped mineral grains on the discs slice through substrates rather than gouging or “plowing” like conventional abrasive grains, helping the disc run cooler, cut faster, and last longer

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100249788	31641	3M™ Cubitron™ II Net Disc, 203 mm, 80+ Grade, 31641		Each		
7100249802	31642	3M™ Cubitron™ II Net Disc, 203 mm, 120+ Grade, 31642		Each		
7100249793	31643	3M™ Cubitron™ II Net Disc, 203 mm, 150+ Grade, 31643		Each		
7100249792	31644	3M™ Cubitron™ II Net Disc, 203 mm, 180+ Grade, 31644		Each		
7100249805	31645	3M™ Cubitron™ II Net Disc, 203 mm, 220+ Grade, 31645		Each		
7100249791	31646	3M™ Cubitron™ II Net Disc, 203 mm, 240+ Grade, 31646		Each		
7100249806	31647	3M™ Cubitron™ II Net Disc, 203 mm, 320+ Grade, 31647		Each		

### Focus

### 3M™ Cubitron™ II Net Disc Roll

3M™ Cubitron™ II Net Discs are a family of fast-cutting and long-lasting net discs that deliver the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment.



Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.

- Fast-cutting, long-lasting net discs are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it's a self-generating-vacuum sander, a central vacuum system or a portable dust extractor
- The patented triangular-shaped mineral grains on the discs slice through substrates rather than gouging or “plowing” like conventional abrasive grains, helping the disc run cooler, cut faster, and last longer

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100249797	31679	3M™ Cubitron™ II Net Disc Roll, 75 mm, 80+ Grade, 31679		Roll		
7100249796	31680	3M™ Cubitron™ II Net Disc Roll, 75 mm, 120+ Grade, 31680		Roll		
7100249556	31681	3M™ Cubitron™ II Net Disc Roll, 75 mm, 150+ Grade, 31681		Roll		
7100249544	31682	3M™ Cubitron™ II Net Disc Roll, 75 mm, 180+ Grade, 31682		Roll		
7100249795	31683	3M™ Cubitron™ II Net Disc Roll, 75 mm, 220+ Grade, 31683		Roll		
7100249794	31684	3M™ Cubitron™ II Net Disc Roll, 75 mm, 240+ Grade, 31684		Roll		
7100249555	31685	3M™ Cubitron™ II Net Disc Roll, 75 mm, 320+ Grade, 31685		Roll		

# Abrasives and Abrasive Accessories

## Focus

### 3M™ Cubitron™ II Net Disc Roll

3M™ Cubitron™ II Net Discs are a family of fast-cutting and long-lasting net discs that deliver the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment.



Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.

- Fast-cutting, long-lasting net discs are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it's a self-generating-vacuum sander, a central vacuum system or a portable dust extractor
- The patented triangular-shaped mineral grains on the discs slice through substrates rather than gouging or “plowing” like conventional abrasive grains, helping the disc run cooler, cut faster, and last longer

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100249539	31665	3M™ Cubitron™ II Net Disc Roll, 125 mm, 80+ Grade, 31665				Roll
7100249540	31666	3M™ Cubitron™ II Net Disc Roll, 125 mm, 120+ Grade, 31666				Roll
7100249541	31667	3M™ Cubitron™ II Net Disc Roll, 125 mm, 150+ Grade, 31667				Roll
7100249557	31668	3M™ Cubitron™ II Net Disc Roll, 125 mm, 180+ Grade, 31668				Roll
7100249531	31669	3M™ Cubitron™ II Net Disc Roll, 125 mm, 220+ Grade, 31669				Roll
7100249532	31670	3M™ Cubitron™ II Net Disc Roll, 125 mm, 240+ Grade, 31670				Roll
7100249545	31671	3M™ Cubitron™ II Net Disc Roll, 125 mm, 320+ Grade, 31671				Roll
7100249800	31650	3M™ Cubitron™ II Net Disc Roll, 150 mm, 80+ Grade, 31650				Roll
7100249799	31651	3M™ Cubitron™ II Net Disc Roll, 150 mm, 120+ Grade, 31651				Roll
7100249535	31652	3M™ Cubitron™ II Net Disc Roll, 150 mm, 150+ Grade, 31652				Roll
7100249536	31653	3M™ Cubitron™ II Net Disc Roll, 150 mm, 180+ Grade, 31653				Roll
7100249537	31654	3M™ Cubitron™ II Net Disc Roll, 150 mm, 220+ Grade, 31654				Roll
7100249538	31655	3M™ Cubitron™ II Net Disc Roll, 150 mm, 240+ Grade, 31655				Roll
7100249560	31656	3M™ Cubitron™ II Net Disc Roll, 150 mm, 320+ Grade, 31656				Roll

## Focus

### 3M™ Blue Net Disc Roll

3M™ Blue Net Discs are net abrasive sanding discs that offer outstanding performance. They're built with an engineered ceramic-mineral blend of abrasives that deliver a fast cut rate and long disc life. They also offer excellent dust removal when used with a dust extraction system.



- Sanding discs that offer outstanding performance at a competitive price
- Built with an engineered ceramic-mineral blend they deliver an excellent cut rate and life
- Balanced for outstanding abrasive performance for cut, life and dust extraction

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100250643	36420	3M™ Blue Net Disc Roll, 150 mm, 80 Grade, 36420				Roll
7100250644	36421	3M™ Blue Net Disc Roll, 150 mm, 120 Grade, 36421				Roll
7100250645	36422	3M™ Blue Net Disc Roll, 150 mm, 150 Grade, 36422				Roll
7100250646	36423	3M™ Blue Net Disc Roll, 150 mm, 180 Grade, 36423				Roll
7100250647	36424	3M™ Blue Net Disc Roll, 150 mm, 220 Grade, 36424				Roll
7100250653	36425	3M™ Blue Net Disc Roll, 150 mm, 240 Grade, 36425				Roll

# Abrasives and Abrasive Accessories

## Focus

### 3M™ Blue Net Disc Roll

3M™ Blue Net Discs are net abrasive sanding discs that offer outstanding performance. They're built with an engineered ceramic-mineral blend of abrasives that deliver a fast cut rate and long disc life. They also offer excellent dust removal when used with a dust extraction system.



- Sanding discs that offer outstanding performance at a competitive price
- Built with an engineered ceramic-mineral blend they deliver an excellent cut rate and life
- Balanced for outstanding abrasive performance for cut, life and dust extraction

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100250651	36426	3M™ Blue Net Disc Roll, 150 mm, 320 Grade, 36426		Roll		

## Paper Discs

## Focus

### 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U

Get a superior cut and durability during key stages of automotive repair with 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U. Our triangular shaped grain and multi-hole pattern abrasive disc is ideal for paint removal, rough body filler shaping, fine feather-edging and final prep before blending or priming.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100272288	51626	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 80+, 51626		Each		
7100272289	51627	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 120+, 51627		Each		
7100272290	51629	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 150+, 51629		Each		
7100272291	51630	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 180+, 51630		Each		
7100272294	51631	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 220+, 51631		Each		
7100272293	52026	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 240+, 52026		Each		
7100272292	52027	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 320+, 52027		Each		
7100229088	52028	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 400+, 52028		Each		
7100273450	51610	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 80+, 51610		Each		
7100273615	51611	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 120+, 51611		Each		
7100273614	51612	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 150+, 51612		Each		
7100273628	51613	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 180+, 51613		Each		

# Abrasives and Abrasive Accessories

## Focus

### 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U

Get a superior cut and durability during key stages of automotive repair with 3M™ Cubitron™ II Hookit™ Purple+ Multihole Abrasive Disc 737U. Our triangular shaped grain and multi-hole pattern abrasive disc is ideal for paint removal, rough body filler shaping, fine feather-edging and final prep before blending or priming.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100273627	51614	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 220+, 51614		Each		
7100273629	51615	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 240+, 51615		Each		
7100273449	51616	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 320+, 51616		Each		
7100229086	51617	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 400+, 51617		Each		
7100147540	31366	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 80+, 31366		Each		
7100155356	31367	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 120+, 31367		Each		
7100155302	31368	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 150+, 31368		Each		
7100155358	31369	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 180+, 31369		Each		
7100155365	31471	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 220+, 31471		Each		
7100138560	31472	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 240+, 31472		Each		
7100141498	31473	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 320+, 31473		Each		
7100141501	31474	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 400+, 31474		Each		
7100273602	51369	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 80+, 51369		Each		
7100273932	51370	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 120+, 51370		Each		
7100273963	51421	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 150+, 51421		Each		
7100273957	51422	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 180+, 51422		Each		
7100273613	51423	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 220+, 51423	250	Each		
7100265969	51424	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 240+, 51424		Each		
7100173181	51426	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 320+, 51426		Each		
7100225245	51428	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 400+, 51428		Each		
7100238420	52020	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Sample Pack, 80+/400+, 52020				



### PERSONAL SAFETY

• Comfort Particle Mask P3



• Hearing Protection



• Comfort Goggles



• Reusable Overall



• Nitrile Gloves



#### Basic requirements



- ▶ Always use suitable dust extraction and select the correct tools for aluminum sanding: Festool Cleantec CTM 48 EC/B22 is certified under ATEX directive 94/9/EG for Zone 22 areas.
  - ▶ Separate tools and abrasives to avoid cross contamination.
- Note: If aluminum and steel dust are mixed together, it could create a thermal reaction, which can produce a much more powerful explosion than one with just aluminum dust.



Festool LEX 3 150/5  
Festool LEX 3 150/7

Festool Cleantec  
CTM 48 E LE EC/B22

Festool IAS 3-3500 AS - correspond  
DIN IEC 312, Antistatic, bleeder  
resistance (DIN IEC 312) < 1 MΩ/m

#### 1 Sanding down the job area



- ▶ 3M™ Hookit™ Cubitron™ II Abrasive Discs, 120+ - 150+.
  - ▶ Identify and highlight sanding scratches through the application of dry guide coat.
- Note: Aluminum is a very soft metal! Pay special attention as using excessively coarse abrasives can badly damage the surface of the substrate.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs

3M™ Dry Guide Coat

#### 2 Fine sanding of the surface & feather edges



- ▶ 3M™ Hookit™ Cubitron™ II Abrasive Discs 220+ - 240+.
- ▶ Refine previous sanding scratches which reduces the possibility of solvents from the body filler penetrating into the OEM paint layers. If this happens it can lead to surface swelling around the repair.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs

Festool Interface-Pad

#### 3 Sanding body filler



- ▶ 3M™ Hookit™ Cubitron™ II Abrasive Discs 150+ - 240+.
  - ▶ Flat sanding of the body filler area.
  - ▶ Identify and highlight sanding scratches through the application of dry guide coat.
- Note: Excessive heat build up during the sanding process should be avoided as this can damage the aluminum substrate.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs


3M™ Hookit™ Purple  
Hand Block

3M™ Hookit™ Purple+  
Abrasive Sheets

#### 4 Pre-sanding of edges and borders



- ▶ 3M™ Hookit™ Flexible Abrasive Sheet P800-P1000.
- Note: For maximum process safety.



3M™ Hookit™ Flexible  
Abrasive Sheets

3M™ Hookit™ Flexible  
Abrasive Sheets

#### 5 Fine sanding of the surface & feather edges



- ▶ 3M™ Hookit™ Cubitron™ II Abrasive Discs 320+
  - ▶ It is advisable to work with a soft interface pad when sanding curved areas.
- Tip: The choice of the fine grit has to be adjusted to the solvent sensitivity of the original paint. The higher the solvent sensitivity of the original paint, as finer the sanding before primer application.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs

Festool Interface-Pad

#### 6 Flat sanding of the primer above the body filler area



- ▶ 3M™ Hookit™ Hand Block and 3M Abrasives 320+ - 400+.
- ▶ Highlight the texture and structure of the primer using dry guide coat.
- ▶ For best results and the most efficient process always use dust extraction.



3M™ Hookit™ Cubitron™ II  
Abrasive Sheets


3M™ Hookit™ Purple  
Hand Block

3M™ Dry Guide Coat

#### 7 Pre-sanding of edges and borders



- ▶ 3M™ Hookit™ Flexible Abrasive Sheets P800-P1000.
  - ▶ Identify and highlight sanding scratches through the application of dry guide coat.
- Note: For maximum process safety.



3M™ Hookit™ Flexible  
Abrasive Sheets

3M™ Hookit™ Flexible  
Abrasive Sheets

#### 8 Large Area Final Primer Sanding Before Painting



- ▶ Eccentric sanding with 3M Abrasives 400+ - P500.
  - ▶ For critical colors use a 3M™ Hookit™ Flexible Foam Disc P600 as a last sanding step after 400+.
  - ▶ Dusting of the surface with 3M™ Scotch-Brite™ Abrasive Discs.
- Tip: It is advisable to work with a soft interface pad when sanding curved areas.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs

3M™ Hookit™  
Flexible Foam Disc

3M™ Scotch-Brite™  
Abrasive Discs

Festool LEX 3 150/3

#### 9 Blending in to adjacent parts



- ▶ 3M™ Hookit™ Flexible Foam Disc P800 - P1000.
  - ▶ Prepare adjacent areas of the OEM clearcoat.
- Note: For maximum process safety.



3M™ Hookit™  
Flexible Foam Disc

### PERSONAL SAFETY

• Comfort Particle Mask P2



• Hearing Protection



• Comfort Goggles



• Reusable Workwear



• Safety Gloves



### 1 Sanding down the job area



- ▶ Sand down the area to be repaired to the bare metal substrate
- ▶ To remove coatings quicker, use the ROTEX motion setting
- ▶ To refine previous sanding scratches, switch to ROTEX orbital random motion, keeping the previous abrasive disc on the machine

Note: For aluminium substrates and workplaces, always use a pneumatic sanding tool such as Festool Automotive Systems LEX 3 150/7 and follow instructions of ATEX directive 94/9/EG for Zone 22 areas



3M™ Hookit™ Cubitron™ II 80+ - 120+ - 125mm



Festool RO 125



3M™ Hookit™ Cubitron™ II 80+ - 120+ - 150mm



Festool LEX 3 150/7

### 2 Cleaning of the surface



- ▶ Degrease the surface



3M™ General Purpose Adhesive Cleaner



3M™ Professional Panel Wipes

### 3 Calibration of a new cartridge



- ▶ Insert the cartridge into a suitable application gun
- ▶ Before attaching the mixer to the cartridge, equalize cartridge by squeezing out a small amount of material until both components are equally extruded
- ▶ Attach the mixing nozzle and discard the first 2-4 cm of extruded material, to remove any improperly mixed material

Note: The previous step is only necessary when using a new cartridge.



3M™ FC Epoxy Metal Filler



3M™ Static Mixing Nozzle



3M™ High Power Manual Gun

### 3 Application



- ▶ First apply a "tight" coat of material onto the welded area, in order to ensure that the material completely covers any pinholes from the previous welding steps. Additional layers of the product can be applied immediately onto the first layer in a "wet on wet" process, in order to build up the repair to the required level
- ▶ Working time and mixing nozzle open time 15 -20 min @ 22 °C
- ▶ Recommended settings for applicators: pneumatic max. inlet pressure 5.5 bar / battery driven 3kN, max speed 180mm/min



3M™ Plastic Spreader

### 4 Drying



- ▶ The curing of 3M™ FC Epoxy Metal Filler can be accelerated using IR drying after the initial gelling period. Wait 10 minutes before using an IR dryer to heat for 10-20 minutes with a panel temperature of 70 °C
- ▶ Airdrying: sandable ~ after 4h @ 22 °C ambient temperatures

Tip for use: warming up the material & surface to ~30°C before material application will help to accelerate curing, particularly at cold ambient temperatures

### 5 Pre-sanding of the filler area



- ▶ Pre-sanding step can also be done by using traditional body files

### 6 Sanding of the filler area



- ▶ Flat sanding of the filler area
- ▶ To remove coatings quicker, use the ROTEX motion setting
- ▶ To refine previous sanding scratches, switch to ROTEX orbital random motion, keeping the previous abrasive disc on the machine



3M™ Hookit™ Cubitron™ II 80+ - 120+ - 125mm



Festool RO 125



3M™ Hookit™ Cubitron™ II 80+ - 120+ - 150mm



Festool LEX 3 150/7

### 7 Cleaning of the surface



- ▶ Thoroughly degrease the surface



3M™ General Purpose Adhesive Cleaner



3M™ Professional Panel Wipes

### Optional - second layer application



- ▶ Apply a further layer of 3M™ FC Epoxy Metal Filler if necessary and repeat drying and sanding steps as recommended in the previous steps
- ▶ Maximum finished thickness should not exceed 4-6 mm, maximum layer thickness should not exceed 2-3 mm
- ▶ Follow car manufacturer and paint company recommendations for subsequent steps



3M™ FC Epoxy Metal Filler



3M™ Static Mixing Nozzle




3M™ High Power Manual Gun

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Disc 245

Achieve a consistent finish with 3M™ Hookit™ Abrasive Disc 245. Coated in aluminium oxide with resin bonding to prevent premature burning, our tough disc offers excellent durability and are available in a variety of hole configurations, sizes and grades.



- Get high performance from a tough and durable disc
- Use for panel shop sanding
- Choose discs from a variety of hole configurations, sizes and grades

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034271	80350	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P40, 80350		Each		
7000034270	80351	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P60, 80351		Each		
7000034269	80352	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P80, 80352		Each		
7000083859	80353	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P100, 80353		Each		
7000083858	80354	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P120, 80354		Each		
7000034084	00317	3M™ Hookit™ Abrasive Disc 245, 150 mm, 9 Hole, P40, 00317				
7000034186	00316	3M™ Hookit™ Abrasive Disc 245, 150 mm, 9 Hole, P60, 00316				
7000034085	00315	3M™ Hookit™ Abrasive Disc 245, 150 mm, 9 Hole, P80, 00315				
7000082216	01649	3M™ Hookit™ Abrasive Disc 245, 150 mm, No Hole, P40, 01649		Each		
7000082218	01647	3M™ Hookit™ Abrasive Disc 245, 150 mm, No Hole, P80, 01647		Each		
7000082406	00696	3M™ Hookit™ Abrasive Disc 245, 203 mm, 8 Hole, P40, 00696		Each		
7000082407	00694	3M™ Hookit™ Abrasive Disc 245, 203 mm, 8 Hole, P80, 00694		Each		
7000082247	00692	3M™ Hookit™ Abrasive Disc 245, 203 mm, 8 Hole, P120, 00692		Each		

## 3M™ Hookit™ Abrasive Disc 255P

3M™ Hookit™ Disc 255P Gold is a C-weight abrasive disc for general purpose lightweight sanding. The popular 255P Gold abrasive offers superior performance.



- General Purpose
- Available in a range of grades from P80 to P600. Applications include paint removal,
- 255P discs and pads achieve better cut, less loading and a reduction in airborne dust

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000084816	50726	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P80, 50726		Pack		
7000084815	50725	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P120, 50725		Pack		
7000084813	50723	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P180, 50723		Pack		
7000084812	50721	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P240, 50721		Pack		
7000084810	50719	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P320, 50719		Pack		
7000084808	50717	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P400, 50717		Pack		
7000084807	50716	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P500, 50716		Pack		
7000083430	50088	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, 80, 50088		Pack		
7000083429	50087	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, 120, 50087		Pack		
7000083428	50086	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P180, 50086		Pack		
7000083427	50085	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P240, 50085		Pack		
7000083425	50083	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P320, 50083		Pack		
7000083423	50081	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P400, 50081		Pack		



# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Disc 255P

3M™ Hookit™ Disc 255P Gold is a C-weight abrasive disc for general purpose lightweight sanding. The popular 255P Gold abrasive offers superior performance.



- General Purpose
- Available in a range of grades from P80 to P600. Applications include paint removal,
- 255P discs and pads achieve better cut, less loading and a reduction in airborne dust

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000083422	50080	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P500, 50080		Pack		
7000083133	60487	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P80, 60487		Each		
7000083131	60485	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P120, 60485		Each		
7000083129	60483	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P180, 60483		Each		
7000083127	60481	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P240, 60481		Each		
7000083264	60479	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P320, 60479		Each		
7000083262	60477	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P400, 60477		Each		
7000083831	80355	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, 80, 80355		Each		
7000083829	80357	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, 120, 80357		Each		
7000083828	80358	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P150, 80358		Each		
7000083827	80359	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P180, 80359		Each		
7000083826	80360	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P220, 80360		Each		
7000083825	80361	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P240, 80361		Each		
7000083823	80363	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P320, 80363		Each		
7000083822	80364	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P360, 80364		Each		
7000083821	80365	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P400, 80365		Each		
7000083820	80366	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P500, 80366		Each		
7000034323	50443	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P80, 50443		Each		
7100253066	50443	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P80, 50443		Each		
7000034324	50445	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P120, 50445		Each		
7100253067	50445	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P120, 50445		Each		
7100253068	50446	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P150, 50446		Each		
7100253069	50447	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P180, 50447		Each		
7000034325	50448	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P220, 50448		Each		
7100253070	50448	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P220, 50448		Each		
7100253071	50449	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P240, 50449		Each		
7000034328	50450	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P280, 50450				
7100253073	50451	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P320, 50451		Each		
7100253075	50453	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P400, 50453		Each		
7000034322	50454	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P500, 50454		Each		
7100253076	50454	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P500, 50454		Each		
7100253077	50455	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P600, 50455		Each		
7100106425	51654	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P80, 51654		Each		
7100106426	51656	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P120, 51656		Each		
7100106427	51657	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P150, 51657		Each		
7100106428	51658	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P180, 51658		Each		
7100106429	51659	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P220, 51659		Each		

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Disc 255P

3M™ Hookit™ Disc 255P Gold is a C-weight abrasive disc for general purpose lightweight sanding. The popular 255P Gold abrasive offers superior performance.



- General Purpose
- Available in a range of grades from P80 to P600. Applications include paint removal,
- 255P discs and pads achieve better cut, less loading and a reduction in airborne dust

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100106430	51660	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P240, 51660		Each		
7100106431	51661	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P280, 51661		Each		
7100106432	51662	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P320, 51662		Each		
7100106433	51663	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P360, 51663		Each		
7100106434	51664	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P400, 51664		Each		
7100106435	51665	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P500, 51665		Each		
7100106436	51666	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P600, 51666		Each		
7000082547	00174	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P80, 00174		Each		
7000082544	00171	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P150, 00171		Each		
7000082542	00169	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P220, 00169		Each		
7000082556	00168	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P240, 00168		Each		
7000082553	00165	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P360, 00165		Each		
7000082552	00164	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P400, 00164		Each		

## 3M™ Hookit™ Abrasive Disc 325U

3M™ Hookit™ Abrasive Disc 325U Blue is an Engineered Ceramic Mineral Blend product designed to offer excellent cut performance with superior dust extraction based on multihole technology.



- Engineered Ceramic Mineral Blend Hookit™ abrasive disc
- Hookit™ attachment system
- Grades P80 to 600

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100248530	51371	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 80 Grade, 51371		Each		
7100248531	51373	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 120 Grade, 51373		Each		
7100248532	51374	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 150 Grade, 51374		Each		
7100248583	51375	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 180 Grade, 51375		Each		
7100248584	51376	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 220 Grade, 51376		Each		
7100248585	51377	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 240 Grade, 51377		Each		
7100187285	51378	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 280 Grade, 51378		Each		
7100248586	51379	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 320 Grade, 51379		Each		

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Disc 325U

3M™ Hookit™ Abrasive Disc 325U Blue is an Engineered Ceramic Mineral Blend product designed to offer excellent cut performance with superior dust extraction based on multihole technology.

- Engineered Ceramic Mineral Blend Hookit™ abrasive disc
- Hookit™ attachment system
- Grades P80 to 600



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100249344	51381	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 400 Grade, 51381		Each		
7100249345	51382	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 500 Grade, 51382		Each		
7100249346	51383	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 600 Grade, 51383		Each		

## 3M™ Hookit™ Abrasive Disc 337U

Get a consistent matt finish on E-Coat primers with 3M™ Hookit™ Abrasive Disc 337U. This disc has been specially designed to sand very tough automotive e-coat primers.

- Finish equivalent to P320
- Use to sand extremely tough automotive e-coat primers
- Get a consistent matt finish



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100181554	50535	3M™ Hookit™ Abrasive Disc 337U, 150 mm, Multihole, P320, 50535		Each		

## 3M™ Hookit™ Easy Abrasive Disc 216U

3M™ Hookit™ Easy Abrasive Disc 216U Soft is a lightweight aluminium oxide product range offering advanced performance of a conformable product.

- Aluminium oxide Hookit™ abrasive disc
- Soft foam backed for flexibility
- Grades P320 to P500



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000091908	51095	3M™ Hookit™ Easy Abrasive Disc 216U, 150 mm, 15 Hole, P320, 51095		Each		
7000091910	51097	3M™ Hookit™ Easy Abrasive Disc 216U, 150 mm, 15 Hole, P400, 51097		Each		
7000091911	51098	3M™ Hookit™ Easy Abrasive Disc 216U, 150 mm, 15 Hole, P500, 51098		Each		



# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U

Save on labour costs and improve quality with 3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U – our disc that’s designed for a fast cut and consistent finish. Use for fine primer sanding before applying base coat.



- High performance abrasive disc with Hookit™ attachment
- Final sanding step before base coat application.
- Less loading for fine sanding applications of sensitive primers.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000085181	51020	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 75 mm, Multihole, P500, 51020		Pack		
7000085180	51019	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 75 mm, Multihole, P600, 51019		Pack		
7000085197	51041	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 125 mm, Multihole, P500, 51041		Each		
7000085196	51040	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 125 mm, Multihole, P600, 51040		Each		
7100040483	50534	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 150 mm, Multihole, P500, 50534		Each		
7000084828	50913	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 150 mm, Multihole, P600, 50913		Each		

## Film Discs

### 3M™ Hookit™ Finishing Film Abrasive Disc 260L

3M™ Hookit™ Film Disc 260L is ideal for auto body applications including blending, scuffing, paint prep and removing paint defects. Choose aluminum oxide mineral cutting surfaces from P600 to P2000, all on durable film backing.



- Film-backed abrasive discs for high-finish auto body sanding applications
- Aluminum oxide abrasive offers a fast cut and long disc life
- Change and reuse discs easily with 3M’s Hookit™ attachment system

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045653	01053	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 125 mm, 5 Hole, P1000, 01053		Each		
7000000564	00953	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 125 mm, Plain, P1000, 00953		Each		
7100113428	51057	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P600, 51057		Each		
7100113151	51099	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P800, 51099		Each		
7100113365	51055	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1000, 51055		Each		
7100113150	51054	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1200, 51054		Each		
7100113147	51053	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1500, 51053		Each		
7100123049	51304	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P2000, 51304		Each		

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Finishing Film Abrasive Disc 260L

3M™ Hookit™ Film Disc 260L is ideal for auto body applications including blending, scuffing, paint prep and removing paint defects. Choose aluminum oxide mineral cutting surfaces from P600 to P2000, all on durable film backing.



- Film-backed abrasive discs for high-finish auto body sanding applications
- Aluminum oxide abrasive offers a fast cut and long disc life
- Change and reuse discs easily with 3M's Hookit™ attachment system

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045652	1055	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, P600, 01055				
7000045431	1070	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, P800, 01070				
7000000568	969	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, P1000, 00969				
7000119693	1069	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, P1000, 01069				
7000000567	968	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, P1200, 00968				
7000028242	1068	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, P1200, 01068				
7000000566	950	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, P1500, 00950				
7000119694	1050	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, P1500, 01050				

## 3M™ Hookit™ Flexible Abrasive Disc 270J

3M™ Hookit™ Flexible Abrasive Discs are precision coated with high quality minerals and resins to deliver longer-lasting performance for primer sanding, blend preparation and paint finishing. Our versatile discs provide excellent cut and finish performance with high flexibility, anti-loading technology, and conformability.



- Get high flexibility and conformability
- Premium quality delivers uniform, consistent finishes every time
- Reduce burn through when sanding thin coated surfaces

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100018328	34417	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P400, 34417		Each		
7100018798	34419	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P600, 34419		Each		
7100018796	34420	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P800, 34420		Each		
7100018799	34421	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P1000, 34421		Each		
7100018810	34422	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P1200, 34422		Each		
7100018327	34423	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P1500, 34423		Each		
7100104547	34800	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P400, 34800		Each		

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Flexible Abrasive Disc 270J

3M™ Hookit™ Flexible Abrasive Discs are precision coated with high quality minerals and resins to deliver longer-lasting performance for primer sanding, blend preparation and paint finishing. Our versatile discs provide excellent cut and finish performance with high flexibility, anti-loading technology, and conformability.



- Get high flexibility and conformability
- Premium quality delivers uniform, consistent finishes every time
- Reduce burn through when sanding thin coated surfaces

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100104516	34801	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P600, 34801		Each		
7100104515	34802	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P800, 34802		Each		
7100104330	34803	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P1000, 34803		Each		
7100104331	34804	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P1200, 34804		Each		
7100104332	34805	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P1500, 34805		Each		

### Focus

## 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L

3M™ Purple Finishing Film Hookit™ Disc is used for scuffing the blend area before painting and removing dust nibs and excess orange peel from topcoats.



- Level orange peel, dust nibs or paint runs in all types of automotive paints
- Get a fast cut and long disc life with aluminium oxide abrasive
- Use for scuffing the blend area prior to painting

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100126984	51263	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P600, 51263		Each		
7100126991	51264	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P800, 51264		Each		
7100126990	51265	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P1000, 51265		Each		
7100126231	51266	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P1200, 51266		Each		
7100123054	51257	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P1500, 51257		Each		
7100122790	30371	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P600, 30371		Each		
7100122788	30370	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P800, 30370		Each		
7100122803	30369	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1000, 30369		Each		
7100123056	30368	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1200, 30368		Each		
7100123055	30367	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1500, 30367		Each		
7100123053	51156	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P600, 51156		Each		

# Abrasives and Abrasive Accessories

## Focus

### 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L

3M™ Purple Finishing Film Hookit™ Disc is used for scuffing the blend area before painting and removing dust nibs and excess orange peel from topcoats.



- Level orange peel, dust nibs or paint runs in all types of automotive paints
- Get a fast cut and long disc life with aluminium oxide abrasive
- Use for scuffing the blend area prior to painting

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100123753	51155	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P800, 51155		Each		
7100123051	51157	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1000, 51157		Each		
7100123052	51158	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1200, 51158		Each		
7100123050	51154	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1500, 51154		Each		
7100122781	34780	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P600, 34780		Each		
7100122797	34781	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P800, 34781		Each		
7100122800	34782	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1000, 34782		Each		
7100122787	34783	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1200, 34783		Each		
7100122776	34784	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1500, 34784		Each		
7100123057	34785	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P2000, 34785		Each		
7100122789	30671	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P600, 30671		Each		
7100122792	30670	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P800, 30670		Each		
7100122780	30668	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P1200, 30668		Each		
7100122795	30667	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P1500, 30667		Each		
7100122798	30666	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P2000, 30666		Each		

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Soft Abrasive Disc 216U

3M™ Hookit™ Soft Abrasive Disc 216U is a lightweight disc, based on aluminium oxide as abrasive in combination with a flexible foam backing.



- Aluminium oxide Hookit™ abrasive disc
- Foam backed for flexibility
- Grades P320 to P800/P1000

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000091918	51087	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P320, 51087		Each		
7000091920	51089	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P400, 51089		Each		
7000091921	51090	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P500, 51090		Each		
7000091922	51091	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P600, 51091		Each		
7000091923	51092	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P800, 51092		Each		
7100140377	51137	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P320, 51137		Each		
7100140507	51138	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P360, 51138		Each		
7100140508	51139	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P400, 51139		Each		
7100140509	51140	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P500, 51140		Each		
7100139945	51141	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P600, 51141		Each		
7100139946	51142	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P800, 51142		Each		
7100139944	51150	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P1000, 51150		Each		

## 3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA

Get a uniform and consistent finish when sanding with 3M™ Trizact™ Hookit™ P1500 Clear Coat Sanding Abrasive Disc 471LA. Our disc incorporates our Trizact technology which gives a fast cut and consistent finish every time.



- High Performance abrasive disc with Hookit™ attachment
- Removing dust nibs and texture matching orange peel
- Can be used with 3M™ Random Orbital Sanders

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100041423	05601	3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA, 75 mm, P1500, 05601		Each		
7100274877	05601	3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA, 75 mm, P1500, 05601		Each		
7100041081	05600	3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA, 150 mm, P1500, 05600		Each		
7100274878	05600	3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA, 150 mm, P1500, 05600		Each		

# Abrasives and Abrasive Accessories

## 3M™ Trizact™ Hookit™ Film Disc Roll 466LA

3M™ Trizact™ Finesse-it™ Film Disc Roll 466LA uses our own microreplication technology, where micron-graded silicon carbide particles are formed into tiny pyramids of abrasive mineral and then coated on a non-compressible polyester backing.



- With sharp Microreplicated 3M™ Trizact™ abrasives for predictable and consistent finishes
- Ideal for the 3M two-step paint defect repair process for automotive finishes
- Available in a convenient disc roll form

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034236		3M™ Trizact™ Abrasive Disc 466LA, 31.7 mm, P3000				

## Foam Discs

### Focus

## 3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA

3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA is a foam disc used for removing and refining sanding scratches prior to using 3M™ Perfect-It™ Polishing System.



- Refine paint rectification sand scratches prior to polishing
- Follow up with appropriate liquids from the 3M™ Perfect-It™ Compound or Polish Range
- Reduce polishing time increasing productivity

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034391	50415	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 75 mm, Plain, P3000, 50415		Each		
7100274874	50415	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 75 mm, Plain, P3000, 50415		Each		
7000043154	51131	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 75 mm, Plain, P6000, 51131		Each		
7100274876	51131	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 75 mm, Plain, P6000, 51131		Each		
7100193763	30804	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 75 mm, Plain, P8000, 30804		Each		
7100193764	30802	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 150 mm, Plain, P3000 + P8000 Kit, 30802				
7000034390	50414	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 150 mm, Plain, P3000, 50414		Each		
7100274873	50414	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 150 mm, Plain, P3000, 50414		Each		
7000034489	51130	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 150 mm, Plain, P6000, 51130		Each		
7100274875	51130	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 150 mm, Plain, P6000, 51130		Each		
7100193783	30806	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 150 mm, Plain, P8000, 30806		Each		



# Abrasives and Abrasive Accessories

## 3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA

Get a consistent finish during the sanding operation with 3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA. Our disc ensures even wear and durability by utilising its unique pyramid construction of multiple layers of fine grade abrasives mineral particles.



- Ideal for keying panels prior to the application of clearcoat or before blending
- Suitable for both machine and hand application
- Flexible construction ensures conformability and achieves a uniform, quality matt finish

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034389	50413	3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA, 75 mm, P1000, 50413				Each
7100274871	50413	3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA, 75 mm, P1000, 50413				Each
7000034388	50341	3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA, 150 mm, P1000, 50341				Each
7100274872	50341	3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA, 150 mm, P1000, 50341				Each

### Focus

## 3M™ Hookit™ Flexible Abrasive Foam Disc

3M™ Hookit™ Flexible Abrasive Foam Discs combine flexible aluminium oxide abrasives with a soft foam backing to create a high performing, versatile blending abrasive for wet or dry use by hand or machine.



- Extremely versatile blending abrasive
- Can be used wet or dry
- Suitable for use by hand or machine

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100100149	33550	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P800, 33550				Each
7100100148	33551	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P1000, 33551				Each
7100100158	33552	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P1200, 33552				Each
7100100159	33553	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P1500, 33553				Each
7100100160	33554	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P2000, 33554				Each
7100100157	33545	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P800, 33545				Each
7100100155	33546	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P1000, 33546				Each
7100100154	33547	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P1200, 33547				Each
7100100153	33548	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P1500, 33548				Each
7100100150	33549	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P2000, 33549				Each
7100224822	33538	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P400, 33538				Each
7100224821	33539	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P600, 33539				Each
7100100036	33540	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P800, 33540				Each
7100100147	33541	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P1000, 33541				Each
7100100151	33542	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P1200, 33542				Each
7100100152	33543	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P1500, 33543				Each
7100100156	33544	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P2000, 33544				Each

# Abrasives and Abrasive Accessories

## Non-woven Discs

### Scotch-Brite™ Clean and Strip Disc

Scotch-Brite™ Clean and Strip Disc is designed to effectively clean welds, remove rust and strip paint. Our extra coarse grade open web discs provide a smooth running loading-resistant wheel, which is ideal for removing soft coatings.



- Reach into tight corners for complete cleaning, stripping and surface preparation
- Cover a bigger surface area than with wire brushes
- Uses extra coarse grade silicon carbide for aggressive cutting and a finer finish than with wire brushes

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100182637		Scotch-Brite™ Clean and Strip Disc CS-RD, 150 mm x 13 mm, Blue	4320	Each		

### Scotch-Brite™ Clean and Strip XT Pro Disc

Scotch-Brite™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100192333		Scotch-Brite™ Clean and Strip XT Pro Disc XO-DB, 115 mm x 22 mm, S XCRS, Purple	380	Each		
7100192330	51889	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 115 mm x 22 mm, S XCRS, Purple	300	Each		
7100192331		Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x 22 mm, S XCRS, Purple	200	Each		
7100192335		Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x M14, S XCRS, Purple	200	Each		

### Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100175521	SB21538	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-DR, 50 mm, S XCRS, Purple	10	Each		
7100173795	SB21541	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-DR, 76 mm, S XCRS, Purple	10	Each		

# Abrasives and Abrasive Accessories

## Scotch-Brite™ Hookit™ 7447 PRO Disc

Our Scotch-Brite™ Hookit™ 7447 PRO Disc combines flexible fibers with outstanding cut to help you accomplish tough cleaning jobs or produce fine finishing results, use after use. It is an excellent alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks. The Hookit™ backing enables convenient attachment on a random orbital sander.



- Use for cleaning, scuffing, finishing, and light paint removal on a variety of metals and plastics
- Unique fibre coating capability assures a fast, consistent scratch
- Very fine grade aluminum oxide abrasive cleans and finishes efficiently

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7010300879		Scotch-Brite™ Hookit™ 7447 PRO Disc, 152.4 mm x NH, A VFN				

## Fibre Grinding Discs

### 3M™ Cubitron™ II Abrasive Fibre Disc 786C

Remove welds and paint with 3M™ Cubitron™ II Abrasive Fibre Discs. Our Cubitron™ II fibre discs last up to twice as long as conventional abrasives, cutting faster and leaving a finer more uniform finish.



- Cut 30% faster than premium abrasives
- Long lasting with consistent cut quality
- Deliver a finer, more uniform finish

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100035480	33395	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 100 mm x 16 mm, Slotted, 36+, 33395		Each		
7100035471	33407	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 115 mm x 22 mm, Slotted, 36+, 33407		Each		
7100035472	33409	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 115 mm x 22 mm, Slotted, 60+, 33409		Each		
7100035473	33410	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 115 mm x 22 mm, Slotted, 80+, 33410		Each		
7100035477	33431	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 180 mm x 22 mm, Slotted, 36+, 33431		Each		

### 3M™ Cubitron™ II Roloc™ Fibre Disc 786C

3M™ Cubitron™ II Roloc™ Fibre Disc is a premium abrasive fibre disc for weld mark removal and other grinding / sanding applications.



- High cut rate
- Improve productivity and efficiency in the workshop
- Get long-lasting performance

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100033187	33377	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 50 mm, 36+, 33377		Each		
7100033188	33379	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 50 mm, 60+, 33379		Each		
7100033189	33380	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 50 mm, 80+, 33380		Each		
7100033190	33389	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 75 mm, 36+, 33389		Each		

# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Roloc™ Fibre Disc 786C

3M™ Cubitron™ II Roloc™ Fibre Disc is a premium abrasive fibre disc for weld mark removal and other grinding / sanding applications.



- High cut rate
- Improve productivity and efficiency in the workshop
- Get long-lasting performance

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100033191	33391	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 75 mm, 60+, 33391		Each		
7100033192	33392	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 75 mm, 80+, 33392		Each		

## 3M™ Cubitron™ II Fibre Disc 982CX Pro

Get more done with 3M™ Cubitron™ II Fibre Disc 982CX Pro. With a re-engineered 3M Precision-Shaped Grain, these fibre discs take the legendary cutting speed and life of 3M™ Cubitron™ II Abrasives to a new level. Available in 36+ grit for medium and high-pressure applications like weld grinding, beveling and heavy deburring.



- Re-engineered 3M Precision-Shaped Grain takes legendary speed and life to a new level
- Longest-lasting 3M fibre disc helps boost productivity and minimize disc changes in manual and automated applications
- Triangular ceramic grain wears evenly, runs cool and stays sharp through the life of the disc

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100242965	83321	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83321, 36+, 180 mm x 22.23 mm, Slotted, 25 per inner, 100 per case	100	Each		
7100246096	83322	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83322, 36+, 125 mm x 22.23 mm, Slotted, 25 per inner, 100 per case	100	Each		
7100242885	83323	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83323, 36+, 115 mm x 22.23 mm, Slotted, 25 per inner, 100 per case	100	Each		
7100242966	83326	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83326, 36+, 150 mm x 22.23 mm, Slotted, 25 per inner, 100 per case	100	Each		

## 3M™ Cubitron™ II Fibre Disc 982CX Pro Kit

Get even more done when the 3M™ Cubitron™ II Fibre Disc Pro 982CX is combined with a 3M™ High Performance Ribbed Back-Up Pad. With a re-engineered 3M Precision-Shaped Grain, these fibre discs take the legendary cutting speed and life of 3M™ Cubitron™ II Abrasives to a new level. 3M™ Disc Back-up Pads provide the firm support required for grinding applications which helps mineral break down to optimise performance.



- Re-engineered 3M Precision-Shaped Grain takes legendary speed and life to a new level especially when used with extra hard 3M™ High Performance Ribbed Back-Up Pads.
- Using these fibre discs with extra hard back-up pads makes them cut with less pressure required than traditional fibre discs, helping reduce the demands on operators.
- Longest-lasting 3M fibre disc helps boost productivity and minimize disc changes in manual and automated applications

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100263628		3M™ Cubitron™ II Fibre Disc 982CX Pro, 36+, Slotted Disc with Ribbed Back-up Pad, 115 mm				



# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Fibre Disc 982CX Pro Kit

Get even more done when the 3M™ Cubitron™ II Fibre Disc Pro 982CX is combined with a 3M™ High Performance Ribbed Back-Up Pad. With a re-engineered 3M Precision-Shaped Grain, these fibre discs take the legendary cutting speed and life of 3M™ Cubitron™ II Abrasives to a new level. 3M™ Disc Back-up Pads provide the firm support required for grinding applications which helps mineral break down to optimise performance.



- Re-engineered 3M Precision-Shaped Grain takes legendary speed and life to a new level especially when used with extra hard 3M™ High Performance Ribbed Back-Up Pads.
- Using these fibre discs with extra hard back-up pads makes them cut with less pressure required than traditional fibre discs, helping reduce the demands on operators.
- Longest-lasting 3M fibre disc helps boost productivity and minimize disc changes in manual and automated applications

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100263629		3M™ Cubitron™ II Fibre Disc 982CX Pro, 36+, Slotted Disc with Ribbed Back-up Pad, 125 mm				

## Flap Discs

### 3M™ Cubitron™ II Flap Disc

The 3M™ Cubitron™ II Flap Discs is engineered for a faster cut, longer disc life and a more uniform finish vs. conventional ceramic abrasives, which allows easy and smooth removal of paint and rust. Flexible flaps feature our Precision Shaped Grain (PSG) technology – super-sharp triangular grains, electrostatically oriented on a flexible backing for an extremely fast, even cut. Overlapping flaps provide cushion for grinding and blending with one disc.



- Cuts 30% faster and lasts 2x longer than other conventional ceramic abrasives for increased productivity and a consistent repair finish
- Runs cooler and requires less pressure than other conventional ceramic abrasives
- Precision Shaped Grain (PSG) technology results in a more uniform finish, less rework, less refining of deep scratches

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100101808	33471	3M™ Cubitron™ II Flap Disc, T29, 115 mm x 22 mm, 60+, 33471		Each		
7100101807	33472	3M™ Cubitron™ II Flap Disc, T29, 115 mm x 22 mm, 80+, 33472		Each		
7100101776	33470	3M™ Cubitron™ II Flap Disc, T29, 115 mm x 22mm, 40+, 33470		Each		

### 3M™ Cubitron™ II Flap Disc 967A

3M™ Cubitron™ II Flap Disc 967A delivers superior cut rates in low to medium-high pressure applications. Our discs are ideal for flat surfaces or outside edgework, especially where final finish and gouge resistance are important.



- Engineered to cut faster and last longer than competitive ceramic products with 3M Precision Shaped Grain
- Cool operating temperature decreases metal discolouration/oxidation and heat related stress cracks
- Flap discs grind and blend in a single step meaning they can replace bonded wheels and fibre discs

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100011310		3M™ Cubitron™ II Flap Disc 967A, 125 mm, 40+, Conical	2800	Each		

# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Flap Disc 967A

3M™ Cubitron™ II Flap Disc 967A delivers superior cut rates in low to medium-high pressure applications. Our discs are ideal for flat surfaces or outside edgework, especially where final finish and gouge resistance are important.



- Engineered to cut faster and last longer than competitive ceramic products with 3M Precision Shaped Grain
- Cool operating temperature decreases metal discolouration/oxidation and heat related stress cracks
- Flap discs grind and blend in a single step meaning they can replace bonded wheels and fibre discs

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000104374		3M™ Cubitron™ II Flap Disc 967A, 125 mm, 40+, Flat	2800	Each		
7100011144		3M™ Cubitron™ II Flap Disc 967A, 125 mm, 60+, Conical	2800	Each		
7000104375		3M™ Cubitron™ II Flap Disc 967A, 125 mm, 60+, Flat	1400	Each		
7100011569		3M™ Cubitron™ II Flap Disc 967A, 125 mm, 80+, Conical	2800	Each		
7000104376		3M™ Cubitron™ II Flap Disc 967A, 125 mm, 80+, Flat	1400	Each		

## Quick Change Discs

### Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR

Scotch-Brite™ Roloc™ Surface Conditioning Disc combines our durable, non-woven disc with the efficient Roloc quick-change attachment system, for effective cleaning, finishing, blending and deburring. These discs use non-woven fibre which conforms well to irregular surfaces.



- Tough non-woven disc aggressively deburrs and finishes
- Conformable, non-woven disc with Roloc™ backing for aggressive cutting
- Achieve consistent finishes with open-web construction that resists loading and runs cool

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000028507		Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, Brown	100	Each		
7000000752		Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, Brown	50	Each		
7000000751		Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A MED, Red	50	Each		
7000046114		Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A CRS, Brown	4	Carton		
7000000756		Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A CRS, Brown	100	Each		
7000000755		Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A MED, Red	25	Each		

# Abrasives and Abrasive Accessories

## Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc

Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100192704		Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc XO-ZR, 100 mm x 13 mm x 6 mm, S XCRS, Purple	1650	Each		
7100192705	51894	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc XO-ZR, 125 mm x 13 mm x 6 mm, S XCRS, Purple	112	Each		
7100192706		Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc XO-ZR, 150 mm x 13 mm x 6 mm, S XCRS, Purple	144	Each		

## Bristle Brushes & Discs

### Scotch-Brite™ Roloc™ Bristle Disc RD-ZB

Scotch-Brite™ Roloc™ Bristle Disc comprises of our Ceramic Abrasive Grain, blended with aluminium oxide and moulded, flexible bristles which provide more surface contact than wire brushes and keep their abrasive properties throughout the life of the disc.



- Moulded abrasive filled bristles surpass wire brushes in stripping, deburring, blending, finishing, polishing, cleaning
- Ceramic Abrasive Grain blend provides high degree of finish quality throughout the life of the disc
- Bristle spacing is ideal for coating removal and other high-loading substances

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100138322		Scotch-Brite™ Roloc™ Bristle Disc , 76 mm P120				
7100138319		Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 50 mm x 15.8 mm, P80, Yellow	80	Each		
7100138285	07524	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Green, 50 mm x 15.8 mm, P50, 07524	40	Each		
7100138286		Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, White, 50 mm x 15.8 mm, P120, 07528	40	Each		
7100138284	07525	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Yellow, 50 mm x 15.8 mm, P80, 07525	160	Each		

# Abrasives and Abrasive Accessories

## Scotch-Brite™ Roloc™ Body Man's Bristle Disc

Scotch-Brite™ Roloc™ Body Man's Bristle Disc is made with stiff polymer bristles that are spaced apart to form a radial pattern. Our bristle disc design offers optimal load resistance. The combination of Ceramic Abrasive Grain and polymer bristles makes these discs ideal for soft and hard metals.



- Moulded, abrasive-filled bristles surpass wire brushes to strip, deburr, blend, finish, polish and clean with less pressure
- 3M™ Ceramic Abrasive Grain provides aggressive cutting and consistent finish quality for the disc lifespan
- Flexible bristles require less pressure than wire brushes and conform to contours, even on complex parts

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000000775		Scotch-Brite™ Roloc™ Bristle Disc, RD-ZB, Purple, 50 mm, 36				

## Scotch-Brite™ Bristle Disc BD-ZB

Scotch-Brite™ Bristle Disc features ceramic abrasive grain and moulded, flexible bristles that provide more surface contact than wire brushes and maintains abrasive property throughout the life of the disc. Our bristle discs remove paint, stains, adhesives, weld burns, rust, heavy oxides and surface contaminants from large areas.



- 3M™ Ceramic Abrasive Grain provides aggressive cutting and consistent finish quality throughout the life of the disc
- Flexible bristles require less pressure than wire brushes and conform to contours, even on complex parts
- Bristle spacing is ideal for coating removal and other high-loading substances

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000061352		3M™ Perfect-It™ Foam Buffing Pad, 150 mm				
7000061507		3M™ Perfect-It™ Foam Buffing Pad, Orange, 133 mm				
7000061353		Scotch-Brite™ Bristle Disc BD-ZB, 50.8 mm, P120, White	40	Each		
7100138287	PN07580	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P50, Green, M14	640	Each		
7100138288	PN07581	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P80, Yellow, M14	640	Each		
7100138289		Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P120, White, M14	640	Each		

## Cut-off & Grinding Wheels

### 3M™ Cubitron™ II Cut-Off Wheel

3M™ Cubitron™ II Cut-Off Wheel is a cutting wheel for cutting straight lines ie. autobody sheet metal, frame rails, exhausts pipes, clamps and rusted bolts.



- High cut rate
- Improve productivity and efficiency in the workshop
- Get long-lasting performance

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100032406	33456	3M™ Cubitron™ II Cut-Off Wheel, 75 mm x 1 mm x 9.53 mm, 33456		Each		
7100032583	33455	3M™ Cubitron™ II Cut-Off Wheel, 75 mm x 1.6 mm x 9.53 mm, 33455		Each		
7100101771	33460	3M™ Cubitron™ II Cut-Off Wheel, 100 mm x 1 mm x 9.53 mm, 33460		Each		
7100101775	33461	3M™ Cubitron™ II Cut-Off Wheel, 100 mm x 1 mm x 16 mm, 33461				



# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Cut-Off Wheel

3M™ Cubitron™ II Cut-Off Wheel is a cutting wheel for cutting straight lines ie. autobody sheet metal, frame rails, exhausts pipes, clamps and rusted bolts.

- High cut rate
- Improve productivity and efficiency in the workshop
- Get long-lasting performance



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100032407	33467	3M™ Cubitron™ II Cut-Off Wheel, 115 mm x 1 mm x 22.23 mm, 33467		Each		

## 3M™ Green Corps™ Reinforced Weld Grinding Wheel

3M™ Green Corps™ Reinforced Weld Grinding Wheel features extra-durable reinforcement for added strength and longer life during weld grinding operations. A tough fiberglass cloth screen scrim adds reinforced performance and longer wheel life, and supports aluminum oxide mineral abrasive. These 3” resin-bonded wheels are great for cutting spot welds and grinding hard-to-reach areas. DO NOT USE TOOLS WITHOUT GUARDS.

- Built for tough weld grinding
- Fiberglass cloth screen scrim reinforcement adds strength and wheel life
- Aluminum oxide mineral abrasive is durable, cuts fast, and performs well on many surfaces



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100229883	01991	3M™ Green Corps™ Reinforced Weld Grinding Wheel, 76.2 × 5.6 × 9.5 mm, 01991				

## Sanding Sponges

### 3M™ Softback Sanding Sponge

3M™ Softback Sanding Sponge is a flexible foam pad that reaches tricky areas including headlight openings, around door handles and door jambs. Our sponge can be used wet or dry and helps to eliminate finger marks.

- Flexible foam pad to sand or key edges, rims and hard-to-reach areas by hand
- Soft Sanding Sponge constructions reduces the risk of burn-through on edge / rim areas
- Helps to eliminate finger marks



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000043358	03809	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Fine, 03809		Each		
7000060272	50883	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Fine, 50883				
7000043357	03808	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Medium, 03808		Each		
7000060275	50886	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Medium, 50886				
7000033200	02600	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Microfine, 02600		Each		
7000060273	50884	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Microfine, 50884				
7000043359	03810	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Super Fine, 03810		Each		
7000060274	50885	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Superfine, 50885				
7000033201	02601	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Ultrafine, 02601		Each		
7000060276	50887	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Ultrafine, 50887				

# Abrasives and Abrasive Accessories

## Net Sheets & Rolls

Focus

### 3M™ Cubitron™ II Net Sheet Roll

3M™ Cubitron™ II Net Sheet Rolls are a fast-cutting and long-lasting family of net sheet rolls that deliver the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment.



Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.

- Fast-cutting, long-lasting net sheets are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it's a self-generating-vacuum sander, a central vacuum system or a portable dust extractor
- The patented triangular-shaped mineral grains on the sheets slice through substrates rather than gouging or "plowing" like conventional abrasive grains, helping the sheet run cooler, cut faster, and last longer

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100249546	34561	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 80+ Grade, 34561		Roll		
7100249547	34562	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 120+ Grade, 34562		Roll		
7100249548	34563	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 150+ Grade, 34563		Roll		
7100249549	34564	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 180+ Grade, 34564		Roll		
7100249550	34565	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 220+ Grade, 34565		Roll		
7100249809	34566	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 240+ Grade, 34566		Roll		
7100249523	34560	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 320+ Grade, 34560		Roll		
7100249807	34550	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 80+ Grade, 34550		Roll		
7100249559	34551	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 120+ Grade, 34551		Roll		
7100249551	34552	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 150+ Grade, 34552		Roll		
7100249552	34553	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 180+ Grade, 34553		Roll		
7100249563	34554	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 220+ Grade, 34554		Roll		
7100249564	34555	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 240+ Grade, 34555		Roll		
7100249803	34556	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 320+ Grade, 34556		Roll		
7100249524	34572	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 80+ Grade, 34572		Roll		
7100249525	34573	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 120+ Grade, 34573		Roll		
7100249542	34574	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 150+ Grade, 34574		Roll		
7100249553	34575	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 180+ Grade, 34575		Roll		
7100249554	34576	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 220+ Grade, 34576		Roll		
7100249526	34577	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 240+ Grade, 34577		Roll		
7100249527	34578	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 320+ Grade, 34578		Roll		

# Abrasives and Abrasive Accessories

## Focus

### 3M™ Blue Net Sheet Roll

3M™ Blue Net Sheet Rolls are built with an engineered ceramic-mineral blend of abrasives that deliver a fast cut rate and long sheet life. They also offer excellent dust removal when used with a dust extraction system.



- Sanding discs that offer outstanding performance at a competitive price
- Built with an engineered ceramic-mineral blend that delivers an excellent cut rate and life
- Balanced for outstanding abrasive performance for cut, life and dust extraction

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100251056	36462	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 80 Grade, 36462		Roll		
7100250932	36463	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 120 Grade, 36463		Roll		
7100251054	36464	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 150 Grade, 36464		Roll		
7100250930	36465	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 180 Grade, 36465		Roll		
7100251057	36466	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 220 Grade, 36466		Roll		
7100251026	36467	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 240 Grade, 36467		Roll		
7100251027	36468	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 320 Grade, 36468		Roll		
7100250928	36470	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 80 Grade, 36470		Roll		
7100251024	36471	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 120 Grade, 36471		Roll		
7100251025	36472	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 150 Grade, 36472		Roll		
7100250929	36473	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 180 Grade, 36473		Roll		
7100250931	36474	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 220 Grade, 36474		Roll		
7100252504	36475	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 240 Grade, 36475		Roll		
7100251023	36476	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 320 Grade, 36476		Roll		

## Sandpaper Sheets & Rolls

### Focus

### 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheets 737U are premium long lasting sanding sheets with self-sharpening grains, which also provide a faster cut whilst the multi-hole pattern delivers excellent dust extraction.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100273792	51386	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 80+, 51386		Each		
7100273960	51387	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 120+, 51387		Sheet		
7100273791	51388	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 150+, 51388		Sheet		
7100273611	51389	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 180+, 51389		Sheet		
7100273601	51390	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 220+, 51390		Sheet		

# Abrasives and Abrasive Accessories

## Focus

### 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheets 737U are premium long lasting sanding sheets with self-sharpening grains, which also provide a faster cut whilst the multi-hole pattern delivers excellent dust extraction.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100273612	51391	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 240+, 51391				
7100273623	51393	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 320+, 51393		Sheet		
7100229089	51395	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 400+, 51395		Sheet		
7100273962	51411	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 80+, 51411		Sheet		
7100273995	51412	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 120+, 51412		Sheet		
7100273973	51413	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 150+, 51413		Sheet		
7100273994	51414	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 180+, 51414		Sheet		
7100273983	51415	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 220+, 51415		Sheet		
7100273958	51416	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 240+, 51416				
7100273959	51418	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 320+, 51418		Sheet		
7100225046	52022	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 400+, 52022		Sheet		
7100273210	51588	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 80+, 51588		Sheet		
7100273211	51589	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 120+, 51589		Sheet		
7100273543	51590	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 150+, 51590		Sheet		
7100273485	51591	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 180+, 51591		Sheet		
7100273486	51592	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 220+, 51592		Sheet		
7100273625	51599	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 80+, 51599		Sheet		
7100273626	51600	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 120+, 51600		Sheet		
7100273544	51601	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 150+, 51601				
7100273451	51602	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 180+, 51602		Sheet		
7100273212	51603	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 220+, 51603		Sheet		
7100273452	52023	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 240+, 52023		Sheet		

# Abrasives and Abrasive Accessories

## Focus

### 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheets 737U are premium long lasting sanding sheets with self-sharpening grains, which also provide a faster cut whilst the multi-hole pattern delivers excellent dust extraction.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100273553	53024	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 320+, 52024		Sheet		
7100228470	52025	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 400+, 52025		Sheet		
7100273624	51399	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 80+, 51399		Sheet		
7100273966	51400	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 120+, 51400				
7100273965	51401	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 150+, 51401				
7100273961	51402	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 180+, 51402		Each		
7100273967	51403	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 220+, 51403		Each		
7100273968	51404	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 240+, 51404				
7100273969	51406	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 320+, 51406		Sheet		
7100225045	51408	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 400+, 51408		Sheet		

### 3M™ Abrasive Roll 255P

For panel shop sanding, use 3M™ Abrasive Roll 255P. Our abrasive roll uses an aluminium oxide mineral with heavy paper backing and is available in multiple grades in various widths.



- Aluminium oxide paper abrasive roll
- Wide range of grades
- Choose from two width sizes 75 mm and 115 mm

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000082806	61007	3M™ Abrasive Roll 255P, 95 mm x 23 m, P80, 61007		Roll		
7000082804	61005	3M™ Abrasive Roll 255P, 95 mm x 23 m, P120, 61005		Roll		
7000082803	61004	3M™ Abrasive Roll 255P, 95 mm x 23 m, P150, 61004		Roll		
7000082802	61003	3M™ Abrasive Roll 255P, 95 mm x 23 m, P180, 61003		Roll		
7000082801	61002	3M™ Abrasive Roll 255P, 95 mm x 23 m, P220, 61002		Roll		
7000082800	61001	3M™ Abrasive Roll 255P, 95 mm x 23 m, P240, 61001		Roll		
7000083071	61036	3M™ Abrasive Roll 255P, 115 mm x 23 m, P40, 61036		Roll		
7000083072	61035	3M™ Abrasive Roll 255P, 115 mm x 23 m, P60, 61035		Roll		



# Abrasives and Abrasive Accessories

## 3M™ Abrasive Roll 255P

For panel shop sanding, use 3M™ Abrasive Roll 255P. Our abrasive roll uses an aluminium oxide mineral with heavy paper backing and is available in multiple grades in various widths.




- Aluminium oxide paper abrasive roll
- Wide range of grades
- Choose from two width sizes 75 mm and 115 mm

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000083073	61034	3M™ Abrasive Roll 255P, 115 mm x 23 m, P80, 61034				Roll
7000082816	61032	3M™ Abrasive Roll 255P, 115 mm x 23 m, P120, 61032				Roll
7000083075	61031	3M™ Abrasive Roll 255P, 115 mm x 23 m, P150, 61031				Roll
7000082815	61030	3M™ Abrasive Roll 255P, 115 mm x 23 m, P180, 61030				Roll
7000082814	61029	3M™ Abrasive Roll 255P, 115 mm x 23 m, P220, 61029				Roll
7000082813	61028	3M™ Abrasive Roll 255P, 115 mm x 23 m, P240, 61028				Roll
7000083044	04494	3M™ Abrasive Roll 255P, 115 mm x 50 m, P40, 04494				Roll
7000083043	04493	3M™ Abrasive Roll 255P, 115 mm x 50 m, P60, 04493				Roll
7000082755	04400	3M™ Abrasive Roll 255P, 115 mm x 50 m, P80, 04400				Roll
7000083041	04398	3M™ Abrasive Roll 255P, 115 mm x 50 m, P120, 04398				Roll
7000083040	04397	3M™ Abrasive Roll 255P, 115 mm x 50 m, P150, 04397				Roll
7000083039	04396	3M™ Abrasive Roll 255P, 115 mm x 50 m, P180, 04396				Roll
7000083038	04395	3M™ Abrasive Roll 255P, 115 mm x 50 m, P220, 04395				Roll
7000083037	04394	3M™ Abrasive Roll 255P, 115 mm x 50 m, P240, 04394				Roll
7000083046	04533	3M™ Abrasive Roll 255P, 115 mm x 50 m, P320, 04533				Roll
7000083048	04545	3M™ Abrasive Roll 255P, 115 mm x 50 m, P400, 04545				Roll

## 3M™ Abrasive Sheet 255P

3M™ Abrasive Paper Sheet 255P uses an aluminium oxide mineral with a heavy paper backing. Multiple grade plain sheets can be used by hand or used on machine.



- Use to remove tough e-coats and reach into small areas
- Grades P40 to P400
- Available sizes 115 mm x 280 mm or 230 mm x 280 mm

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034194	05283	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P40, 05283				Sheet
7000034195	05282	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P60, 05282				Sheet
7000034176	05281	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P80, 05281				Sheet
7000034201	05279	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P120, 05279				Sheet
7000034200	05278	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P150, 05278				Sheet
7000034199	05277	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P180, 05277				Sheet
7000034198	05276	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P220, 05276				Sheet
7000034197	05275	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P240, 05275				Sheet
7000034190	05187	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P320, 05187				Sheet
7000034192	05731	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P400, 05731				Sheet

# Abrasives and Abrasive Accessories

## 3M™ Abrasive Sheet 618

Use our silicone carbide mineral 3M™ Abrasive Sheet 618 for superior performance, anti-loading and consistent finish. Often used as a dry sanding alternative to Wetordry™ paper, our abrasive sheet is available in 230mm x 280mm sheets and grades ranging from P80 to P500.



- Silicon carbide abrasive paper sheet
- Choose multiple grades ranging from P80 to P500
- Get superior performance, anti-loading and consistent finish

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000082117	02631	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P80, 02631		Sheet		
7000082116	02565	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P100, 02565		Sheet		
7000082115	02564	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P120, 02564		Sheet		
7000082114	02563	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P150, 02563		Sheet		
7000082113	02562	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P180, 02562		Sheet		
7000082112	02561	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P220, 02561		Sheet		
7000082111	02560	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P240, 02560		Sheet		
7000082110	02559	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P280, 02559		Sheet		
7000082109	02558	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P320, 02558		Sheet		
7000082108	02556	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P400, 02556		Sheet		
7000082118	02636	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P500, 02636		Sheet		

## 3M™ Hookit™ Abrasive Roll 245

Get an abrasive that can be used on machine or hand blocks with 3M™ Hookit™ Abrasive Roll 245. Our abrasive rolls 245 are a heavy weight, aluminium oxide abrasives. They are available in a variety of widths and grades for use on machine or hand blocks.



- Aluminium oxide Hookit™ abrasive roll
- Hookit™ attachment system
- Choose from a number of grades, from P40 to P120

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000082980	61125	3M™ Hookit™ Abrasive Roll 245, 75 mm x 25 m, P40, 61125		Roll		
7000082979	61124	3M™ Hookit™ Abrasive Roll 245, 75 mm x 25 m, P60, 61124		Roll		
7000082981	61123	3M™ Hookit™ Abrasive Roll 245, 75 mm x 25 m, P80, 61123		Roll		
7000082780	61083	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P40, 61083		Roll		
7000082732	61082	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P60, 61082		Roll		
7000082757	61081	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P80, 61081		Roll		
7000082762	61080	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P100, 61080		Roll		
7000082386	61072	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P120, 61072		Roll		

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Roll 255P

Get an abrasive that's easy to cut and attach to automotive aftermarket machines with 3M™ Hookit™ Abrasive Roll 255P. Our abrasive rolls 255P have an aluminium oxide mineral with heavy paper backing.



- Use as a part of the Hookit™ attachment system
- Available in two width - 75 mm and 115 mm
- Choose from a number of grades, from P80 to P400

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000083770	61118	3M™ Hookit™ Abrasive Roll 255P, 75 mm x 25 m, P120, 61118				Roll
7000083768	61116	3M™ Hookit™ Abrasive Roll 255P, 75 mm x 25 m, P180, 61116				Roll
7000083767	61114	3M™ Hookit™ Abrasive Roll 255P, 75 mm x 25 m, P240, 61114				Roll
7000083766	61112	3M™ Hookit™ Abrasive Roll 255P, 75 mm x 25 m, P320, 61112				Roll
7000083775	61079	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P120, 61079				Roll
7000083774	61078	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P150, 61078				Roll
7000083773	61077	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P180, 61077				Roll
7000083776	61076	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P220, 61076				Roll
7000084186	50432	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P240, 50432				Roll
7000083772	61075	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P240, 61075				Roll
7000083777	61074	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P280, 61074				Roll
7000083771	61073	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P320, 61073				Roll
7000083873	61072	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P400, 61072				Roll

## 3M™ Hookit™ Abrasive Sheet 245

3M™ Hookit™ Abrasive Sheet 245 are a heavy weight, aluminium oxide abrasive available in a variety of hole configurations and grades for use on machines or handblocks..



- Aluminium oxide paper abrasive sheet
- Hookit™ attachment system
- Grades P40 to P80

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034081	03418	3M™ Hookit™ Abrasive Sheet 245, 70 mm x 425 mm, P40, 03418				Sheet
7000034082	03417	3M™ Hookit™ Abrasive Sheet 245, 70 mm x 425 mm, P60, 03417				Sheet
7000034083	03416	3M™ Hookit™ Abrasive Sheet 245, 70 mm x 425 mm, P80, 03416				Sheet

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Sheet 255P

Get an abrasive sheet that fits securely to machines common to the aftermarket with 3M™ Hookit™ Abrasive Sheet 255P. Our abrasive sheets 255P have an aluminium oxide mineral with heavy paper backing. They are available in plain and holed configurations, and multiple grades.



- Aluminium oxide paper abrasive sheet
- Hookit™ attachment system
- Grades P40 to P400

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000082429	03555	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P80, 03555		Sheet		
7000082428	03553	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P120, 03553		Sheet		
7000082610	03552	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P150, 03552		Sheet		
7000082609	03551	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P180, 03551		Sheet		
7000082608	03549	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P240, 03549		Sheet		
7000082607	03574	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P320, 03547		Sheet		
7000082606	03545	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P400, 03545		Sheet		
7000082915	03579	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 419 mm, 14 Hole, P80, 03579				
7000082913	03577	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 419 mm, 14 Hole, P120, 03577				
7000034101	03591	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P80, 03591		Sheet		
7000034100	03589	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P120, 03589		Sheet		
7000034126	03587	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P180, 03587		Sheet		
7000034125	03585	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P240, 03585		Sheet		
7000034124	03583	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P320, 03583		Sheet		
7000082922	03639	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P80, 03639				
7000082920	03637	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P120, 03637				
7000082919	03636	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P150, 03636		Sheet		
7000082580	03633	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P240, 03633		Sheet		
7000082581	03631	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P320, 03631				

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Purple Clean Sanding Abrasive Sheet 334U

3M™ Hookit™ Purple Clean Sanding Abrasive Sheet 334U is recommended for featheredging and final sanding. Our best of class 3M abrasive delivers uniform, professional-quality results for superior automotive work. 3M™ Hookit™ attachment system allows for easy reuse.



- High performance abrasive sheet with Hookit™ attachment
- Premium quality delivers uniform, consistent finishes every time
- Long-lasting abrasives reduce material consumption

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034452	30639	3M™ Hookit™ Purple Clean Sanding Abrasive Sheet 334U, 70 mm x 127 mm, Multihole, P500, 30639		Sheet		
7100106374	51596	3M™ Hookit™ Purple Clean Sanding Abrasive Sheet 334U, 80 mm x 133 mm, Multihole, P240, 51596		Sheet		

## 3M™ Soft Hand Abrasive Roll 216U

Get good flexibility and anti-loading properties with 3M™ Soft Hand Abrasive Roll 216U. Our foam backed abrasive rolls can be cut or torn in sheets and have been designed for use on paint, primers and fillers by hand.



- Foam backed abrasive for flexibility
- Apply pressure more uniformly and with more conformability during the sanding process
- Get even sanding

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100140381	51218	3M™ Soft Hand Abrasive Roll 216U, P320, 114 mm x 25 m, 51218		Roll		
7100140380	51241	3M™ Soft Hand Abrasive Roll 216U, P360, 114 mm x 25 m, 51241		Roll		
7100140379	51242	3M™ Soft Hand Abrasive Roll 216U, P400, 114 mm x 25 m, 51242		Roll		
7100140378	51243	3M™ Soft Hand Abrasive Roll 216U, P500, 114 mm x 25 m, 51243		Roll		
7100139694	51244	3M™ Soft Hand Abrasive Roll 216U, P600, 114 mm x 25 m, 51244		Roll		
7100139696	51245	3M™ Soft Hand Abrasive Roll 216U, P800, 114 mm x 25 m, 51245		Roll		
7100139695	51246	3M™ Soft Hand Abrasive Roll 216U, P1000, 114 mm x 25 m, 51246		Roll		
7000084118	50330	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P150, 50330		Roll		
7000084119	50331	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P180, 50331		Roll		
7000084121	50333	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P240, 50333		Roll		
7000084125	50337	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P400, 50337		Roll		
7000084126	50338	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P500, 50338		Roll		
7000084127	50339	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P600, 50339		Roll		
7000084128	50340	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P800, 50340		Roll		
7000084666	50743	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P1000, 50743		Roll		
7000084123	50335	3M™ Soft Hand Abrasive Roll 216U, Precut, 114 mm x 25 m, P320, 50335		Roll		



# Abrasives and Abrasive Accessories

## 3M™ Wetordry™ Abrasive Paper Sheet 734

Sand all types of surface with 3M™ Wetordry™ Abrasive Paper Sheet 734. Our abrasive sheet features silicon carbide mineral for a sharp and consistent cut. Waterproof and long lasting, it gives a consistent finish. Available in grades from P60 to P1200. Each sheet measures 230 mm x 280 mm.



- Silicon carbide abrasive Wet or Dry paper sheet
- Use as wet or dry paper sanding sheet
- Grades P60 to P1200

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034056	01989	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P60, 01989		Sheet		
7000034118	01988	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P80, 01988		Sheet		
7000082520	01987	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P100, 01987		Sheet		
7000034117	01986	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P120, 01986		Sheet		
7000082676	01982	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P150, 01982		Sheet		
7000034141	01981	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P180, 01981		Sheet		
7000082677	01980	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P220, 01980		Sheet		
7000034142	01979	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P240, 01979		Sheet		
7000034143	01978	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P280, 01978		Sheet		
7000034144	01977	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P320, 01977		Sheet		
7100248927	01977	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P320, 01977		Sheet		
7000034145	01976	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P360, 01976		Sheet		
7000034146	01975	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P400, 01975		Sheet		
7100249095	01975	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P400, 01975		Sheet		
7000082678	01974	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P500, 01974		Sheet		
7000034147	01973	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P600, 01973		Sheet		
7100248809	01973	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P600, 01973		Sheet		
7000034148	01972	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P800, 01972		Sheet		
7100249099	01972	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P800, 01972		Sheet		
7100249098	01971	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P1000, 01971		Sheet		
7000034150	01970	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P1200, 01970		Sheet		
7100249094	01970	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P1200, 01970		Sheet		

# Abrasives and Abrasive Accessories

## 3M™ Wetordry™ Abrasive Sheet 314

3M™ Wetordry™ Abrasive Sheet 314 is an abrasive WOD paper that utilises Aluminium Oxide mineral for a superior finish. Paint imperfections in refinish coatings can be removed using our high quality WOD papers.



- Aluminium oxide abrasive Wet or Dry paper sheet
- Use a sandpaper that sharpens with continued use
- Grades P320 to P1200

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000082679	01967	3M™ Wetordry™ Abrasive Sheet 314, 138 mm x 230 mm, P1200, 01967		Sheet		
7000082976	60099	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P80, 60099				
7000082971	60063	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P220, 60063				
7000082968	60060	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P320, 60060				
7000082966	60058	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P400, 60058				
7000082965	60057	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P500, 60057				
7000082964	60056	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P600, 60056				
7000082963	60055	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P800, 60055				
7000082962	60054	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P1000, 60054				
7000082961	60053	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P1200, 60053				

## 3M™ Wetordry™ Abrasive Sheet 401Q

Use 3M™ Wetordry™ Abrasive Sheet 401Q for sanding applications needing a fine grit and light touch, such as auto body wet sanding and paint finishing. We've combined our durable waterproof A-weight paper backing and fast-cutting silicon carbide mineral for consistent scratch patterns and easier buffing.



- Convenient sheet can be used wet or dry on paint, primer, gel coat and metal
- Waterproof backing supports wet applications for decreased loading and a faster cut
- Sand every type of area

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000100016		3M™ Wetordry™ Abrasive Sheet 401Q, 115 mm x 140 mm, P2500				
7000028117	02045	3M™ Wetordry™ Abrasive Sheet 401Q, 138 mm x 230 mm, 2500A, 02045		Pack		
7100050365	02048	3M™ Wetordry™ Abrasive Sheet 401Q, 138 mm x 230 mm, P1500, 02048		Each		
7100050366	02049	3M™ Wetordry™ Abrasive Sheet 401Q, 138 mm x 230 mm, P2000, 02049		Each		
7000042501	2021	3M™ Wetordry™ Abrasive Sheet 401Q, 140 mm x 230 mm, P1000, 02021				
7100003726	02034	3M™ Wetordry™ Abrasive Sheet 401Q, 230 mm x 279 mm, 1000A, 02034				

# Abrasives and Abrasive Accessories

## 3M™ Easy Hand Abrasive Sheet 216U

3M™ 216U Easy Hand abrasive sheets are soft conformable sandings sheets with a latex backing for manual sanding.

- Latex backing
- Manual sanding
- Allows even pressure applied



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000091899	60713	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P240, 60713				
7000091900	60715	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P320, 60715				
7000091902	60717	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P400, 60717				
7000091903	60718	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P500, 60718				
7000091904	60719	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P600, 60719				
7000091905	60720	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P800, 60720				

## Film Sheets & Rolls

### 3M™ Hookit™ Flexible Abrasive Hand Sheet 270J

Achieve more refined finishes with 3M™ Hookit™ Flexible Abrasive Hand Sheet 270J. Designed for wet or dry sanding, our sheets feature a very thin, extremely flexible film backing that conforms effortlessly to tools and contoured surfaces.

- Get a thin film backed sheet that is extremely flexible for fine sanding, wet or dry
- Provides better 'feel' for surfaces to minimise burn through
- Conformable – perfect for sanding hard-to-reach spaces such as door pockets



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100010553	34337	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P400, 34337		Carton		
7100010566	34339	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P600, 34339		Carton		
7100010567	34340	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P800, 34340		Carton		
7100010569	34341	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P1000, 34341		Carton		
7100010568	34342	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P1200, 34342		Carton		
7100010565	34343	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P1500, 34343		Carton		

# Abrasives and Abrasive Accessories

## 3M™ Paint Defect Removal Abrasive Circle Sheet

Remove dirt nibs and paint defects before buffing, to reduce scratches and produce a finer finish with the 3M™ Paint Defect Removal Abrasive Circle Sheet. Our sheet can be used wet or dry, for better results on even the smallest, hard-to-reach jobs.



- Remove dirt nibs and paint defects quickly and effectively
- Minimise time and labour spent on repairs
- Use wet or dry for great results on all areas

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100054235	33889	3M™ Paint Defect Removal Abrasive Circle Sheet, 32 mm, P1000, 33889		Pack		
7100054369	33892	3M™ Paint Defect Removal Abrasive Circle Sheet, 32 mm, P1500, 33892		Pack		
7100054390	33895	3M™ Paint Defect Removal Abrasive Circle Sheet, 32 mm, P2000, 33895		Pack		
7100054391	33898	3M™ Paint Defect Removal Abrasive Circle Sheet, 32 mm, P2500, 33898		Pack		

## 3M™ Soft Hand Abrasive Sheet 216U

3M™ Soft Hand Abrasive Sheet 216U gives good flexibility and anti-loading properties. Our sheets have been designed for use on paint, primers and fillers by hand.



- Gives good flexibility
- Abrasive laminated to foam backing
- Comfortable manual sanding on primers, paint and fillers

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000084129	60539	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P150, 60539				
7000084130	60540	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P180, 60540				
7000084132	60542	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P240, 60542		Sheet		
7000084134	60544	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P320, 60544				
7000084136	60546	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P400, 60546				
7000084137	60547	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P500, 60547		Sheet		
7000084138	60548	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P600, 60547		Sheet		
7000084139	60549	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P800, 60549		Sheet		

# Abrasives and Abrasive Accessories

## Non-woven Sheets & Rolls

### Scotch-Brite™ Durable Flex Roll

Scotch-Brite™ Durable Flex Roll is an aggressive and long lasting non-woven roll. Our flex rolls are used for deburring, finishing, blending, and cleaning.



- Aggressive and long lasting non-woven roll
- Reinforced low-stretch backing offers good flexibility and great edge durability
- Use for deburring, finishing, blending, and cleaning

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100182485		Scotch-Brite™ Durable Flex Roll DF-RL, 125 mm x 10 m, A/O VFN				
7100182484		Scotch-Brite™ Durable Flex Roll, 100 mm x 10 m, SiC UFN				
7100182482		Scotch-Brite™ Durable Flex Roll, 125 mm x 10 m, S UFN	88	Roll		
7100182486		Scotch-Brite™ Durable Flex Roll, 150 mm x 10 m, A VFN	48	Roll		
7100182483		Scotch-Brite™ Durable Flex Roll, DF-RL, 100 mm x 10 m, A/O VFN				

### Scotch-Brite™ 7447 PRO Roll

Scotch-Brite™ 7447 PRO Roll combines flexible fibres with finely graded aluminium oxide particles for a sharp consistent cut. Use our 7447 PRO instead of steel wool, wire brushes, sandpaper and other non-woven products for cleaning or finishing.



- With fast cutting denser mineral coating on fibres compared to 7447, for a uniform scratch
- Very fine grade aluminium oxide abrasive cleans and finishes efficiently
- Long lasting nylon non-woven material resists tearing, loading and rust

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100288556		Scotch-Brite™ Roll 7447 Pro, AVFN, 100mm x 10m, 4 Roll/Case				
7100288455		Scotch-Brite™ Roll 7447 Pro, AVFN, 125 mm x 10 m, 3 Roll/Case				

### Scotch-Brite™ 7448 PRO Roll

Scotch-Brite™ 7448 PRO Roll comprises of durable, precision coated fibres that cut fast and provide consistent finishes. Our unique design of ultra-fine mineral and coated, flexible fibres is perfect for prepping surfaces for paint and primer, general scuffing and hand blending.



- Use for light scuffing and surface prep for better subsequent coating adhesion
- Ideal for cleaning, scuffing, finishing, and light paint removal on a variety of metals and plastics
- Denser mineral placement than 7448 which allows for uniform scratch and a faster cut rate

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100288456		Scotch-Brite™ Roll 7448 Pro, SUFN, 100 mm x 10 m, 4 Roll/Case				
7100288457		Scotch-Brite™ Roll 7448 Pro, SUFN, 125 mm x 10 m, 3 Roll/Case				




# Abrasives and Abrasive Accessories

## Cloth Sheets & Rolls

### Focus

### 3M™ Grippy Sanding Cloth

The 3M™ Grippy Sanding Cloths are designed for hand sanding application in paint preparation and paint finishing processes.



- Excellent abrasive performance in both wet and dry sanding
- Gripping material provides ease-of-use and eliminates the need for an accessory.
- New and unique feel to the product.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100142931	35109	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P320, 35109				Roll
7100142932	35110	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P400, 35110				Roll
7100142933	35111	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P600, 35111				Roll
7100142850	35112	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P800, 35112				Roll
7100142935	35113	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P1000, 35113				Roll
7100142936	35114	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P1200, 35114				Roll
7100142957	25115	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P1500, 35115				Roll
7100142883	35116	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P2000, 35116				Roll
7100230957	35124	3M™ Grippy Sanding Cloth, Trial Kit, 35124				Kit

## Hand Pads

### Scotch-Brite™ Hand Pad 7447

Scotch-Brite™ General Purpose Hand Pad 7447 combines flexibility with effective cutting action and precise hand control. Our hand pad uses fine grade aluminium oxide abrasives which cut fast and fine, to leave a smooth finished surface.



- Get a superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Features fine grade aluminium oxide abrasive for cleaning, finishing, graining, denibbing and defuzzing
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber, or composites

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100182554		Scotch-Brite™ Hand Pad 7447, 158 mm x 224 mm, A VFN	40320	Each		

# Abrasives and Abrasive Accessories

## Scotch-Brite™ Hand Pad 7447 PRO

Scotch-Brite™ Hand Pad 7447 PRO combines flexibility with effective cutting action and precise hand control. Our pad with tightly graded aluminium oxide abrasive particles provides a consistent, uniform scratch for the life of the product. Use it for many different materials and tasks.



- Get a superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Features very fine grade aluminium oxide abrasive for cleaning, finishing, graining, denibbing and defuzzing
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber and composites

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100023339		Scotch-Brite™ Hand Pad 7447 PRO, 152 mm x 228 mm, VFN	60	Each		

## Scotch-Brite™ Hand Pad 7448+

Scotch-Brite™ Ultra Fine Hand Pad 7448+ is designed for conditioning metal surfaces and paint preparation. Unlike fine steel wool, our pads won't shred during use, rust after use, or leave fine metal splinters. They're flexible and long lasting.



- Ultra-fine finishing action outperforms steel wool
- Efficient for cleaning, blending, prepping and finishing on metal, wood, plastics and composites
- Performs like steel wool grade 00 with no shredding, rusting, or splintering

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100182555	7448+N	Scotch-Brite™ Hand Pad 7448+, 158 mm x 224 mm, S UFN, Grey	4320	Each		

## Scotch-Brite™ Hand Pad 7448 PRO

Scotch-Brite™ Hand Pad 7448 PRO is durable and flexible. It's designed to last and provide easy reach into tight spots. Use our pad instead of steel wool for faster conditioning of metal surfaces and paint preparation compared with conventional non-woven abrasive products.



- Very fine finishing action outperforms steel wool for cleaning, blending, prepping and finishing on metal, wood, plastics and composites
- Performs like steel wool grade 00 with no shredding, rusting, or splintering
- Scotch-Brite™ Hand Pad 7448 PRO cuts faster and produces a more consistent finish than conventional non-woven abrasive products

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100023340		Scotch-Brite™ Hand Pad 7448 PRO, 152 mm x 228 mm, ULF, Grey	1	Each		

# Abrasives and Abrasive Accessories

## Cloth belts

Focus

### 3M™ Cubitron™ II File Belt 786F

3M™ Cubitron™ II File Belt is a premium abrasive file belt for spot weld removal and other grinding / sanding applications. This file belt can be used with various types of file belt sanding machines available in the market.

- Get long-lasting performance
- Improve productivity and efficiency in the workshop
- Get a high cut rate



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100033193	33437	3M™ Cubitron™ II File Belt 786F, 10 mm x 330 mm, 36+, 33437		Each		
7100033194	33439	3M™ Cubitron™ II File Belt 786F, 10 mm x 330 mm, 60+, 33439		Each		
7100033195	33440	3M™ Cubitron™ II File Belt 786F, 10 mm x 330 mm, 80+, 33440		Each		
7100033184	33443	3M™ Cubitron™ II File Belt 786F, 12.7 mm x 457.2 mm, 36+, 33443		Each		
7100033185	33445	3M™ Cubitron™ II File Belt 786F, 12.7 mm x 457.2 mm, 60+, 33445		Each		
7100033186	33446	3M™ Cubitron™ II File Belt 786F, 12.7 mm x 457.2 mm, 80+, 33446		Each		
7100035467	33449	3M™ Cubitron™ II File Belt 786F, 20 mm x 520 mm, 36+, 33449		Each		
7100035468	33451	3M™ Cubitron™ II File Belt 786F, 20 mm x 520 mm, 60+, 33451		Each		
7100035469	33452	3M™ Cubitron™ II File Belt 786F, 20 mm x 520 mm, 80+, 33452		Each		

## Non-woven Belts

### Scotch-Brite™ Durable Flex Belt DF-BL

Scotch-Brite™ Durable Flex Belt is the most flexible in our Scotch-Brite surface conditioning belt range, engineered for tough detail work such as deburring, blending and finishing, on a variety of metals. A reinforced low stretch backing and highly durable edge offers aggressive cutting ability.

- Tough non-woven belt for effective deburring blending and cleaning
- Resists chunking and works well on belt sanders with small contact wheels
- Low stretch backing offers aggressive conditioning capability



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100219018		Scotch-Brite™ Durable Flex Belt DF-BL, 10 mm x 330 mm, A CRS, Brown	150	Each		
7100218947		Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 457 mm, A CRS, Brown	150	Each		

# Abrasives and Abrasive Accessories

## Blocks

### 3M™ Hookit™ Purple+ Handblock Multi Hole

Sand filler easily and effectively with 3M™ Hookit™ Purple+ Handblock Multihole. Our range of hand blocks are optimised for manual sanding applications and dust extraction, to create a cleaner workplace environment.




- Optimised dust extraction
- Cleaner workplace environment
- Sand filler and primers easily and effectively

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032188	05170	3M™ Hookit™ Purple+ Handblock Multi Hole, 70 mm x 127 mm, 05170		Each		
7000032189	05171	3M™ Hookit™ Purple+ Handblock Multi Hole, 70 mm x 198 mm, 05171		Each		
7000032190	05172	3M™ Hookit™ Purple+ Handblock Multi Hole, 70 mm x 396 mm, 05172		Each		
7000032191	05173	3M™ Hookit™ Purple+ Handblock Multi Hole, 115 mm x 225 mm, 05173		Each		

### 3M™ Hookit™ Purple+ Baseplate Multihole

Get optimised dust extraction with 3M™ Hookit™ Purple+ Baseplate Multihole. Our comprehensive range of Hookit™ Purple+ Baseplate Multihole products suitable for a wide selection of machines in the automotive aftermarket.



- Optimised dust extraction
- Cleaner workplace environment
- Use to allow 3M™ Abrasives to be applied on a wide range of tools

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000060242	50774	3M™ Hookit™ Purple+ Baseplate Multihole, 70 mm x 198 mm, 50774		Each		
7000060249	50781	3M™ Hookit™ Purple+ Baseplate Multihole, 115 mm x 225 mm, 50781		Each		

### 3M™ Hookit™ Interface Pad

Use 3M™ Hookit™ Interface Pad with 260L, 260L + and other Hookit abrasives to add flexibility during the sanding process. Our pads give conformability with an outstanding finish.



- Gives conformability and an outstanding finish
- Adds flexibility when sanding
- Laminate foam construction

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032193	05175	3M™ Hookit™ Interface Pad, Purple+, 70 mm x 198 mm, Multihole, Soft, 05175		Each		

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Purple+ Curved Adapter Set Multi Hole

Shape curved panels easily and effectively with 3M™ Hookit™ Purple+ Curved Adapter Set Multihole. Our curved adapter set fits to a standard flat hand blocks to allow easier shaping of curved panels.



- Adaptor range with optimised dust extraction
- Shape curved panels easily and effectively
- Get a cleaner work environment

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032209	50728	3M™ Hookit™ Purple+ Curved Adapter Set Multi Hole, 70 × 127 mm, 50728		Each		
7000032210	50729	3M™ Hookit™ Purple+ Curved Adapter Set Multi Hole, 70 × 198 mm, 50729		Each		

### Focus

## 3M™ Hookit™ Dust Extraction Flexible Sanding Block

These 3M™ Hookit™ sanding blocks combine the lightweight flexibility of traditional foam blocks with the dust extraction power and control of dust-free sanding blocks. The blocks flex to help easily restore contours and bodylines, while providing a firm backing for abrasives. Features 3M™ Hookit™ attachment system. They include a vacuum regulator that lets the operator adjust suction for easier block control when sanding.



- A lightweight sanding block with a firm-but-flexible backing which helps easily restore contours and bodylines.
- When used with a vacuum system and compatible abrasives, this 3M™ Hookit™ Dust Extraction Flexible Sanding Block helps capture dust which can increase abrasive life while helping reduce dust in the shop environment.
- The 3M™ Hookit™ hook and loop attachment system allows for easy abrasive changeouts.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100260505	35825	3M™ Hookit™ Dust Extraction Flexible Sanding Block, 133 mm x 67 mm, 35825				
7100256500	35826	3M™ Hookit™ Dust Extraction Flexible Sanding Block, 178 mm x 67 mm, 35826				
7100256624	35828	3M™ Hookit™ Dust Extraction Flexible Sanding Block, 406 mm x 67 mm, 35828				

## 3M™ Hookit™ Sanding Block

Use 3M™ Hookit™ Sanding Block to achieve more consistent, uniform sanding results. This sanding block used in combination with Hookit™ abrasives is ideal for sanding filler, primer and other substrates.



- Sanding blocks deliver more consistent sanding results
- Makes sanding challenging locations easier
- Boosts the efficiency of sanding by hand

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045510	05684	3M™ Hookit™ Sanding Block, Kit, 05684		Each		



# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Hand Block

Get better results when sanding by hand with 3M™ Hookit™ Hand Block – our ergonomic sanding block that fits comfortably in the hand to reduce instances of hand fatigue. The block allows for a more even and consistent application of pressure, which delivers more uniform results.



- Get more consistent sanding results
- Achieve a true flat surface easily
- Boost the efficiency of sanding by hand

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000038368	05742	3M™ Hookit™ Hand Block, 70 mm x 125 mm, Soft, 05742		Each		
7000045715	05740	3M™ Hookit™ Hand Block, 70 mm x 127 mm, Hard, 05740		Each		
7000045716	05741	3M™ Hookit™ Hand Block, 70 mm x 197 mm, Firm, 05741		Each		
7000045717	05744	3M™ Hookit™ Hand Block, 70 mm x 406 mm, Firm, 05744		Each		

## 3M™ Hookit™ Soft Hand Block

The 3M™ Hookit™ Soft Hand Block attaches to corresponding Hookit abrasive sheets to give users a more nimble, precise way to tackle sanding jobs.



- Made of a tough, flexible foam for durability and longevity
- Easy attachment and removal of abrasive sheets increases speed of work
- Fits comfortably in the user's hand for easy use and less strain

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045436	05742	3M™ Hookit™ Soft Hand Block, 2 3/4 × 5 in, 05742				

## 3M™ Paint Defect Removal Hand Sanding Cylinder

Use the 3M™ Paint Defect Removal Hand Sanding Cylinder with 32mm circular abrasives to remove paint defects while minimising the size of the repair area, for better workshop efficiency. Our sanding cylinder is part of the 3M™ Paint Defect Removal Hand Sanding System.



- Remove dirt nibs and paint defects quickly and effectively
- Minimise defective areas for faster repairs
- Save time on unnecessary sanding, compounding and polishing

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100054229	33909	3M™ Paint Defect Removal Hand Sanding Cylinder, 30 mm x 29 mm, 33909		Each		

# Abrasives and Abrasive Accessories

## Focus

### 3M™ Grippy Sanding Block

3M™ Grippy Sanding Block is designed specifically to work with our 3M™ Grippy Sanding Cloth. This sanding block is excellent for adding conformable support when hand sanding. Its 2 cm thickness facilitates smooth sanding in narrow and hard-to-reach spaces. The block and the cloth can be used for wet or dry sanding.



- 6.8 cm x 11 cm block is designed for hand sanding with 3M™ Grippy Sanding Cloth when added support is needed
- 2 cm thickness is excellent for stability in hard-to-reach areas such as grooves and channels
- Can be used for wet or dry sanding

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100158721	35123	3M™ Grippy Sanding Block, 68 mm x 111 mm x 20 mm, 35123		Each		

### 3M™ Hookit™ Marine Fairing Board



Make your marine fairing, finishing and sanding easier and more efficient with 3M™ Hookit™ Marine Fairing Board. Our lightweight board has a two level design that lets you grasp and handle it securely and effortlessly. It works with our Hookit™ abrasive sheets, saving you time and money when sanding marine surfaces.

- Lightweight two-level construction makes the fairing board easy to handle
- Raised handle provides extra control and comfort
- 4-1/2" x 30" size and balanced design is ideal for fairing, sanding and finishing

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045684	83497	3M™ Hookit™ Marine Fairing Board, 114 mm x 762 mm, Rigid, 83497		Each		

### 3M™ Hookit™ Marine Fairing Board Flexible



Get 3M™ Hookit™ Marine Fairing Board Flexible for a lightweight yet robust tool used in fine marine fairing and sanding. Our marine board has a flexible facing which works smoothly across concaves, convexes and curves.

- Lightweight design with double handle gives easy and secure handling
- Flexible facing moves effortlessly across irregular surfaces
- 4-1/2" x 30" size is ideal for fairing, sanding and finishing

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045685	83978	3M™ Hookit™ Marine Fairing Board Flexible, 114 mm x 762 mm, 83978		Each		

# Abrasives and Abrasive Accessories

## Holders & Back-up Pads

### 3M™ Clean Sanding Abrasive Disc Pad Kit

Our Hookit™ Clean Sanding Disc Pad Kit contains a durable foam Hookit™ disc back-up pad with 5/16-24 internal threads, and includes five adapters to attach to different tools. The disc pad also features our multi-hole Clean Sanding pattern for superior dust extraction, ready for use with Clean Sanding discs.



- Hookit™ disc pad enables easy sanding disc change-out, maximizing disc life
- Five adapters range from 1/4-20 INT x 5/16-24 EXT to 5/16-24 EXT x 6mm-1.0 EXT
- Firm foam design provides yield for consistent grit application

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045008	20427	3M™ Clean Sanding Abrasive Disc Pad Kit, 76.2 mm x 12.7 mm x 5/16, 20427		Kit		

### 3M™ Hookit™ Back-up Pad

Get optimum dust extraction with 3M™ Hookit™ Back-up Pad. Our highly dense foam, flat rigid centre and soft edge Back-up Pads offer greater edge flexibility with the centre hole configuration and the best dust extraction with direct flow channelling.



- Equalise air flow with different hole sizes to provide best extraction
- Get excellent extraction from spiral hole pattern
- Choose from soft or standard firmness

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000083877	50193	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm (5/16 in), 7 Hole, Hard, 50193		Each		
7000060160	50474	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm (5/16 in), 15 Hole, Hard, 50474				
7000032141	50391	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm (5/16 in), 15 Hole, Soft, 50391		Each		
7000032142	50392	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm (5/16 in), 15 Hole, Standard, 50392		Each		
7000060161	50475	3M™ Hookit™ Back-up Pad, 150 mm, 15 Hole, M8, Hard, 50475				
7000032140	50393	3M™ Hookit™ Back-up Pad, 150 mm, M8, 15 Hole, Soft, 50393		Each		
7000032143	50394	3M™ Hookit™ Back-up Pad, 150 mm, M8, 15 Hole, Standard, 50394		Each		
7000042720	05717	3M™ Hookit™ Back-up Pad, 178 mm x 20 mm, 5/8-11, 05717		Each		
7000045726	05717M	3M™ Hookit™ Back-up Pad, 178 mm, M14-2.01, 05717M		Each		

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Back-up Pad Multihole

3M™ Hookit™ Back-up Pad Multihole are abrasive back-up pads for 3M™ abrasive multihole discs.



- Optimised dust extraction
- Cleaner workplace environment
- Rigid surface and soft edges

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000060210	50539	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm (5/16 in), 50539		Each		
7000032172	50541	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm (5/16 in), Soft, 50541		Each		
7100010603	51124	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm (5/16 in), Soft, 51124		Each		
7000032173	50540	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm (5/16 in), Standard, 50540		Each		
7100010600	51122	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm (5/16 in), Standard, 51122		Each		
7000032171	50543	3M™ Hookit™ Back-up Pad Multihole, 150 mm, M8, Soft, 50543		Each		
7100037008	51125	3M™ Hookit™ Back-up Pad Multihole, 150 mm, M8, Soft, 51125		Each		
7000032174	50542	3M™ Hookit™ Back-up Pad Multihole, 150 mm, M8, Standard, 50542		Each		
7100037007	51123	3M™ Hookit™ Back-up Pad Multihole, 150 mm, M8, Standard, 51123		Each		

## 3M™ Trizact™ Hookit™ Abrasive Hand Pad

Use 3M™ Trizact™ Hookit™ Abrasive Hand Pad comfortably thanks to a wide strap for holding the pad to the operator's hand. Our abrasive hand pad is made with soft foam rubber for conformability and spreading out finger pressure.



- Designed for 3M™ Hookit™ Discs
- Strap holds pad on hand
- Soft foam rubber spreads out sanding pressure

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034317	05791	3M™ Trizact™ Hookit™ Abrasive Hand Pad, 150 mm, 05791		Each		
7000084116	05792	3M™ Trizact™ Hookit™ Abrasive Hand Pad, 150 mm, Halfround, 05792		Each		

## 3M™ Hookit™ Low Profile Abrasive Disc Back-up Pad

3M™ Hookit™ Low Profile Abrasive Disc Back-up Pad is specially designed for use with 6 inch Hookit discs. Our back-up pad has a low profile design for better levelling and faster removal rates when flat sanding.



- Low profile design provides better levelling and faster removal rates when flat sanding
- Made with a medium density foam
- Features a blunt edge for improved durability

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100058086	28729	3M™ Hookit™ Low Profile Abrasive Disc Back-up Pad, Red, 150 mm x 9.5 mm x 15.6 mm, 5/16-24 in, 28729		Each		

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Soft Abrasive Disc Pad

3M™ Hookit™ Soft Abrasive Disc Pad is ideal for use with fine grade abrasives for sanding primer on conformable surfaces, best used with a slow speed polisher/grinder.



- Designed for 203 mm (8 in) 3M™ Hookit™ II Discs
- Conformable
- Produces finer finishes

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045673	05768	3M™ Hookit™ Soft Abrasive Disc Pad, 203 mm (8 in), 05768		Each		

## 3M™ Hookit™ Soft Interface Pad

Maximise cushion and conformability during the automotive sanding process with 3M™ Hookit™ Soft Interface Pad. Use our pads between Hookit™ discs and Hookit™ back up pads for quick change outs.



- Soft foam construction conforms to contours for a finer finish
- Adds support to disc pad for improved abrasive cut and closer edge sanding
- Applies effortlessly between Hookit™ discs and Hookit™ back-up pads for quick changeouts

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000000490	05771	3M™ Hookit™ Soft Interface Pad, 75 mm, 6 Hole, 05771		Bag		
7000032126	50397	3M™ Hookit™ Soft Interface Pad, 150 mm x 5 mm, 15 Hole, 50397		Each		
7000032161	50545	3M™ Hookit™ Soft Interface Pad, 150 mm x 5 mm, Multihole, 50545		Each		
7000060214	50548	3M™ Hookit™ Soft Interface Pad, 150 mm x 5 mm, Multihole, 50548				
7000032538	51126	3M™ Hookit™ Soft Interface Pad, 150 mm x 5 mm, Multihole, Soft, 51126		Each		
7000038372	05774	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, 7 Hole, 05774		Each		
7000032124	50396	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, 15 Hole, 50396		Each		
7000032160	50544	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, Multihole, 50544		Each		
7000060213	50547	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, Multihole, 50547		Each		
7000032539	51127	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, Multihole, Soft, 51127		Each		
7000028239	05777	3M™ Hookit™ Soft Interface Pad, 150 mm, 25 hole, 05777				
7000060252	50742	3M™ Hookit™ Soft Interface Pad, Purple+, 70 mm x 127 mm, Multihole, 50742		Each		

## 3M™ Perfect-It™ Back-up Pad

3M™ Perfect-It™ Back-up Pad allows for easy attachment, quick removal and accurate centering of compounding or polishing pads. We used our 3M™ Hookit™ attachment system for these pads to enhance convenience and boost productivity with quick change of abrasive discs.



- Backup pad supports single-sided compounding or polishing pads
- Firmly attach and easily remove compounding or polishing pads
- Centre compounding or polishing pads accurately

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000038365	09553	3M™ Perfect-It™ Back-up Pad, 15.8 mm (5/8 in), 09553		Each		



# Abrasives and Abrasive Accessories

## 3M™ Perfect-It™ Back-up Pad

3M™ Perfect-It™ Back-up Pad allows for easy attachment, quick removal and accurate centering of compounding or polishing pads. We used our 3M™ Hookit™ attachment system for these pads to enhance convenience and boost productivity with quick change of abrasive discs.



- Backup pad supports single-sided compounding or polishing pads
- Firmly attach and easily remove compounding or polishing pads
- Centre compounding or polishing pads accurately

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000038364	09552	3M™ Perfect-It™ Back-up Pad, Polishing, M14, 09552		Each		

## 3M™ Roloc™ Bristle Disc Holder

3M™ Roloc™ Bristle disc holder is the back-up attachment for the unique 3M™ Roloc™ Bristle Discs. Available in sizes of 50 mm and 75 mm with a 6.4 mm shaft.



- Allows safe easy mounting of bristle disc product
- Maximises Bristle disc performance
- Durable plastic holder

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000028392	05539	3M™ Roloc™ Bristle Disc Holder, Disc Pad Assembly, 50.8 mm, Hard, 05539		Each		
7000045705	05540	3M™ Roloc™ Bristle Disc Holder, Disc Pad Assembly, 76.2 mm, Hard, 05540		Kit		

## 3M™ Flexible Abrasive Hookit™ Foam Pad

3M™ Flexible Abrasive Hookit™ Foam Pad work well for sanding primer, blending and paint finishing.



- Use with range of 3M™ Hookit™ Abrasive Sheets
- Offers high flexibility to adapt to contours being sanded
- Provides support in hard-to-reach locations

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045570	34349	3M™ Flexible Abrasive Hookit™ Foam Pad, 34349		Each		

## 3M™ Perfect-It™ Buffer Back-up Pad

3M™ Perfect-It™ Buffer Back-up Pad is designed for use as a back-up pad for 75 mm 3M Polishing Systems.



- Works with the colour code range of 3M foam pads
- Used with the 3M™ Perfect-It™ Denib Polisher
- High quality back-up pad

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000060283	07652	3M™ Perfect-It™ Buffer Back-up Pad, 75 mm, 07652		Each		

# Abrasives and Abrasive Accessories

## 3M™ Perfect-It™ Buffer Back-up Pad

3M™ Perfect-It™ Buffer Back-up Pad is designed for use as a back-up pad for 75 mm 3M Polishing Systems.

- Works with the colour code range of 3M foam pads
- Used with the 3M™ Perfect-It™ Denib Polisher
- High quality back-up pad



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100044595	51240	3M™ Perfect-It™ Buffer Back-up Pad, 76 mm, 51240				

### Focus

## 3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad

Get peak performance with the 3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad for your 3M™ Perfect-It™ Random Orbital Polisher. These pads help 3M™ Perfect-It™ Random Orbital Compounding and Polishing Pads stay firmly attached to the polisher, helping maximize your productivity. Easy one-screw attachment.

- **PEAK PERFORMANCE:** The 3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad helps compounding and polishing pads perform their best when used with the 3M™ Perfect-It™ Random Orbital Polisher.
- **EASY ON, HOLDS TIGHT:** The 3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad uses 3M™ Hook-it™ attachment for fast attachment of compounding and polishing pads – holding them firmly in place.
- **FAST INSTALL:** The 3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad attaches to the polisher with a single screw and Allen key.



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100265258	34128	3M™ Perfect-It™ Random Orbital Polisher Back-up Pad, 130 mm (5 in), 34128				
7100265259	34129	3M™ Perfect-It™ Random Orbital Polisher Back-up Pad, 150 mm (6 in), 34129				

## 3M™ Flat Fibre Disc Back-up Pad

Use 3M™ Ribbed Back Up Pad with 3M™ Cubitron™ II discs for improved disc cut and lifespan. Our pad features a unique rib pattern and is resistant to temperatures over 212° F (100°C). It helps to improve efficiency and reduce costs.

- Supports 5" diameter x 7/8" centre hole 3M™ Fibre Discs
- Hard rubber construction works with fibre disc backing for consistent support
- Reduces vibration for greater operator comfort



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100242134		3M™ Flat Fibre Disc Back-up Pad, 150 mm, PN64829				

# Abrasives and Abrasive Accessories

## 3M™ High Performance Ribbed Back-Up Pad

Use 3M™ Ribbed Back Up Pad with 3M™ Cubitron™ II discs for improved disc cut and lifespan. Our pad features a unique rib pattern and is resistant to temperatures over 212° F (100°C). It helps to improve efficiency and reduce costs.



- Unique rib pattern
- Resistant to temperatures over 100°C (212° F)
- Use to extend the cut rate and lifespan of 3M™ Cubitron™ II discs

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032409		3M™ High Performance Ribbed Back-Up Pad, 115 mm, Red	10	Each		
7000032410		3M™ High Performance Ribbed Back-Up Pad, 125 mm, Red	10	Each		
7000032411		3M™ High Performance Ribbed Back-Up Pad, 180 mm, Red	15	Each		

## Mandrels & Adapters

### 3M™ Adaptors for Polishers

Adaptor for 5/8" shaft polishers, for use with 3M™ Screw On Double Sided Buffing pads.

- For use with 5/8" shaft rotary polishers
- Eliminates the concern of exposed threads when using
- Eliminates the potential scratching of vehicles while using 3M screw on double side pads



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100017371	05710	3M™ Adaptors for Polishers, Buff Pad Adaptor, 05710		Each		

### 3M™ Perfect-It™ Quick Connect Adaptor

3M™ Perfect-It™ Quick Connect Adapter makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. Our heavy-duty adaptor saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8", or M14 thread.

- Allows quick changes of buffing pads
- Makes it easy to change between compound and polishing pads
- Provides a reliable connection between pad and polisher



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100141852	05752	3M™ Perfect-It™ Quick Connect Adaptor, 5/8 in, 05752				
7100086812	33271	3M™ Perfect-It™ Quick Connect Adaptor, M14, 33271		Each		

# Abrasives and Abrasive Accessories

## Dust Extraction Systems

### 3M™ Dust Extractor

The 3M™ Dust Extractor is a lightweight, compact dust extraction, ideal for body and paint repair shops. It features strong dust extraction power and is compatible with pneumatic and electric sanders.

- Lightweight, compact unit with strong dust extraction power
- Helps shops boost efficiency by helping to reduce rework and cleanup time
- Compatible with pneumatic or electric sanders



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100242524	33759	3M™ Dust Extractor, 45 L, 230V, Plug Type F, 33759				
7100246015		3M™ Dust Extractor, 33761, 45 L, 230V, Plug Type G, 1/Case				

### 3M™ Antistatic Electric Hose

The 3M™ Antistatic Electric Hose is designed for use with the 3M™ Clean Sanding System when using electric sanders or hand blocks. The built-in air regulator collar allows the operator easily to adjust suction. Its quick-connection couplings allow easy attachment to tools and the 3M dust extractor.

- Adjustable airflow collar at the tool end of the hose allows user to adjust suction
- Use with electric sanders or sanding blocks
- Quick connection between tools and the 3M dust extractor



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100247475	33646	3M™ Antistatic Electric Hose, 5 m, 33646				

### 3M™ Antistatic Pneumatic Hose

The 3M™ Antistatic Pneumatic Hose works with the 3M™ Clean Sanding System. The built-in air regulator collar allows the operator to adjust suction. The air hose is built into the vacuum hose to help reduce snagging, clutter and tangling.

- Adjustable airflow collar at tool end of hose allows user to adjust suction
- The combined air and vacuum hose helps reduce tangling and snagging
- Air supplied using standard 1/4-inch high-flow quick connection air couplings



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100247664	33645	3M™ Antistatic Pneumatic Hose, 5 m, 33645				

# Abrasives and Abrasive Accessories

## 3M™ Multi Hole Block Hose

Extract dust and debris with 3M™ Multihole Block Hose. Our flexible and durable block hose takes dust and debris from sanding and blocking applications to Dust Extract systems.



- Extract dust and debris from sanding and blocking applications
- Get a flexible and durability with 3 or 6 metre hose
- Use to attach to the 3M™ Hookit™ Purple+ Multihole Handblock Multihole and other systems

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032192	05174	3M™ Multi Hole Block Hose, 6 m, 05174		Each		

## 3M™ Dust Extractor Filter Bag

3M™ Dust Extractor Filter Bag captures dirt and dust collected by the 3M™ Clean Sanding System. Designed to maximize the dust collection capacity of both 30-liter and 45-liter models of 3M™ Dust Extractors. The bags are built from a tough but flexible non-woven plastic material. The easy close plastic closure cap helps prevent leakage during disposal.



- Fits both 30-liter and 45-liter models of 3M™ Dust Extractors
- Durable non-woven material traps and holds dirt and dust.
- Plastic cap easily seals full bags to help prevent leaks during disposal

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100249076	33648	3M™ Dust Extractor Filter Bag, 33648				

## 3M™ Dust Extractor Handle Extension

The 3M™ Dust Extractor Handle Extension adds an extra level of convenience to the 3M™ Clean Sanding System 45-liter dust extractor. The handle is built from durable steel tubing and is coated with a tough black soft-grip material. The handle helps to facilitate easy transport of the extractor base from a standing position. Attaches easily to the extractor unit.



- Helps to facilitate easy transport of extractor
- Made from durable steel coated with black soft-grip material
- Easily attaches to 3M™ Clean Sanding System 45-liter dust extractors

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100247493	33765	3M™ Dust Extractor Handle Extension, 33765				



# Abrasives and Abrasive Accessories

## 3M™ Clean Sanding System Workstation

3M™ Clean Sanding System Workstation adds storage, portability and organization to the 3M™ Clean Sanding System. The steel cart is built to hold one 45-liter 3M Dust Extractor base. The unit includes two repositionable tool hangers and two repositionable hose hangers; a two-shelf locking cabinet; waste compartment; large smooth-riding rubber wheels, and a rubberized work surface.



- Holds one 45-liter 3M™ Clean Sanding System Dust Extractor
- Four repositionable tool and hose holders (two of each) let technicians customize the cart for their needs
- The two-shelf locking storage cabinet can keep abrasives and materials in easy reach

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100247665	33653	3M™ Clean Sanding System Workstation, 33653				

## 3M™ Clean Sanding System Workstation Extension

3M™ Clean Sanding System Workstation Extension adds customizable storage and organization to the 3M™ Clean Sanding System Workstation. The extension's three panels allow customization of storage using 15 included hooks. The extension provides additional mounting locations for the Workstation's tool holder and hose hooks.



- The 3M™ Clean Sanding System Workstation Extension expands the storage and organization capabilities of the 3M™ Clean Sanding System
- The all-steel three-panel extension provides additional mounting positions for the Workstation's hose hooks and tool holders
- Kit includes: three-panel extension, 5 Long Double Hooks, 5 Long Single Straight Hooks and 5 Short hooks

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100247666	33654	3M™ Clean Sanding System Workstation Extension, 33654				

## 3M™ Dust Extractor Filter

3M™ Dust Extractor Filter Pack contains polyester replacement filters for the 3M™ Clean Sanding System's 30-liter and 45-liter dust extractors. The filters help protect the motor unit of the extractor and filter the unit's exhaust air.



- Two pack of panel-style filters for 30-liter and 45-liter dust extractors
- Durable polyester filter material is accordion-folded to help maximize surface area in a small footprint.
- Flexible seal helps to prevent dust from returning to your work area and keep it away from the extractor's motor.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100249077	33647	3M™ Dust Extractor Filter, 33647				

# Abrasives and Abrasive Accessories

## 3M™ Dust Extractor Y-Connector

The 3M™ Dust Extractor Y-Connector allows a 3M™ Dust Extractor to support two vacuum tools at the same time. The user can connect two tools simultaneously. The connector's built in clapet valve provides a firm seal when only one hose is connected. Dual o-rings forms a seal between the Y-Connector and the dust extractor.



- Allows two hoses to be connected to 3M™ Dust Extractors, 45 ltr, allowing two tools to be used simultaneously
- Durable plastic connector with dual o-rings forms a seal when attached to the dust extractor
- Connector has spring-loaded clapet valve which seals an unused hose port.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100247480	33652	3M™ Dust Extractor Y-Connector, 33652				



# Power tools

Choosing the right abrasives or compounds for your paint finishing and automotive repair project is critical — and so is using the right tool. 3M offers a range of systems of high-quality metal grinding and sanding tools, disc backup pads and accessories to optimise abrasive performance and maximize productivity. Whether your job calls for file belt sander, a sanding tool or a polishing machine, 3M has you covered with the power tools, accessories and service you need.

# Power tools

## Buffers & Polishers

Focus

### 3M™ Perfect-It™ Random Orbital Polisher

Experience no more swirls, holograms, or burn through with the 3M™ Random Orbital Polisher and finishing system; and achieve a consistent high-gloss finish on a variety of paints and clear coats. Its circular and oscillating motion, paired with our matched compound, polish and pads, eliminates the dreaded swirl marks common with traditional rotary tools.



- **REFINISHING, REDEFINED:** The circular and oscillating motion of the 3M™ Perfect-It™ Random Orbital Polisher, paired with our matched compound, polish and pads, eliminates the dreaded swirl marks common with traditional rotary tools.
- **ULTIMATE CONTROL:** The tool's variable speed control and a progressive speed trigger let you customize the power you bring to any job.
- **A SYSTEM DESIGNED TO WORK TOGETHER:** Part of the easy-to-use 3M™ Perfect-It™ Random Orbital Paint Finishing System, which includes pads, liquids, and tools engineered to deliver high-quality finishes.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100266281	34144E	3M™ Perfect-It™ Random Orbital Polisher, 15 mm, 230V, 50Hz, Plug C, 34144E				
7100264630	34102E	3M™ Perfect-It™ Random Orbital Polisher, 15 mm, 230V, 50Hz, Plug F, 34102E				
7100263991	34104E	3M™ Perfect-It™ Random Orbital Polisher, 15 mm, 230V, 50Hz, Plug G, 34104E				
7100273617	34111	3M™ Perfect-It™ Random Orbital Polisher, 21 mm, 100V/60Hz/Plug A, 34111				
7100266282	34145E	3M™ Perfect-It™ Random Orbital Polisher, 21 mm, 230V, 50Hz, Plug C, 34145E				
7100263992	34103E	3M™ Perfect-It™ Random Orbital Polisher, 21 mm, 230V, 50Hz, Plug F, 34103E				
7100264083	34105E	3M™ Perfect-It™ Random Orbital Polisher, 21 mm, 230V, 50Hz, Plug G, 34105E				

## Power Grinders

### 3M™ Cut-Off Wheel Tool for Body Repair

The 3M™ Cut-Off Wheel Tool for Body Repair is designed for cutting quickly and smoothly through aluminum, high strength steel and other tough substrates in collision repair. It features a 0.7 Horse Power (HP) motor in a tough composite housing that makes the tool very lightweight (less than 1 kg) and maneuverable. It is designed to optimize the performance of 3M™ Cubitron™ II Cut-Off Wheels.



- Lightweight, powerful tool is designed for use in body shop applications
- 0.7 HP motor delivers power for cutting through metals including high strength steel
- Lightweight tool, weighs less than 1 kg

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100110997	33579	3M™ Cut-Off Wheel Tool for Body Repair, 75 mm, 33579		Each		
7100115350	33579	3M™ Cut-Off Wheel Tool for Body Repair, 75 mm, 33579				
7100115351	33579	3M™ Cut-Off Wheel Tool for Body Repair, 75 mm, 33579				

# Power tools

## 3M™ Cut-Off Wheel Tool for Body Repair

The 3M™ Cut-Off Wheel Tool for Body Repair is designed for cutting quickly and smoothly through aluminum, high strength steel and other tough substrates in collision repair. It features a 0.7 Horse Power (HP) motor in a tough composite housing that makes the tool very lightweight (less than 1 kg) and maneuverable. It is designed to optimize the performance of 3M™ Cubitron™ II Cut-Off Wheels.



- Lightweight, powerful tool is designed for use in body shop applications
- 0.7 HP motor delivers power for cutting through metals including high strength steel
- Lightweight tool, weighs less than 1 kg

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100121682		3M™ Cut-Off Wheel Tool for Body Repair, 75 mm, 33579				
7100120759	33579	3M™ Cut-Off Wheel Tool for Body Repair, 75 mm, 33579				

## 3M™ Electric Angle Grinder

3M™ Electric Angle Grinder is designed for use with 3M abrasives and accessories to create a comprehensive system to achieve a more professional finish in less processing time. Our electric angle grinder has a powerful 1900 watt motor and an ergonomic handle to reduce vibration and enhance operator comfort.



- HIGH-POWERED GRINDING: High torque and high rotational speed in a lightweight, powerful and versatile tool
- DESIGNED FOR OPERATOR COMFORT: Ergonomic design features a low-vibration handle and speed control for different jobs
- MAXIMISE PRODUCTIVITY TO MINIMISE PROCESSING TIME: Designed for use with 3M abrasives and accessories

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100281561		3M™ Electric Angle Grinder 14112, 125 mm, Variable Speed, Plug Type J, 1 ea/case				
7100281321		3M™ Electric Angle Grinder 14144, 115 mm, Plug Type G, 1 ea/case				
7100249667		3M™ Electric Angle Grinder, Variable Speed, 1900W, 115 mm, 14281	1	Each		
7100249668		3M™ Electric Angle Grinder, Variable Speed, 1900W, 125 mm, 14291	1	Each		

## Power Sanders

### 3M™ File Belt Sander

The 3M™ File Belt Sander for Body Repair features the technology and versatility of metalworking belt sanders in a size that's ideal for automotive collision repair. This narrow-profile tool is excellent for cutting in tight areas, including cutting, dressing and refining spot welds as well as blending and finishing. This file belt sander is designed for use with 3M™ Cubitron™ II abrasives.



- Lightweight file belt sander is ideal for cutting and finishing work in body repair
- Powerful 495W motor is excellent for collision repair applications
- Light weight makes for greater manoeuvrability and less operator fatigue

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100110952	33575	3M™ File Belt Sander, 457 mm, 33575		Each		
7100115711	33575	3M™ File Belt Sander, 457 mm, 33575				
7100115710	33575	3M™ File Belt Sander, 457 mm, 33575				

# Power tools

## 3M™ File Belt Sander

The 3M™ File Belt Sander for Body Repair features the technology and versatility of metalworking belt sanders in a size that's ideal for automotive collision repair. This narrow-profile tool is excellent for cutting in tight areas, including cutting, dressing and refining spot welds as well as blending and finishing. This file belt sander is designed for use with 3M™ Cubitron™ II abrasives.



- Lightweight file belt sander is ideal for cutting and finishing work in body repair
- Powerful 495W motor is excellent for collision repair applications
- Light weight makes for greater manoeuvrability and less operator fatigue

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100120509		3M™ File Belt Sander, 457 mm, 33575				
7100120508	33575	3M™ File Belt Sander, 457 mm, 33575				
7100120507	33575	3M™ File Belt Sander, 457 mm, 33576				
7100110995	33573	3M™ File Belt Sander, Mini File Belt Sander, 330 mm, 33573		Each		
7100115377	33573	3M™ File Belt Sander, Mini File Belt Sander, 330 mm, 33573				
7100120505	33573	3M™ File Belt Sander, Mini File Belt Sander, 330 mm, 33573				
7100119080	33573	3M™ File Belt Sander, Mini File Belt Sander, 330 mm, 33573		Each		

## 3M™ Body Repair Pistol Grip Disc Sander

3M™ Pistol Grip Disc Sander for Body Repair is designed specifically for grinding and surface preparation processes in collision repair, ideal for paint stripping and weld cleanup.



- Lightweight well balanced tool
- Powerful 336W motor (0.45 HP), up to 18.000 RPM
- Variable speed control trigger

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100110951	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577		Each		
7100115714	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577		Each		
7100115720	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577		Each		
7100120511		3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577				
7100120658	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577		Each		
7100122361	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577		Each		

## 3M™ Perfect-It™ Denibbing Tool

Denibbing power tool that removes and finishes small dust nibs on newly painted vehicles. For use with 3M Denibbing Abrasives.



- Power tool for the 3M Denibbing System
- Removal of small dust nibs
- Unique system

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000145689	51215	3M™ Perfect-It™ Denibbing Tool, Sander 32 mm, 51215				



# Power tools

## 3M™ Cubitron™ II File Belt Sander Kit

3M™ Cubitron™ II File Belt Sander Kit is a starter kit to equip bodyshops with the basic requirements for a file belt sander tool with a selection of abrasive file belts based on the innovative Cubitron™ II technology.

- Starter Kit
- Contains File belt sander tool
- Including a variety of file belts



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100134736	51419	3M™ Cubitron™ II File Belt Sander Kit, 51419				

## 3M™ Roloc™ Pistol Grip Sander Kit

3M™ Roloc™ Pistol Grip Sander Kit includes a 3M™ Roloc™ Pistol Grip Sander with fitting 3M™ Cubitron™ II Roloc™ discs, Scotch-Brite™ products and 3M Eye protection

- Body repair kit including a 3M™ Roloc™ Pistol Grip Sander
- Higher productivity
- Optimized repair process



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100134737	51418K	3M™ Roloc™ Pistol Grip Sander Kit, 51418K				

## 3M™ Random Orbital Sander

The 3M™ Random Orbital Sander is designed to help deliver high-quality surface preparation and finishing results while helping to improve the performance of your 3M Abrasives. With a multihole backup pad and shroud that provide effective dust extraction. Pneumatic sander includes variable speed adjustments to help give the technician more control.

- Variable speed adjustment lets you choose the speed for your task
- Multihole back-up pad and shroud for effective dust extraction
- Helps to improve the performance of 3M Abrasives



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100238397	33623	3M™ Random Orbital Sander, 75 mm, 5 mm Orbit, Vacuum-Ready, 33623				
7100238643	33627	3M™ Random Orbital Sander, 150 mm, 2.5 mm Orbit, Vacuum-Ready, 33627				
7100238399	33628	3M™ Random Orbital Sander, 150 mm, 5 mm Orbit, Vacuum-Ready, 33628				
7100238631	33629	3M™ Random Orbital Sander, 150 mm, 8 mm Orbit, Vacuum-Ready, 33629				

# Power tools

## 3M™ Electric Random Orbital Sander (CSS)

The 3M™ Electric Random Orbital Sander is designed to help deliver high-quality surface preparation and finishing results while helping to improve the performance of your 3M Abrasives.

With electric power you can help increase mobility without the need for compressed air.

A multihole back-up pad and shroud offer effective dust extraction, and the brushless motor requires less maintenance, no brushes to replace.



- Variable speed adjustment lets you choose the speed for your task
- Multihole back-up pad and shroud for effective dust extraction
- Helps to improve the performance of 3M Abrasives

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100251880	33766	3M™ Electric Random Orbital Sander (CSS), 150 mm, 5 mm Orbit, 230V, Plug Type C, Vacuum-Ready, 33766				

## Power Tool Parts & Accessories

### 3M™ File Belt Sander Contact Arm Assembly

The 3M™ File Belt Sander Contact Arm Assembly is an efficient way to maintain your sanding and grinding capabilities, without spending on additional sanders. Each contact arm assembly arrives ready to install onto your 3M™ File Belt Sander (PN 33573 and 33575).



- Assembled - ready to use
- Includes rubber contact wheels
- Replacement part for the 3M™ File Belt Sander

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100132680	33585	3M™ File Belt Sander Contact Arm Assembly, 330 mm x 10 mm, 33585		Each		
7100132820	33586	3M™ File Belt Sander Contact Arm Assembly, 330 mm x 13 mm, 33586		Each		
7100132681	33588	3M™ File Belt Sander Contact Arm Assembly, 457 mm x 13 mm, 33588		Each		

### 3M™ File Belt Sander Contact Wheel Replacement

3M™ File Belt Sander Contact Wheel Replacements contains everything you need to easily replace the contact wheel on your 3M™ File Belt Sander and help keep it operating at peak performance.

- Designed specifically for 3M™ File Belt Sanders (PN 33573 and 33575) and 3M™ Cubitron™ II Abrasive Belts
- Replace just the contact wheel, not the entire contact arm assembly
- Rubber contact wheel is flexible to help prolong abrasive belt life



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100132678	33583	3M™ File Belt Sander Contact Wheel Replacement, 10 mm, 33583		Kit		
7100132679	33584	3M™ File Belt Sander Contact Wheel Replacement, 13 mm, 33584				

## PERSONAL SAFETY

• Comfort Particle Mask P2



• Hearing Protection



• Face Protection



• Reusable Workwear



• Safety Gloves



### 1 Replacement Panel Cutting



- ▶ Identify car manufacturer recommended sectioning location, scribe or mark with tape on the vehicle and replacement panel
- ▶ Trim repair area using preferred cut-off wheel



3M™ Cut-Off Wheel Tool  
ø 75 mm , ø 100 mm



3M™ Cubitron™ II  
Cut-Off Wheels

### 2 Replacement Panel Preparation



- ▶ Clean and prep remaining mating flanges on replacement panel with a Scotch-Brite™ Belt or Disc where necessary
- ▶ Clean and apply weld-thru primer to all areas requiring welding methods for corrosion protection



3M™ Scotch-Brite™  
File Belts



3M™ Scotch-Brite™  
Roloc™ Disc



3M™ File Belt Tool



3M™ Pistol Grip  
Disc Sander

### 3 Sealer/Coating Removal



- ▶ Use Scotch-Brite™ Belt to remove coatings and seam sealers in hard to reach areas and along pinch weld flanges to expose spot weld locations



3M™ Scotch-Brite™  
File Belts



3M™ File Belt Tool

### 4 Spot Weld Removal



- ▶ Grind spot weld to remove weld from top panel. Note top panel thickness
- ▶ Use caution when grinding to only grind top panel and limit cutting into host/interior panel
- ▶ Separate exterior panel from the host panel after additional pre cut



3M™ Cubitron™ II  
File Belts 60+ - 80+



3M™ File Belt Tool

### 5 Final Cut



- ▶ Identify final cut line at the overlapping area of the pre cutted host and replacement panel
- ▶ Trim repair area using preferred cut-off



3M™ Cut-Off Wheel Tool  
ø 75 mm , ø 100 mm



3M™ Cubitron™ II  
Cut-Off Wheels

### 6 Weld Surface Preparation



- ▶ Clean and prep remaining mating flanges on replacement panel with a Scotch-Brite™ Belt or Disc where necessary
- ▶ Use caution to limit amount of grinding done to adjacent areas in terms of substrate thickness
- ▶ Clean surface and apply weld-thru primer to all areas requiring welding methods for corrosion protection



3M™ Scotch-Brite™  
File Belts



3M™ Scotch-Brite™  
Roloc™ Disc



3M™ File Belt Tool



3M™ Pistol Grip  
Disc Sander

### 7 Panel Bonding



- ▶ Apply adhesive to mating flange areas on host panel and replacement panel as recommended from car manufacturer by covering all bare metal areas
- ▶ Apply an additional bead of adhesive at mating flange areas to ensure proper bond line thickness
- ▶ Note: A new cartridge needs to be calibrated as recommended before the first application, to allow initial equalisation! Any further material from there is good to use



3M™ Panel Bonding  
Adhesive



3M™ Pneumatic  
Applicator for 200ml  
Duopack Cartridge



3M™ Manual Applicator  
for 200ml Duopack  
Cartridge

### 8 Welding



- ▶ Using car manufacturer recommended welding methods at the different areas of the car body lines


### 9 Weld Cleaning



- ▶ Use 80+ grit to equalize WPS welding spots and MIG brazing joints
- ▶ Fine sanding of weld site in preparation for subsequent operations
- ▶ Use caution to limit amount of grinding done to adjacent areas in terms of substrate thickness



3M™ Cubitron™ II  
File Belts



3M™ Cubitron™ II  
Roloc™ Discs



3M™ File Belt Tool



3M™ Pistol Grip  
Disc Sander





# Adhesives, Sealants & Applicators

3M adhesives, coatings and sealers help ensure that your OEM-quality collision repairs will stay that way long after the vehicles leave your shop. They perform in areas that make all the difference: plastic and glass repair, panel and structural bonding, seam sealing, corrosion protection and more. 3M also supplies the equipment and resources you need to use them quickly and cost-effectively.




## PERSONAL SAFETY

- Comfort Particle Mask P2
- Hearing Protection
- Face Protection
- Reusable Workwear
- Safety Gloves

<b>1</b> Host Panel Preparation		<ul style="list-style-type: none"> <li>▶ Remove remaining material and contaminants from host panel. Prep remaining mating flanges on host panel with a Scotch-Brite™ Belt or Disc</li> </ul>	<p>3M™ Scotch-Brite™ File Belts      3M™ Scotch-Brite™ Roloc™ Disc      3M™ Body Repair Pistol Grip Disc Sander</p>
<b>2</b> Cleaning of the surface		<ul style="list-style-type: none"> <li>▶ Degreasing host panel mating flange areas</li> </ul>	<p>3M™ General Purpose Adhesive Cleaner      3M™ Professional Panel Wipes</p>
<b>3</b> Replacement Panel Preparation		<ul style="list-style-type: none"> <li>▶ Remove Ecoat from replacement panel mating flange areas using Scotch-Brite™ Belt</li> </ul>	<p>3M™ Scotch-Brite™ File Belts      3M™ File Belt Tool</p>
<b>4</b> Cleaning of the surface		<ul style="list-style-type: none"> <li>▶ Degreasing replacement panel mating flange areas</li> </ul>	<p>3M™ General Purpose Adhesive Cleaner      3M™ Professional Panel Wipes</p>
<b>5</b> Corrosion Protection		<ul style="list-style-type: none"> <li>▶ Apply weld-thru primer to all areas on host panel and replacement panel requiring welding operations, except the areas for bonding</li> <li>▶ Two layers are recommended to obtain the right coating thickness for optimum corrosion protection</li> <li>▶ Drying time: 10 - 20 minutes</li> </ul>	<p>3M™ Weld Thru II Primer</p>
<b>6</b> Calibration of a new cartridge		<ul style="list-style-type: none"> <li>▶ Insert the cartridge into a suitable application gun</li> <li>▶ Before attaching the mixer to the cartridge, squeeze out a small amount of material until both components are equally extruded</li> <li>▶ Attach the mixing nozzle and discard the first 2-4 cm of extruded material, to remove any improperly mixed material</li> </ul> <p>Note: The previous step is only necessary when using a new cartridge.</p>	<p>3M™ Panel Bonding Adhesive      3M™ Pneumatic Applicator for 200ml Duopack Cartridge      3M™ Manual Applicator for 200ml Duopack Cartridge</p>
<b>7</b> Application		<ul style="list-style-type: none"> <li>▶ Apply adhesive to mating flange areas on host panel and replacement panel, covering all bare metal areas</li> <li>▶ Apply an additional bead of adhesive at mating flange areas to ensure proper bond line thickness and all voids are filled</li> </ul>	
<b>8</b> Install Replacement Panel		<ul style="list-style-type: none"> <li>▶ Install replacement panel to host panel by clamping in place</li> <li>▶ Apply required welds on rear vertical seams, cosmetic joints, or where otherwise recommended by the directions for use from the car manufacturer</li> </ul> <p>Note: Follow recommended adhesive clamp times: ~ after 4h @ 23°C ambient temperature</p>	
<b>9</b> Adhesive Clean Up		<ul style="list-style-type: none"> <li>▶ Tool excess adhesive squeeze-out from repair area prior to curing to seal the repair</li> </ul> <p>Note: Grinding to remove excess adhesive can expose bare metal, causing corrosion</p>	<p>3M™ General Purpose Adhesive Cleaner      3M™ Professional Panel Wipes</p>




# The hidden heroes of collision repair.



**Quick Reference:** Areas where 3M™ Impact Resistant Structural Adhesive may be used.

- |                                 |                           |                                     |
|---------------------------------|---------------------------|-------------------------------------|
| <b>1</b> Roof Skin              | <b>3</b> Body Side        | <b>5</b> Sill panel                 |
| <b>2</b> Front Upper/Lower Rail | <b>4</b> B Pillar/Uniside | <b>6</b> Rear Unibody/Wheel Opening |

Please reference OEM Repair Procedures.



**Quick Reference:** Areas where 3M™ Panel Bonding Adhesive may be used.

- |                    |                    |                     |   |
|--------------------|--------------------|---------------------|---|
| <b>1</b> Roof Skin | <b>2</b> Door Skin | <b>3</b> Sill panel | <b>4</b> Quarter Panel/Truck Box/Van Side |
|--------------------|--------------------|---------------------|---|

Please reference OEM Repair Procedures.

# Adhesives, Sealants & Applicators

## Structural Adhesives

Focus

### 3M™ Impact Resistant Structural Adhesive

3M™ Impact Resistant Structural Adhesive (IRSA) is formulated for true automotive OEM-specified structural bonding applications, excellent for collision absorption in steel structures and advanced lightweight aluminum alloys. This two-part epoxy adhesive delivers extended worktimes – up to 1 hour – and can be rapidly heat-cured. The adhesive changes from silver to purple as the adhesive cures.

- Formulated specifically for collision absorption in OEM-specified structural bonding applications
- Two-part epoxy bonds steel and automotive aluminium, great for lightweight structures
- Can be weld-bonded or rivet-bonded immediately after application



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100273723	07333	3M™ Impact Resistant Structural Adhesive, 200 ml, 07333		Each		

Focus

### 3M™ Panel Bonding Adhesive

The 3M™ Panel Bonding Adhesive is a two-part epoxy used to bond steel, aluminum, SMC, and FRP (traditional fiberglass). The primary use is to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins.

- A high performance two component epoxy adhesive
- Bonds a variety of steel, aluminum, SMC, and FRP (traditional fiberglass) non-structural components. Also use to reinforce welded or riveted structural components
- It can be spot welded through or used in conjunction with rivet bonds



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000000610	08115	3M™ Panel Bonding Adhesive, 200 ml, 08115				
7100016211	08115	3M™ Panel Bonding Adhesive, 200 ml, 08115		Each		
7100137215	08115	3M™ Panel Bonding Adhesive, 200 ml, 08115		Each		
7100137214	08115	3M™ Panel Bonding Adhesive, 200 ml, 08115				
7000045775	08116	3M™ Panel Bonding Adhesive, 200 ml, 08116				

### 3M™ Structural Adhesive

Bond metal, glass and plastic with 3M™ Structural Adhesive. Our structural adhesive can be used for trim, fiberglass and flexible body parts repair. It's a two-part general purpose grey adhesive that spreads smoothly and is fast-drying.

- Bond metal, glass and plastic with our fast-drying structural adhesive
- Use for trim, fiberglass and flexible body parts repair
- Efficient mixing nozzle gives controlled flow with no air bubbles



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100271764	08122	3M™ Structural Adhesive, 2:1, 50 ml, 08122		Each		

# Adhesives, Sealants & Applicators

## 3M™ Structural Plastic Adhesive

Bond plastic, fibreglass, ceramic, metal and most substrates with 3M™ Structural Plastic Adhesive. This adhesive is a black, two-part urethane product delivered in a dual-component cartridge.

- For back and front side repair of plastic parts
- Easy cartridge application
- For additional strength, use with plastic reinforcement tape



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100222832	55047	3M™ Structural Plastic Adhesive, 200 ml, 55047		Each		

## Flexible Adhesives

### 3M™ Aerosol Adhesive

Aerosol adhesives are used for bonding lightweight internal trim, eg headlinings and plastics.

- Non-clog aerosol head will adjust to give wide or narrow lace spray pattern
- Fast drying
- Cover large areas quickly, compared to hand application



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100138679	08080	3M™ Aerosol Adhesive, 500 ml, 08080				
7100139848	08080	3M™ Aerosol Adhesive, 500 ml, 08080		Canister		

### 3M™ Trim Adhesive

3M™ Trim Adhesive securely bonds vinyl, heavyweight liners and hood silencer pads where high strength and heat resistance are needed. Easy, spray-on aerosol offers convenience in application.

- Spray-on adhesive attaches heavy weight fabrics and vinyl
- Recommended where high-strength required
- High performance contact adhesive



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100142662	08090	3M™ Trim Adhesive, 500 ml, 08090				

# Adhesives, Sealants & Applicators

## Sealants

### 3M™ MS Caulkable Sealer

3M™ MS Caulkable Sealer is a one part MS polymer-based moisture curing general purpose seam sealer in a cartridge.

- Can be painted over immediately with water based paints
- Should be painted over within 2 hours or lightly scuffed using a grey Scotchbrite pad.
- Isocyanate free



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079955	08855	3M™ MS Caulkable Sealer, 290 ml, 08855		Each		

### 3M™ Multi-Purpose Seam Sealer

Improve your repair process with 3M™ Multi-Purpose Seam Sealer . Our sealer allows wet on wet painting for faster sealing processing times. It can be sprayed, extruded or brushed.

- Get a variety of finishes
- Can be sprayed, brushed or extruded
- Flexible as anti-chip coating



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000077337	50740	3M™ Multi-Purpose Seam Sealer, Beige, 310 ml, 50740		Each		
7000077339	50740	3M™ Multi-Purpose Seam Sealer, Beige, 310 ml, 50740				

### 3M™ Polyurethane Seam Sealer

3M™ Polyurethane Seam Sealers are 1K moisture curing polyurethane products designed for seam sealing applications in car body repair.

- Excellent adhesion
- Paintable with commonly used paint systems
- Non-shrinking, non-flow



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100081535	08365	3M™ Polyurethane Seam Sealer, Beige, 310 ml, Cartridge, 08365		Each		
7000077236	08694	3M™ Polyurethane Seam Sealer, Black, 310 ml, Cartridge, 08694		Each		
7000033373	08694	3M™ Polyurethane Seam Sealer, Black, 310 ml, Cartridge, 08694				
7000077239	08694	3M™ Polyurethane Seam Sealer, Black, 310 ml, Cartridge, 08694				
7000077362	08789	3M™ Polyurethane Seam Sealer, Black, 310 ml, Sachet, 08789				
7000077247	08789	3M™ Polyurethane Seam Sealer, Black, 310 ml, Sachet, 08789				
7000077310	08789	3M™ Polyurethane Seam Sealer, Black, 310 ml, Sachet, 08789		Case		
7000077248	08793	3M™ Polyurethane Seam Sealer, Black, 600 ml, Sachet, 08793		Case		
7000077237	08684	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Cartridge, 08684		Each		
7000033376	08684	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Cartridge, 08684				
7000077238	08684	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Cartridge, 08684				
7100143272	08782	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Sachet, 08782		Each		

# Adhesives, Sealants & Applicators

## 3M™ Polyurethane Seam Sealer

3M™ Polyurethane Seam Sealers are 1K moisture curing polyurethane products designed for seam sealing applications in car body repair.

- Excellent adhesion
- Paintable with commonly used paint systems
- Non-shrinking, non-flow



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000077244	08783	3M™ Polyurethane Seam Sealer, Grey, 600 ml, Sachet, 08783		Case		
7000077240	08689	3M™ Polyurethane Seam Sealer, White, 310 ml, Cartridge, 08689		Each		
7000033378	08689	3M™ Polyurethane Seam Sealer, White, 310 ml, Cartridge, 08689				
7000077241	08689	3M™ Polyurethane Seam Sealer, White, 310 ml, Cartridge, 08689				
7000077245	08787	3M™ Polyurethane Seam Sealer, White, 310 ml, Sachet, 08787		Case		
7000077246	08788	3M™ Polyurethane Seam Sealer, White, 600 ml, Sachet, 08788		Case		

## 3M™ 2K PU Brushable Sealer

3M™ 2K PU Brushable Sealer is a beige coloured highly thixotropic sealer suitable for stiff brush application or spatula.

- No Shrinkage
- OEM look alike restoration possible
- Overpaintable



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000094977	08665	3M™ 2K PU Brushable Sealer, 08665				

## 3M™ Brushable Seam Sealer

A multi-purpose, fast-drying seam sealer that is easily applied with a brush. The product will not flow or run after application.

- Designed to seal sheet metal overlap joints that have been spotwelded, riveted, or bolted together
- Can be painted when dry. Remains flexible and resists oil, fuel and other automotive fluids
- Dries Quickly



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079948	08537	3M™ Brushable Seam Sealer, Brushable Sealer, Grey, 1 kg, 08537				
7000033756	08537	3M™ Brushable Seam Sealer, Brushable Sealer, Grey, 1 kg, 08537				
7000079947	08537	3M™ Brushable Seam Sealer, Brushable Sealer, Grey, 1 kg, 08537		Canister		



# Adhesives, Sealants & Applicators

## 3M™ MS Sprayable Seam Sealer

3M™ MS Sprayable Seam Sealer is a one part MS moisture curing, high solid sprayable sealer in a cartridge.

- May be painted over immediately
- Cures to provide hard, but flexible surface
- Can also be extruded and brushed



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033759	08851	3M™ MS Sprayable Seam Sealer, inc nozzles, Grey, 290 ml, 08851		Each		
7100235091	08851	3M™ MS Sprayable Seam Sealer, inc nozzles, Grey, 290 ml, 08851		Each		

## 3M™ Drip-Check Body Sealer

Seal narrow vertical seams or cracks with 3M™ Drip-Check Body Sealer. Our firm and flexible vehicle body sealer doesn't harden, shrink or crack. It covers seams or cracks which are 2mm to 3mm wide, which can be smoothed with a wet finger and painted.

- Apply easily to fill 2mm to 3mm seams and cracks
- Quick drying
- Remains flexible but firm



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079876	08401	3M™ Drip-Check Body Sealer, Clear, 150 ml, 08401		Each		

## Adhesion Promoters

### 3M™ Low VOC Single Step Primer for windscreen adhesives

3M™ Low VOC Primer is a single step primer used to provide optimum adhesion between windcreens and PU windscreen sealants.

- Black
- Easily applied with 3M primer applicator
- Quick to cure



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100154591	58012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 58012		Bottle		
7100154592	58012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 58012		Bottle		
7100154584	58012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 58012		Bottle		
7100173178	58012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 58012				



# Adhesives, Sealants & Applicators

## 3M™ Polyolefin Adhesion Promoter

Use 3M™ Polyolefin Adhesion Promoter for strong adhesion of 3M flexible parts, plastic repair materials, and superfast plastic adhesive. Apply after grinding, let dry, then apply adhesive.

- Use a high performance adhesion promoter designed for 3M adhesives
- Prepare the surface of flexible and semi-rigid plastics before applying 3M plastic repair products
- Let dry before applying any adhesive



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100255707	05917TF	3M™ Polyolefin Adhesion Promoter, 200 ml, 05917TF		Canister		
7000116706	05917	3M™ Polyolefin Adhesion Promoter, 05917, 200 ml				
7100255706	05917TF	3M™ Polyolefin Adhesion Promoter, 05917TF, 200 ml				

## 3M™ Activator

3M™ Activator to enhance adhesion of PU windscreen sealers.

- Easy application with 3M primer applicator
- Transparent
- For glass bonding processes



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100119074	50661	3M™ Activator, 30 ml, 50661				

## Adhesive Applicators

### 3M™ Brushes for Adhesives

Get an excellent application with 3M™ Brushes for Adhesives, when used with brushable adhesives or sealants.

- Brush is petrol, oil and water resistant.
- Ideal for application of brushable seam sealers
- Use to replicate OEM finishes.



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079836	08540	3M™ Brushes for Adhesives, Super Seam Application Brush, 08540		Each		

# Adhesives, Sealants & Applicators

## 3M™ Lightweight Gun

Use our convenient pneumatic gun, 3M™ Lightweight Gun, to apply 1k spray and multipurpose sealers efficiently. Our ready-to-use gun allows various spray and coating finishes, from a sprayed bead, very fine to textured finishes, with a simple adjustment to the air and product regulator.



- Lightweight
- Adjust easily for convenience and more efficient spraying
- Achieve various spray and coating finishes

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000041361	08992	3M™ Lightweight Gun, 08992		Each		

## 3M™ Manual Gun for 2 part cartridges

Use our convenient 3M™ Manual Guns for 2 Part Cartridges to accurately mix two pack adhesives to the right consistency and apply the material directly to the workpiece.



- A high-performance two-part applicator gun
- Dispenses 1-1 and 2-1 200 ml duo-pack cartridges
- Use for balanced product dispensing

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000110581	08190	3M™ Manual Gun for 2 part cartridges, 2:1 for 08122, 08190		Each		
7000041367	08117	3M™ Manual Gun for 2 part cartridges, 2:1DM 200-01 A1, 08117		Each		
7100280381	08117	3M™ Manual Gun for 2 part cartridges, 2:1DM 200-01 A1, 08117		Each		
7000042708	08571	3M™ Manual Gun for 2 part cartridges, 200 ml Cartridge Applicator Gun, 08571		Each		

## 3M™ Manual Gun for Cartridge and Sachet

Easily apply sealer with 3M™ Manual Gun for Cartridge and Sachet. Our lightweight and easy to use manual gun can be used with cartridge or sachet where an air line is not available.



- Lightweight
- Easy to use
- Manual application tool

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100222334	08014	3M™ Manual Gun for Cartridge and Sachet, High Power Version, 08014				
7000041362	08013	3M™ Manual Gun for Cartridge and Sachet, Sealant Applicator, 08013		Each		

# Adhesives, Sealants & Applicators

## 3M™ Primer Applicator

3M™ Primer Applicator is an applicator tool to exactly apply primer on well defined areas.



- Fit easily with primer bottles
- Handle easily
- Get fast application of primer

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033370	08605	3M™ Primer Applicator, 08605		Each		

## 3M™ Dynamic Mixing System Applicator

The 3M™ Dynamic Mixing System Applicator allows you to dispense fast and accurate fillers from the highly efficient 3M DMS cartridge system.

Our durable, built to last and heavy duty performance applicator is powered by your workshops pneumatic air system to allow a high working speed.



- Use the applicator with the 3M™ Dynamic Mixing System
- Dispense the 3M™ Dynamic Mixing System on demand, exactly mixed and in the needed quantity
- Get precise and convenient applications with trigger control

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100074739	50600	3M™ Dynamic Mixing System Applicator, 50600		Each		

## 3M™ Dynamic Mixing System Introductory Kit

A kit containing items necessary to get started with 3M's Dynamic Mixing System: Applicator, Nozzles, and Accessories.



- Dynamic Mixing System Pneumatic Applicator
- DMS Nozzles (Red) for Body Filler
- DMS Nozzles Dispenser / Box rack

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100058124	50604	3M™ Dynamic Mixing System Introductory Kit, 50604		Kit		

## 3M™ MS Universal Sealer Gun

3M™ MS Universal Sealer Gun is a pneumatic applicator, which allows the extrusion of all kinds of single-component sealants.



- Pneumatic applicator
- Works with sachets and cartridges
- Easy to adjust and handle

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000041360	08993	3M™ MS Universal Sealer Gun, Pneumatic, 08993		Each		

# Adhesives, Sealants & Applicators

## 3M™ Pneumatic Gun for 2 part cartridges

Our 3M™ Pneumatic Gun for 2-Part Cartridges is designed for dispensing 3M 2-part adhesives and sealers from 200 ml cartridges. This pneumatic applicator gun is ideal for large volume jobs. It allows you to apply a range of two-component repair epoxies quickly and smoothly, saving time and reducing rework. Snap-in cartridge system eliminates premixing and maximizes material use.



- Use with 3M 2-component cartridges (200 ml)
- Get smooth, consistent application of sealants matching OEM appearance
- Save time and work efficiently on large volume work thanks to pneumatic system

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100247779	09930	3M™ Pneumatic Gun for 2 part cartridges, 2:1 200-70-01-A1, 09930		Each		

## 3M™ Pneumatic Gun for No Cleanup

Use 3M™ Pneumatic Gun for No Cleanup solution, for a fast, easy and clean way to work. Use with our disposable 2k sprayable sealer bags. Our robust aluminium tool dispenses product quickly and easily. Simply dispose of the sachet and nozzle, and the gun's ready to use again.



- Work more efficiently, thanks to no clean-up when the gun is used correctly
- Use with 3M 2k sprayable sealer bags
- Dispense product quickly and easily

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000041353	08801	3M™ Pneumatic Gun for No Cleanup, 08801		Each		

## 3M™ Pneumatic Guns for Cartridges

The 3M™ Pneumatic Gun for Cartridge is a lightweight pneumatic gun for sealer cartridges.



- Lightweight aluminium body
- For easy handling of sealer cartridges
- 1/4" outer thread for air connector

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000041351	08012	3M™ Pneumatic Guns for Cartridges, Applicator for 310 ml Cartridges, 08012		Each		

## 3M™ Pneumatic Guns for Sachets

3M™ Pneumatic Guns for Sachets are lightweight, well-balanced pneumatic guns designed to extrude various sizes of collapsible aluminium foil sachets.



- Lightweight aluminium body
- For easy handling of various sizes of sealer sachets
- Get fast, accurate product application

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000110541	08007	3M™ Pneumatic Guns for Sachets, 600 ml size, 08007		Each		

# Adhesives, Sealants & Applicators

## 3M™ Pneumatic Guns for Sachets

3M™ Pneumatic Guns for Sachets are lightweight, well-balanced pneumatic guns designed to extrude various sizes of collapsible aluminium foil sachets.

- Lightweight aluminium body
- For easy handling of various sizes of sealer sachets
- Get fast, accurate product application



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000110546	08006	3M™ Pneumatic Guns for Sachets, 08006		Each		

## 3M™ Flex Pack Applicator Gun

Applicator gun for use with 3M™ Windshield Polyurethanes, Polyurethane Seam Sealers and MSP Seam Sealers in 310 ml or smaller flexible foil packages.

- Fully enclosed all metal, rod driven, friction feed single component applicator
- Dispenses single component products packaged in 310 ml and smaller flex packs
- Easy to use




Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000041375	08991	3M™ Flex Pack Applicator Gun, 08991		Each		

## Sealing Tapes

### 3M™ Auto Glass Direct Glaze Adhesive Strip

3M™ Auto Glass Direct Glaze Adhesive Strip is a high tack, non-curing strip of sealer for installing direct glaze (gasketless) windcreens.

- Get an instant bond for gasketless windcreens
- Excellent adhesion
- Weatherproof



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079950	08610	3M™ Auto Glass Direct Glaze Adhesive Strip, Sealing Tape, 6 mm x 4.5 m, 08610		Kit		
7000079951	08611	3M™ Auto Glass Direct Glaze Adhesive Strip, Sealing Tape, 8 mm x 4.5 m, 08611		Kit		
7000033758	08612	3M™ Auto Glass Direct Glaze Adhesive Strip, Sealing Tape, 10 mm x 4.5 m, 08612		Kit		

# Adhesives, Sealants & Applicators

## 3M™ Body Caulking

3M™ Body Caulking is a pre-formed sealing compound / „tape“ on a roll.

- Good adhesion
- Non-standing
- Water resistant



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033757	08568	3M™ Body Caulking, Sealing Tape, Grey, 6 mm x 3 m, 08568				
7000146238	08568	3M™ Body Caulking, Sealing Tape, Grey, 6 mm x 3 m, 08568		Each		

## 3M™ Seam Sealer Tape

Get the factory grade appearance and function of typical sealers with 3M™ Seam Sealer Tape. Our sealer tape is a fast and easy alternative to liquid sealers without the need for spreading, shaping or drying. Designed for use with solvent based paints.

- Fast, effective means of duplicating the look and function of factory sealers
- Paint immediately, saving time and money on liquid sealers
- Rubber backed tape holds up under tough conditions, reducing rework



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000028969	08475	3M™ Seam Sealer Tape, 9.5 mm x 9.15 m, 08475		Roll		
7000028970	08476	3M™ Seam Sealer Tape, 22.2 mm x 9.15 m, 08476		Roll		

## 3M™ Crack Seal Tape

3M™ Crack Seal Tape is a glassfiber tape to reinforce any repair using 2K liquid repair materials such as Plastic Repair Material.

- Easily apply tape
- Self adhesive
- Reinforce repair areas



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000110548	03020	3M™ Crack Seal Tape, 50 mm x 25 m, 03020		Roll		

## 3M™ Strip-Caulk

Our 3M™ Strip-Caulk is a soft butyl rubber caulking material that quickly and permanently fills all types of seams, joints and openings – long-lasting auto body maintenance and repair in much less time.

- Permanently pliable material is ready to use for seams, joints and gaps
- Won't shrink or become brittle, ensuring seals and greatly reducing rework
- Fast, no-mess application - thumbs into place and smooths with a finger



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000028370	08578	3M™ Strip-Caulk, Black, 6 mm x 30.5 cm, 60 Strips, 08578				



# Adhesives, Sealants & Applicators

## Repair Adhesives & Patches

### 3M™ Plastic Contour Sheet

Use 3M™ Plastic Contour Sheet to aid reconstruction of tabs and broken plastic lugs. Our sheet is easily removed – adhesives don't stick to it and has an easy release surface for moulding or shaping two part adhesives.

- A high performance roll of specialty film
- Get an easy release surface to moulding or shaping two part adhesives
- Remove with ease, adhesives don't stick to the sheet



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033784	04903	3M™ Plastic Contour Sheet, 127 mm x 3.6 m, 04903		Roll		

#### Focus

### 3M™ Flexible Plastic Patch

Repair automotive bumpers with 3M™ Flexible Plastic Patch. Our flexible plastic patch reinforces the inside of a two sided plastic repair where the damage has gone through the plastic. It needs no sanding for application and adhesion, and has no curing time delay to start a repair.

- Reinforce the backside of bumpers needing repair
- Get no cure time delay for fixing front side repair
- Use on plastics where a reinforcement is needed



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000080124	06396	3M™ Flexible Plastic Patch, Adhesion Promotor Wipe, 06396		Each		
7000080128	06396	3M™ Flexible Plastic Patch, Adhesion Promotor Wipe, 06396				
7000080126	06396	3M™ Flexible Plastic Patch, Adhesion Promotor Wipe, 06396				
7000080127	06396	3M™ Flexible Plastic Patch, Adhesion Promotor Wipe, 06396				
7000080200	05888	3M™ Flexible Plastic Patch, Kit, 05888		Each		
7000080202	05888	3M™ Flexible Plastic Patch, Kit, 05888				
7000080201	05888	3M™ Flexible Plastic Patch, Kit, 05888				
7000080198	05888	3M™ Flexible Plastic Patch, Kit, 05888				
7000080199	05888	3M™ Flexible Plastic Patch, Kit, 05888				

### 3M™ Plastic Repair Reinforcement Sheet

3M™ Plastic Repair Reinforcement Sheet is a mesh plastic material with is used with Plastic Repair adhesives to give additional strength to any repair area.

- Strong white mesh material
- For additional strengthening the backside of plastic repair
- Use with structural plastic repair adhesive



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000080056	04904	3M™ Plastic Repair Reinforcement Sheet, 04904		Roll		

# Adhesives, Sealants & Applicators

## Focus

### 3M™ Super Fast Repair Adhesive

Repair damaged automotive plastic parts with 3M™ Super Fast Repair Adhesive. Rebuild, reshape and bond all kinds of plastic. Our adhesive sets super fast, meaning there's no need for a separate accelerator.



- Rebuild, reshape and bond all kinds of plastic without running or sagging
- Repair damaged automotive plastic parts
- Has excellent wide gap filling capabilities

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100222742	04748	3M™ Super Fast Repair Adhesive, Black, 48.5 ml, 04748				
7100222843	04748	3M™ Super Fast Repair Adhesive, Black, 48.5 ml, 04748		Each		
7100222835	04748	3M™ Super Fast Repair Adhesive, Black, 48.5 ml, 04748				
7100222836	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045				
7100222867	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045				
7100222866	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045		Each		
7100224759	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045				

## Focus

### 3M™ EZ Sand Flexible Parts Repair

The 3M™ EZ Sand Flexible Parts Repair is a two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels.



- Can be used to repair most of the plastic parts found on today's vehicles
- Repairs most flexible plastic parts, including bumper covers and other plastic body panels
- Can be used as a seam sealer over 2K primer

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045496	35887	3M™ EZ Sand Flexible Parts Repair, 47.3 ml, 35887				
7000045776	05887	3M™ EZ Sand Flexible Parts Repair, 200 ml, 05887				
7000080125	05887	3M™ EZ Sand Flexible Parts Repair, 200 ml, 05887		Each		
7000080123	05887	3M™ EZ Sand Flexible Parts Repair, 200 ml, 05887				

## Focus

### 3M™ Flexible Parts Repair Material

Repair most vehicle plastic parts with 3M™ Flexible Parts Repair Material. Our repair material is fast curing, flexible and easy to sand. It's easy to use, sag resistant and excellent for feather edging.



- Apply on front and back side plastic repairs
- Excellent feather edging
- Excellent sag resistance

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079939	05900	3M™ Flexible Parts Repair Material, 2 × 150 ml, 05900				
7000079937	05900	3M™ Flexible Parts Repair Material, 2 × 150 ml, 05900				

# Adhesives, Sealants & Applicators

## Focus

### 3M™ Flexible Parts Repair Material

Repair most vehicle plastic parts with 3M™ Flexible Parts Repair Material. Our repair material is fast curing, flexible and easy to sand. It's easy to use, sag resistant and excellent for feather edging.

- Apply on front and back side plastic repairs
- Excellent feather edging
- Excellent sag resistance



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033805	05900	3M™ Flexible Parts Repair Material, 2 × 150 ml, 05900				
7000079938	05900	3M™ Flexible Parts Repair Material, 2 × 150 ml, 05900		Kit		
7100224386	05901	3M™ Flexible Parts Repair Material, 48.5 ml, 05901		Each		
7100224687	05901	3M™ Flexible Parts Repair Material, 48.5 ml, 05901				

## Focus

### 3M™ Fast Adhesive

Repair damaged automotive plastic parts with 3M™ Fast Adhesive. Rebuild, reshape and bond all kinds of plastic. Our adhesive sets very fast, meaning there's no need for a separate accelerator.

- For back and front side repair of plastic parts
- Repair damaged automotive plastic parts
- Has excellent wide gap filling capabilities



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100223465	34240	3M™ Fast Adhesive, 48.5ml, 34240				
7000046371	04240	3M™ Fast Adhesive, 200 ml, 04240				

## Nozzles & Accessories

### 3M™ Dynamic Mixing System Nozzle

Mixing nozzle for 3M Dynamic Mixing System. Active mixing action completely blends materials, and its short length guarantees low waste. 3M's DMS nozzles deliver body repair products to the part faster than any manual applicator and static mixing nozzle combination.

- Blend materials without introducing air with the nozzles active mixing action
- Get low waste with nozzles short length
- Easily clip on and off cartridges



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034425	50601	3M™ Dynamic Mixing System Nozzle, for Filler Applications, Red, 50601		Pack		

# Adhesives, Sealants & Applicators

## 3M™ Static Mixing Nozzle

3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Our static mixing nozzle is engineered for use with 3M cartridges and manual or pneumatic applicators.

- A high performance static mixing nozzle for use with manual and pneumatic applicators
- Nozzle efficiently mixes a variety of 3M two component adhesives, sealers and foams to the right ratio.
- Disposable nozzles and tubes for easy cleanup, no mixing and stirring tools to clean



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033776	08193	3M™ Static Mixing Nozzle, for 200 ml cartridges, 08193		Each		

## 3M™ Nozzles for Flexible Parts Repair Material

3M™ Nozzles for Flexible Parts Repair Material are fine tipped nozzles that fit 48.5 ml or 50 ml duo 1:1 cartridges for flexible parts repair materials. Our nozzles are used as spares which are quick and easy to replace.

- Transparent, fine tipped mixing nozzle
- For 48.5 ml or 50 ml duo-cartridges
- Designed for 48.5 ml cartridges of 3M™ Flexible Parts Repair Material and 50 ml 3M™ Structural Adhesive



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079920	08198	3M™ Nozzles for Flexible Parts Repair Material, 08198				
7100224406	08198	3M™ Nozzles for Flexible Parts Repair Material, suitable for 05901 & 08122 products, 08198		Each		

## 3M™ Nozzles for Manual Gun Kit

3M™ Nozzles for Manual Gun Kit are replacement nozzles for the 08987 gun for coatings/sealers application.

- Easy clean up
- Easy to replace
- For Coatings and sealer applications with the 08987 gun



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000095172	08988	3M™ Nozzles for Manual Gun Kit, 08988				

## 3M™ Nozzles for 48.5 ml cartridges

Use 3M™ Nozzles for 48.5 ml Cartridges for a well-mixed, ready to use product after equalisation. Our clear mixing nozzles are designed to optimise the mixing of two component materials.

- Ensure a well-mixed, ready to use product after equalisation
- Clear design allows easy monitoring of progress
- Designed for 48.5 ml cartridges of 3M™ Superfast and 3M™ Fast Adhesive



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033800	04908	3M™ Nozzles for 48.5 ml cartridges, 04908				

# Adhesives, Sealants & Applicators

## 3M™ Nozzles for 48.5 ml cartridges

Use 3M™ Nozzles for 48.5 ml Cartridges for a well-mixed, ready to use product after equalisation. Our clear mixing nozzles are designed to optimise the mixing of two component materials.

- Ensure a well-mixed, ready to use product after equalisation
- Clear design allows easy monitoring of progress
- Designed for 48.5 ml cartridges of 3M™ Superfast and 3M™ Fast Adhesive



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100224407	04908	3M™ Nozzles for 48.5 ml cartridges, suitable for 04748, 55045 & 34240 products, 04908		Each		

## 3M™ Mixing Nozzle 19D for Epoxy Materials

3M™ Mixing Nozzle 19D for Epoxy Materials is a static mixing nozzle that is used with 2K epoxy materials in coaxial round cartridges.

- Directly apply epoxy material onto repair
- Long enough to mix well, yet short to minimise waste
- Transparent design



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100279548	51875	3M™ Mixing Nozzle 19D for Epoxy Materials, 51875				

## 3M™ Disposable Paper Mixing Board

The 3M™ Disposable Paper Mixing Board is a clean solution for auto body professionals who regularly mix filler manually.

- Clean, non-porous surface won't contaminate body filler
- Non-soak paper means no transfer to floors or benches
- Sized for multiple mixes on one sheet



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100144396	20382	3M™ Disposable Paper Mixing Board, 20382				

## Dynatron™ 3 Pack Spreaders

Dynatron™ Spreaders are stiff, but flexible plastic spreaders ideal for filler application and spreading.

- Stiff but flexible
- Easy to clean
- Clean straight edge for easy handling



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045476	00358	Dynatron™ 3 Pack Spreaders, Yellow, 0358				

# Adhesives, Sealants & Applicators

## Windshield Adhesives

### 3M™ Auto Glass Urethane Windshield Adhesive

Bond windcreens, side and rear windows with 3M™ Auto Glass Urethane Windshield Adhesive. Our urethane windshield adhesive is a range of one component polyurethane adhesives designed to cure quickly and allow a fast drive away time.



- A medium viscosity single component moisture curing urethane adhesive
- Designed for windshield bonding and stationary glass attachment
- Get fast drive away time

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033365	08603	3M™ Auto Glass Urethane Windshield Adhesive, 310 ml, Cartridge, 08603				
7000077197	08603	3M™ Auto Glass Urethane Windshield Adhesive, 310 ml, Cartridge, 08603				
7000077203	08616	3M™ Auto Glass Urethane Windshield Adhesive, 415 ml, Sachet, 08616		Case		
7000077198	08613	3M™ Auto Glass Urethane Windshield Adhesive, Fast Cure, 310 ml, Cartridge, 08613		Each		
7000077199	08613	3M™ Auto Glass Urethane Windshield Adhesive, Fast Cure, 310 ml, Cartridge, 08613				
7000077206	08629	3M™ Auto Glass Urethane Windshield Adhesive, Fast Cure, 415 ml, Sachet, 08629				
7000033207	50318	3M™ Auto Glass Urethane Windshield Adhesive, Kit (incl. 310 ml adhesive 08613, applicator 08605, 30 ml primer 58012), 50318				
7000074856	50319	3M™ Auto Glass Urethane Windshield Adhesive, Kit (incl. 415 ml adhesive 08629, applicator 08605, 30 ml primer 58012), 50319				
7100020107	08614	3M™ Auto Glass Urethane Windshield Adhesive, Promotional Kit, 08613P				

### 3M™ Windscreen Sealer

This 3M™ Windscreen Sealer is used for sealing between glass, windscreen rubber gaskets and car bodies when installing a rubber gasket windscreen.

- Excellent water and weather resistance
- Remains flexible permanently
- Easy clean-up



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079943	08509	3M™ Windscreen Sealer, Black, 310 ml, 08509				
7000033753	08509	3M™ Windscreen Sealer, Black, 310 ml, 08509				
7000079942	08509	3M™ Windscreen Sealer, Black, 310 ml, 08509		Each		



# Adhesives, Sealants & Applicators

## 3M™ Windo-Weld™ Super Fast Urethane

3M™ Windo-Weld™ Super Fast Urethane securely bonds replacement auto glass to car bodies, including windshields, backlites and sidelites.

- Specialty adhesive bonds replacement windshields securely to auto bodies
- One-part urethane adhesive requires no mixing
- Fast-curing formula offers a 10 to 20 minute working time



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000028403	08609	3M™ Windo-Weld™ Super Fast Urethane, Black, 310 ml, Cartridge, 08609				

## 3M™ Fast Cure Auto Glass Urethane

3M™ Fast Cure Auto Glass Urethane is a one-part, moisture-curing, auto glass urethane that produces an extremely fast-cure. We formulated this adhesive with high viscosity for accurate placement and high bond strength to meet a variety of application strength requirements. This urethane adhesive is ideal for those applications that require a fast cure and strong hold, such as windshield bonding.

- Fast-curing adhesive offers rapid strength build-up
- High bond strength is capable of meeting many application strength requirements
- Features high viscosity for accurate placement and simple application



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000144585	08690	3M™ Fast Cure Auto Glass Urethane, 310 ml (10.5 fl oz), Cartridge, 08690				

## Solvent-based Adhesives

### 3M™ Neopren Clear Gel

3M™ Neopren Clear Gel is an neopren based adhesive. for bonding Rubber trim and other low density rubber type materials to itself or cleaned surfaces.

- Transparent
- Easy to use
- Gel consistency



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079961	08021	3M™ Neopren Clear Gel, 150 ml, 08021				
7000079852	08025	3M™ Neopren Clear Gel, 500 ml, 08025				





# Coatings & Fillers

3M offers a wide range of protective coatings and fillers - starting with interior corrosion protection materials such as Inner Cavity Waxes, allowing to reach and protect metal from the inside and thus preventing inner corrosion as well as anti-chip coatings, used to protect vulnerable, painted parts of the vehicle such as sills, wings, wheel arches and valances. Applied with the 3M™ Performance Spray Gun and the 3M™ PPS™ Series 2.0 H/O Pressure Cup, a wide range of textures from very smooth to very coarse can be easily achieved simply by adjusting the gun and choosing one of the available atomising heads. This application process allows to match virtually any OEM texture. Our selection of 3M body fillers, glazes and putties can take you a long way toward smooth, permanent, absolutely consistent body repairs on a full range of substrates.

# Coatings & Fillers

## Automotive Fillers & Repair

### 3M™ Dynamic Mixing System General Purpose Body Filler

A smooth, midweight, easy to sand, general purpose body filler in 3M™s unique DMS dispensing system for a wide range of applications and temperatures.

- Excellent adhesion to steel, galvanised or aluminium
- Mid weight filler, easy to sand
- Good filling properties



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100050738	51002	3M™ Dynamic Mixing System General Purpose Body Filler, 276 ml, 51002		Each		

### 3M™ Dynamic Mixing System Heavy General Purpose Filler

A heavy-body general purpose body filler in 3Ms unique DMS dispensing system for a wide range of applications and temperatures, best suited for deep dent filling, works well at warmer temperatures too.

- Excellent adhesion to steel, galvanised or aluminium
- Heavy weight, yet easy to spread and sand filler
- Good filling properties



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100050739	51003	3M™ Dynamic Mixing System Heavy General Purpose Filler, 276 ml, 51003		Each		

### 3M™ Dynamic Mixing System Light General Purpose Filler

3M™ Dynamic Mixing System Light General Purpose Filler is a very smooth lightweight bodyfiller in a cartridge with hardener ready for use with 3M™ Dynamic Mixing System.

- Very smooth and creamy to spread
- Fast to cure, works well also at lower temperatures
- Lightweight - particularly easy to sand



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100055256	51004	3M™ Dynamic Mixing System Light General Purpose Filler, 276 ml, 51004		Each		

# Coatings & Fillers

## 3M™ Dynamic Mixing System Light General Purpose Filler - Long

3M™ Dynamic Mixing System Light General Purpose Filler is a very smooth lightweight bodyfiller in a cartridge with hardener ready for use with 3M™ Dynamic Mixing System. This filler has a longer open time, thus is ideal for higher temperatures or larger work areas.

- Very smooth and creamy to spread
- Lightweight - particularly easy to sand
- Longer open time - ideal for higher temperatures or larger work areas



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100095688	51005	3M™ Dynamic Mixing System Light General Purpose Filler - Long, 276 ml, 51005				

## 3M™ General Purpose Body Filler

3M™ General Purpose Body Filler is a smooth, midweight, general purpose body filler for a wide range of applications and temperatures. It's easy to apply and spread, cures fast and is easy to sand.

- Works well with all mainstream paint systems
- Easy to spread
- Very easy to sand midweight filler



Product ID	Part Number	Product	MOQ	Order Unit		SU
7000062766	51076	3M™ General Purpose Body Filler, 1 L, 51076			Canister	
7000062771	51079	3M™ General Purpose Body Filler, 1.65 L, 51079			Each	
7000062762	51073	3M™ General Purpose Body Filler, 3 L, 51073			Canister	

## 3M™ Heavy General Purpose Filler

Fill deep dents with 3M™ Heavy General Purpose Filler. Our Heavy General Purpose Filler is a smooth, heavyweight general purpose body filler that works with all mainstream paint systems and can be used for a range of applications and temperatures.

- Get a very easy to sand filler
- Use with all mainstream paint systems
- Easy to spread



Product ID	Part Number	Product	MOQ	Order Unit		SU
7000062764	51075	3M™ Heavy General Purpose Filler, 1 L, 51075			Canister	
7000062770	51078	3M™ Heavy General Purpose Filler, 1.65 L, 51078			Each	
7000062761	51072	3M™ Heavy General Purpose Filler, 3 L, 51072			Canister	

# Coatings & Fillers

## 3M™ Hardener for Body Filler

3M™ Hardener for Body Filler is a peroxide hardener and can be used with for most types of 3M Bodyfillers.

- Peroxide Hardener
- Usual mixing ratio with filler 2-3% by weight
- Available in tubes or cartridges to fit the filler system



Product ID	Part Number	Product	MOQ	Order Unit		SU
7000062768	51077	3M™ Hardener for Body Filler, 40 g, 51077		Each		
7000062772	51080	3M™ Hardener for Body Filler, 55 g, 51080		Each		
7000062763	51074	3M™ Hardener for Body Filler, 100 g, 51074		Each		

## 3M™ Plastic Filler

Use our 3M™ Plastic Filler as a more flexible alternative to standard polyester fillers, for bumpers and plastic materials. Our 2K polyester filler is supplied as a kit, including hardener. It's easily applied and cures to create a surface for easier and improved sanding.

- Easy to mix and to apply
- More flexible filler than standard polyester fillers
- Easy to sand



Product ID	Part Number	Product	MOQ	Order Unit		SU
7000095200	51009	3M™ Plastic Filler, 0.5 kg can, 51009		Canister		

### Focus

## 3M™ FC Epoxy Metal Filler

3M™ FC Epoxy Metal Filler is a fast curing filler for all metall substrates (steel, alu...) to fill deeper dents, shape and modell structures of the surface and provide corrosion protection for welded seams.

- Lead-free alternative to tin soldering
- Ideal for modelling / forming difficult to access areas
- Excellent corrosion protection



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100276633	37455	3M™ FC Epoxy Metal Filler, 180 ml, 37455				
7100276634	37455	3M™ FC Epoxy Metal Filler, 180 ml, 37455		Each		



### PERSONAL SAFETY

• Comfort Particle Mask P2



• Hearing Protection



• Comfort Goggles



• Reusable Workwear



• Safety Gloves



► Perform initial sanding using a handblock in order to spot high and low spots on the repair area

► Mark the deepest points in the damaged area in order to place welding points

Tip: Don't remove the paint completely from the damaged area as this will allow you to better complete the dent pulling process and reduce the likelihood of causing holes in the substrate

► Remove paint/coating in the low points of the repair area, in preparation for dent pulling

► Spot weld onto the repair area using your preferred and recommended method and/or equipment

Note: Always ensure that the equipment is properly calibrated depending on the materials being repaired

► Pull the spots of dent using preferred dent pulling method and equipment

Tip: To avoid surface imperfections or pinholes in the substrate, aim to distribute the load across the repair area

► Spot removal by rotating the welded spot manually

Note: This modern method will reduce the likelihood of causing holes in the substrate and avoid the thin out of the substrate due to a coarse sanding step for the removal

► Sanding down the job area to bare metal

► Switch to ROTEX motion for high abrasion first

► For fine sanding step switch to ROTEX orbital random motion, without changing the sanding disc or grit!

Note: For aluminium substrates, always use a pneumatic sanding tool such as Festool Automotive Systems LEX 3 150/7 and follow instructions of ATEX directive 94/9/EG for Zone 22 areas

► Degrease the surface

► Apply enough 3M™ FC Epoxy Metal Filler for dent filling

► Recommended settings for applicators: pneumatic max. inlet pressure 5.5 bar / battery driven 3kN, max speed 180mm/min.

Note: A new cartridge needs to be equalised before the first application to ensure thorough mixing of the product. After the first use, no further equalisation is necessary

► The curing of 3M™ FC Epoxy Metal Filler can be accelerated using IR drying after the initial gelling period. Wait 10 minutes before using an IR dryer to heat for 10-20 minutes with a panel temperature of 70 °C

► Airdrying: sandable ~ after 4 h @ 22 °C ambient temperatures

► Tip for use: warming up the material & surface to ~30°C before material application will help to accelerate curing, particularly at cold ambient temperatures

► 3M™ Cubitron™ II 80+ - 120+.

► To remove coatings more quicker, use the ROTEX motion setting

► To refine previous sanding scratches, switch to ROTEX orbital random motion, keeping the previous abrasive disc on the machine





Tip: Pre-sanding step can also be done by using traditional body files if necessary

► Thoroughly degrease the surface

► Apply a further layer of 3M™ FC Epoxy Metal Filler if necessary and repeat drying and sanding steps as recommended in the previous steps

► Maximum finished thickness should not exceed 4-6 mm, maximum layer thickness should not exceed 2-3 mm

► Follow car manufacturer and paint company recommendations for subsequent steps



# Coatings & Fillers

## 3M™ Platinum™ Plus Glaze

3M™ Platinum™ Plus Glaze is a fine, easy to spread smooth finishing putty for cosmetic repair or as final step of the filler process.

- Can be sanded within 15 mins
- Stain and tack free
- Self-levelling formula



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100099841	31180	3M™ Platinum™ Plus Glaze, 887 ml, 31180		Bottle		

## 3M™ Premium Glaze

3M™ Premium Glaze can fill small surface imperfections or sanding scratches, and reduce primer use. Our finishing glaze adheres well to most substrates and is ideal for the automotive aftermarket.

- Easy to spread
- Fast to cure
- Fill pinholes and sanding scratches



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100023685	51212	3M™ Premium Glaze, Kit, 910 ml, 51212		Bottle		

## 3M™ Acryl Putty

3M™ Acryl Putty are auto body repair putties designed with very easy sanding and fast drying characteristics for use in filling small pinholes and scratches.

- Fast drying
- Easy sanding
- Use for filling pinholes and scratches



Product ID	Part Number	Product	MOQ	Order Unit		SU
7000094976	05423	3M™ Acryl Putty, Green Spot Putty, 200 g, 05423				
7000028276	05096	3M™ Acryl Putty, Green Spot Putty, 410 g, 05096		Each		
7000045481	05098	3M™ Acryl Putty, Red Glazing Putty, 410 g, 05098		Each		

## 3M™ Multipurpose Body Filler

3M™ Multipurpose Body Filler is a standard polyester filler with good filling properties for a wide range of automotive body repairs.

- Get short curing time
- Use for good adhesion properties
- For most dent filling jobs on metal in the autobody repair



Product ID	Part Number	Product	MOQ	Order Unit		SU
7010045910		3M™ Multipurpose Body Filler, 51314				

# Coatings & Fillers

## Foam fillers

### 3M™ Flexible Foam

Two part urethane which foams in place; designed to replace flexible foams found in OEM applications such as trunks, door cavities, door skins, roof beams, etc.

- A high performance two component flexible urethane closed-cell foam
- Designed to replace flexible foams found in OEM anti-flutter applications such as intrusion beams, roof bows, hood webbing, etc
- 40 second work time



Product ID	Part Number	Product	MOQ	Order Unit	SU
7100241758	08563	3M™ Flexible Foam, 200 ml Cartridge, 08463			
7100045768	08463	3M™ Flexible Foam, 200 ml, Cartridge, 08463		Each	

## Corrosion Protection Coatings

### 3M™ Two Part Sprayable Sealer

Paint in 30 minutes after sealing with 3M™ Two Part Sprayable Sealer. Our clean, fast and simple sealer can be heated to speed up the curing process and has no shrinkage.

- Paint in 30 minutes after application of sealer
- Get a ripple effect by changing the angle of spray
- Use with PN08801 Applicator gun



Product ID	Part Number	Product	MOQ	Order Unit	SU
7000080108	08800	3M™ Two Part Sprayable Sealer, 250 ml, QL coating, 08800			
7000080130	08800	3M™ Two Part Sprayable Sealer, 250 ml, QL coating, 08800		Each	

### 3M™ Two Part Solvent Based Coating

3M™ Two Part Solvent Based Coatings are protective catalyzed two-component polyurethane based fluid sealer / coatings. They can be sprayed or brushed.

- No Shrinkage
- Overpaintable
- High resistance to chipping



Product ID	Part Number	Product	MOQ	Order Unit	SU
7000095227	08824	3M™ Two Part Solvent Based Coating, Beige, 1 kg, 08824			
7000095228	08825	3M™ Two Part Solvent Based Coating, Beige, 500 g, 08825			
7000095231	08828	3M™ Two Part Solvent Based Coating, Black, 1 kg, 08828			
7000095232	08829	3M™ Two Part Solvent Based Coating, Black, 500 g, 08829			
7000095229	08826	3M™ Two Part Solvent Based Coating, Grey, 1 kg, 08826			
7000095230	08827	3M™ Two Part Solvent Based Coating, Grey, 500 g, 08827			

# Coatings & Fillers

## 3M™ Weld Thru II

Avoid costly come-backs and increase efficiency in the workshop, with 3M™ Weld Thru II. Apply our convenient aerosol coating to prevent corrosion between welded metal surfaces. Our coating keeps metal parts from degrading while resisting weld spatter. It dries in just five minutes, increasing productivity.

- Protect bare metal panels and parts from corrosion after welding
- Get a fast drying product before MIG welding for efficient work
- Convenient aerosol spray application



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100143564	50410	3M™ Weld Thru II Coating, 377 ml, 361 g, 50410				
7100143689	50410	3M™ Weld Thru II Coating, 377 ml, 361 g, 50410		Canister		

## Primers & Undercoats

### 3M™ Sound Deadening Coating

3M™ Sound Deadening Coating is a thick brushable coating used to reduce noise in cars.

- Heavy body coating
- Easy to apply by brush
- Black



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100232783	08803	3M™ Sound Deadening Coating, Black, 1 kg, 08803				

## Insulation

### 3M™ Sound Deadening Pad

Replicate sound deadening qualities of the OEM using 3M™ Sound Deadening Pad. Our pad suppresses road noise, sound system vibrations, rattles and other distracting sounds. The self-adhesive pad is easily cut to size and applied.

- Conformable pad quiets noise around trunks, door panels, hoods, floor pans and more
- Self-adhesive material is easy to install without any special tools
- Multi-purpose sound deadening mat reduces road noise, sound system vibrations, and rattles



Product ID	Part Number	Product	MOQ	Order Unit		SU
7000043146	08840	3M™ Sound Deadening Pad, 500 mm x 500 mm, 08840		Each		
7000091804	58000	3M™ Sound Deadening Pad, 500 mm x 500 mm, 58000				
7000091806	58003	3M™ Sound Deadening Pad, 500 mm x 500 mm, 58003				
7000091805	58001	3M™ Sound Deadening Pad, 500 mm x 500 mm, 59001				
7000091807	08840	3M™ Sound Deadening Pad, 500 mm x 500mm, 08840				

# Coatings & Fillers

## Automotive Coatings

Focus

### 3M™ Cavity Wax Plus Applicator Wand Kit

3M™ Cavity Wax Plus Applicator Wand Kit allows automotive technicians to apply 3M™ Cavity Wax Plus (sold separately) in hard-to-reach places. The wand kit includes three tubes of varying lengths, which help auto body workers apply the protective coating in critical areas. The use of cavity wax is recommended when vehicles are repaired.

- Wand kit allows automotive technicians to apply cavity wax in hard-to-reach places
- Kit comes with three tube lengths for flexible delivery options
- Kit comes with three tube lengths for flexible delivery options (20 cm, 61 cm, 86 cm)



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100088894	8851WK	3M™ Cavity Wax Plus Applicator Wand Kit, 8851WK		Kit		

Focus

### 3M™ Cavity Wax Plus

3M™ Cavity Wax Plus is a non-hardening corrosion protective coating for bare or primed aluminum and steel automotive inner body panels and welded structural components. The material is designed to cover and seal interior joints, hem flanges and compromised e-coats where corrosion can form. Properly applied with the 3M™ Cavity Wax Plus Wand Kit, it remains pliable and will not chip, peel or crack.

- Corrosion protection for inner body panels, frame rails and structural enclosures
- Formulated for bare or primed automotive metals such as steel and aluminum
- Spray-on material provides consistent and uniform protection



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100260106	08852	3M™ Cavity Wax Plus, 500 ml, 08852				

### 3M™ Inner Cavity Wax

Get long lasting rust proofing with 3M™ Inner Cavity Wax.

3M™ Inner Cavity Wax – Amber will seep into gaps and along welded joints for excellent rust proofing. Use as an aerosol or with an applicator gun.

3M™ Inner Cavity Wax - Transparent has a heavy consistency and is usually used for engine compartment areas or where you like to protect accessible bare metal parts, i.e. use it for areas where capillary action is not required.

- Easy to use
- Quick to apply
- Convenient inner rust protection



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100232713	08911	3M™ Inner Cavity Wax, Amber, 1 L, 08911		Bottle		
7100232935	08911	3M™ Inner Cavity Wax, Amber, 1 L, 08911				

# Coatings & Fillers

## 3M™ Inner Cavity Wax

Get long lasting rust proofing with 3M™ Inner Cavity Wax.

3M™ Inner Cavity Wax – Amber will seep into gaps and along welded joints for excellent rust proofing. Use as an aerosol or with an applicator gun.

3M™ Inner Cavity Wax - Transparent has a heavy consistency and is usually used for engine compartment areas or where you like to protect accessible bare metal parts, i.e. use it for areas where capillary action is not required.





- Easy to use
- Quick to apply
- Convenient inner rust protection

Product ID	Part Number	Product	MOQ	Order Unit	SU
7100232782	08901	3M™ Inner Cavity Wax, Amber, 500 ml, 08901			
7100232708	08901	3M™ Inner Cavity Wax, Amber, 500 ml, 08901		Canister	
7100232709	08919	3M™ Inner Cavity Wax, Clear, 1 L, 08919			
7100232936	08919	3M™ Inner Cavity Wax, Clear, 1 L, 08919		Bottle	
7100232706	08909	3M™ Inner Cavity Wax, Clear, 500 ml, 08909			
7100232702	08909	3M™ Inner Cavity Wax, Clear, 500 ml, 08909		Canister	



# 3M™ Cavity Wax Plus usage example in a typical saloon



Without corrosion protection treatment



3M™ Cavity Wax Plus 08852 (3 coats)

**Tested for long-term corrosion protection.**

Actual test panel results after 1,500 hour salt fog exposure (ASTM B117-97\*).

\*ASTM.org/cgi-bin/resolver.cgi?B117-97

# Coatings & Fillers

## 3M™ Body Gard Flat Coating

3M™ Body Gard Flat Coating is a stone chip coating in an aerosol format with a flat finish.

- Excellent stone-chip resistance
- Quick drying
- Coating becomes tack free in 10-15 minutes



Product ID	Part Number	Product	MOQ	Order Unit		SU
7000042439	08158	3M™ Body Gard Flat Coating, Black, 500 ml, 08158				
7100138681	08158	3M™ Body Gard Flat Coating, Black, 500 ml, 08158		Canister		
7100138723	08159	3M™ Body Gard Flat Coating, Grey, 500 ml, 08159		Canister		

## 3M™ Body Gard Textured Coating

Reproduce automotive manufacturers' stone chip finishes with 3M™ Body Gard Textured Coating. Our rubber based coating has excellent stone chip resistance and is available in black, white and grey. To get medium to heavy textures, just change the application method.

- Excellent stone-chip resistance
- Overpaint in 30 minutes
- Coating becomes tack free in 10-15 minutes



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100136342	08888	3M™ Body Gard Textured Coating, 500 ml, 08888				
7000095178	08873	3M™ Body Gard Textured Coating, Protective Coating, Black, 1 kg, 08873				
7100239806	08873	3M™ Body Gard Textured Coating, Protective Coating, Black, 1 kg, 08873				
7000095176	08874	3M™ Body Gard Textured Coating, Protective Coating, Grey, 1 kg, 08874				
7100241051	08874	3M™ Body Gard Textured Coating, Protective Coating, Grey, 1 kg, 08874				
7000095177	08875	3M™ Body Gard Textured Coating, Protective Coating, White, 1 kg, 08875				
7100241036	08875	3M™ Body Gard Textured Coating, Protective Coating, White, 1 kg, 08875		Canister		
7000091809	08871	3M™ Body Gard Textured Coating, Underbody Coating, Black, 1 kg, 08871				
7100241035	08872	3M™ Body Gard Textured Coating, Underbody Coating, Black, 2 kg, 08872				

# Coatings & Fillers

## 3M™ Body Schutz Coating

Protect the underbody of vehicles from rust and road noise with 3M™ Body Schutz Coating. Our thick coating is an excellent one coat, asphalt based application with rust proofing and sound deadening properties.

- Flexible when dry
- Excellent one-coat coverage
- Touch dry in one hour



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100235847	08861	3M™ Body Schutz Coating, Underbody Coating, Textured, Black, 1 L, 08861		Canister		
7100236254	08861	3M™ Body Schutz Coating, Underbody Coating, Textured, Black, 1 L, 08861				

## 3M™ Spray Schutz Aerosol

Repair wheel arches and underbodies quickly with 3M™ Spray Schutz Aerosol. Our spray is a fast drying, rubberised protective coating for extra toughness and flexibility.

- Repair wheel arches and underbodies quickly
- Get a fast-drying, rubberised protective coating
- Use for extra toughness and flexibility



Product ID	Part Number	Product	MOQ	Order Unit		SU
7100142595	08877	3M™ Spray Schutz Aerosol, 500 ml, 08877		Canister		

### Focus

## 3M™ Waterbased Coating

3M™ Waterbased Coating is a waterbased paintable anti-chip coating designed to protect surfaces from corrosion and provide sound deadening.

- Fast dry within 30 minutes
- For solvent based and waterbased paint systems
- Middle - heavy structure



Product ID	Part Number	Product	MOQ	Order Unit		SU
7000060224	08881	3M™ Waterbased Coating, Black, 1L, 08881				
7000060225	08881	3M™ Waterbased Coating, Black, 1L, 08881				
7000032194	08881	3M™ Waterbased Coating, Black, 1L, 08881		Canister		
7100097263	08881	3M™ Waterbased Coating, Black, 22 L, 08881		Drum		
7000060223	08882	3M™ Waterbased Coating, Grey, 1L, 08882				
7000060222	08882	3M™ Waterbased Coating, Grey, 1L, 08882				
7000032195	08882	3M™ Waterbased Coating, Grey, 1L, 08882		Canister		

# Coatings & Fillers

## Accessories and Organisation

### 3M™ Wall dispenser for Body Filler

Accurately dispense body filler and hardener with 3M™ Wall Dispenser for Body Filler. Our robust wall mounted dispenser holds large (1.65 litre) cartridges and dispenses the exact required amount of filler and hardener, for mixing in the right ratio. Ratio can be adjusted as needed to fit body shop conditions.



- Adjust the hardener to filler ratio
- Dispense the amount needed with just one press
- Easy to mount cartridges

Product ID	Part Number	Product	MOQ	Order Unit		SU
7000062777	51081	3M™ Wall dispenser for Body Filler, for 1.65 L cartridges, 51081				Each

### 3M™ Dynamic Mixing System Applicator Rack

Store the Dynamic Mixing System (DMS) applicator safely with 3M™ Dynamic Mixing System Applicator Rack. Our robust, metal rack can be mounted on a wall or a trolley.



- Robust metal construction
- Store Dynamic Mixing System (DMS) applicator safely
- Use to hold DMS applicator when not in use

Product ID	Part Number	Product	MOQ	Order Unit		SU
7000034443	50603	3M™ Dynamic Mixing System Applicator Rack, 50603				Each

### 3M™ Dynamic Mixing System Nozzle Rack

Store your 3M™ Dynamic Mixing Nozzles in the 3M™ Dynamic Mixing System Nozzle Rack. Our wire frame nozzle rack increases productivity by keeping the mixing nozzles within reach of body shop technicians.



- Keep replacement nozzles within easy reach
- Change location of rack when required with magnetic mounts
- Use dispenser box on rack to hold 3M™ Dynamic Mixing Nozzles

Product ID	Part Number	Product	MOQ	Order Unit		SU
7000034442	50602	3M™ Dynamic Mixing System Nozzle Rack, 50602				Each





# Cleaning Supplies

The cleaner the work, the easier you will achieve great results. We offer various materials to help you keep your work clean and neat. Starting with various high performance cloth materials, cleaning agents up to our 3M Skincare range to clean and protect your hands.

# Cleaning Supplies

## Cleaners

### 3M™ Glass Cleaner

3M™ Glass Cleaner restores clarity and puts the sparkle back into automotive glass. Our special formula resists streaking on all glass surfaces, including windows, windshields, mirrors and side glass. It is also gentle and safe to use on plastic, chrome and metal.

- Get a streak free finish on all glass surfaces
- Cut through stubborn residue on windscreens and windows
- Use on all glass surfaces, including windshields, windows and mirrors



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000116744	08631	3M™ Glass Cleaner, 500 ml, 08631				
7100138680	08631	3M™ Glass Cleaner, 500 ml, 08631				

### 3M™ General Purpose Adhesive Cleaner

Remove adhesive, wax, grease, oil and tars with 3M™ General Purpose Adhesive Cleaner. Our adhesive cleaner is made from various solvents and is designed to quickly get rid of adhesives, silicone polish, wax, tar and oil from a surface.

- Quickly removes waxes, greases, oil and tars
- Use on cured automotive paint, vinyls and fabrics
- Remove light paint overspray



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079960	08984	3M™ General Purpose Adhesive Cleaner, 1 L, 08984				
7000033762	08984	3M™ General Purpose Adhesive Cleaner, 1 L, 08984		Canister		
7000079959	08984	3M™ General Purpose Adhesive Cleaner, 1 L, 08984				
7000000492	08984	3M™ General Purpose Adhesive Cleaner, 946 ml, 08984				

### 3M™ Perfect-It™ Cleaner Clay

3M™ Perfect-It™ Cleaner Clay will safely remove over-spray and paint contaminants. This product can be used effectively on paint, glass and chrome when used with a water-based lubricant.

- Safely removes overspray and paint contaminants
- Use with water-based lubricants
- Effective on paint, glass and chrome



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034232	38070	3M™ Perfect-It™ Cleaner Clay, 200 g, 38070		Each		
7100105087	38070	3M™ Perfect-It™ Cleaner Clay, 200 g, 38070				



# Cleaning Supplies

## Cloths & Wipes

### 3M™ Paintshop Handwipes

Use 3M™ Paintshop Handwipes to quickly clean hands of wet and dry paints, grease, sealants, adhesive and oil. Our wipes are infused with a moisturiser to help protect skin.

- Removes most wet and dry paints, oils, sealants and adhesives
- Contains skin conditioner
- Double layered, textured material creates gentle scrubbing effect and excellent absorbency



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000083683	80347	3M™ Paintshop Handwipes, 100, 80347		Each		

### 3M™ Perfect-It™ Polishing Wipe

Use 3M™ Perfect It™ Polishing Wipe with 3M™ Perfect It™ polishes, for wiping residual polish and compound from panels. Our polishing wipe is soft, supple and highly absorbent. It's low linting for static-free cleaning.

- Get static free wiping thanks to low linting wipe
- Wipe residual polish and compound from panels
- Tear resistant even when wet



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100198422	34568	3M™ Perfect-It™ Polishing Wipe, 320 mm x 400 mm, 34568		Carton		

### 3M™ Panel and Polishing Wipe Dispenser

3M™ Panel and Polishing Wipe Dispenser is a wall mountable dispenser to hold either a 3M™ Panel Wipe or 3M™ Polishing Wipe Carton.

- Robust metall construction
- Wall mountable
- Holds Wipes cartons



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000070284	50481	3M™ Panel and Polishing Wipe Dispenser, 50481				

### 3M™ Perfect-It™ Ultra Soft Cloth

Use our high performance 3M™ Perfect-It™ Ultra Soft Cloth to wipe away residue, dust, dirt and fingerprints, without leaving scratches. Use on a wide range of surfaces including glass, metal, chrome, vinyl and leather.

- Wipe away residues, dirt, dust and fingerprints quickly and easily
- Use a non-scratching low linting cloth
- Resistant to chemicals



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032157	50486	3M™ Perfect-It™ Ultra Soft Cloth, Blue, High Performance, 50486		Each		
7000032156	50400	3M™ Perfect-It™ Ultra Soft Cloth, Yellow, High Performance, 50400		Each		

# Cleaning Supplies

## 3M™ Polish Rosa Ultra Soft Polishing Cloth

Use 3M™ Polish Rosa Ultra Soft Polishing Cloth with 3M Polish Rosa, to achieve a blemish and haze-free finish and an exceptional high gloss result.



- Use with 3M Polish Rosa
- Get a blemish and haze free result
- Microfibre cloth

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032158	50489	3M™ Polish Rosa Ultra Soft Polishing Cloth, Pink, 50489		Each		

## 3M™ Professional Panel Wipes

3M™ Professional Panel Wipes are heavy duty, highly absorbent wipes for all tasks in the body and paint shop.



- Use strong wipes with excellent absorbency
- Apply to any heavy duty task thanks to super strength when wet or dry
- Get low-linting anti-static wipes

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100255705	34567	3M™ Professional Panel Wipes, 300 mm x 400 mm, 34567		Carton		

## 3M™ Tack Cloth

Remove dirt, lint, dust and sanding particles with 3M™ Tack Cloth. Our cloth is excellent for clean-up in the pre-painting process, working on a variety of materials including metal, plastic, fiberglass and wood. Even with repeated use, it stays soft and dry.



- Remove dirt, lint, dust and sanding particles
- Clean a wide variety of materials in the pre-painting process
- Get less adhesive transfer to the hands

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100200387	50401	3M™ Tack Cloth, Aqua, 320 mm x 400 mm, 50401		Bag		
7000038363	09660	3M™ Tack Cloth, White, 320 mm x 400 mm, 09660				

## 3M™ Tack Pad

3M™ Tack Pad leaves no drag marks behind as dust is drawn into the tack pad. Our tack pads leave hands less sticky due to the reduction of adhesive transfer.



- Hands are less sticky due to the reduction of adhesive transfer
- Leaves no drag marks behind
- Smooth transition for spraying primers, base coat or clear coat paints

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100193601	07910	3M™ Tack Pad, 175 mm x 235 mm, 07910		Each		

# Cleaning Supplies

## Cleaning Chemicals

### 3M™ Perfect-It™ Boat Wash

3M™ Perfect-It™ Boat Wash is an important first step in achieving a truly professional gelcoat finish. This high-suds formula works without stripping wax, removing grime, algae, dirt and other common marine contaminants to create a clean, clear surface for refinishing. In fact, it works on every boat surface from bow to stern.



- Use alone for general cleaning, or as the first step in 3M™ Perfect It™ gelcoat finishing system
- High-suds formula removes common marine debris without stripping wax from the surface
- Can be used on virtually all areas of boats from bow to stern, including hull and non-skid areas

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100087484	09035	3M™ Perfect-It™ Boat Wash, 946 ml, 09035				
7100094558	09035E	3M™ Perfect-It™ Boat Wash, 946 ml, 09035E		Bottle		

## Industrial Hand Cleansers

### 3M™ Skin Care System

The 3M™ Skin Care System consists range of products suitable for all types of dirt removal and skin care in the work and paintshop.



- Skin care and hand cleaning product range for body and paint shop tasks
- Available in tubes or as refill packs for wall mountable dispenser
- Special hand cleansers such as for oil and grease removal or for paint and adhesive removal available

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000084677	50800	3M™ Skin Care System, Liquid Soap, 1.4 L, 50800		Each		
7000084678	50801	3M™ Skin Care System, Oil & Grease Hand Cleaner, 1.4 L, 50801		Each		
7000084679	50802	3M™ Skin Care System, Paint, Sealer & Adhesive Cleaner, 1.4 L, 50802		Each		
7000034441	50371	3M™ Skin Care System, Paint, Sealer & Adhesive Cleaner, 250 ml, 50371		Each		
7000084680	50803	3M™ Skin Care System, Protection & Care Cream, 1.4 L, 50803		Each		
7000084687	50367	3M™ Skin Care System, Protection & Care Cream, 250 ml, 50367		Each		
7000084681	50804	3M™ Skin Care System, Single Hand Cleaner Dispenser, 1.4 L, 50804		Each		





# Paint Application Systems

Your paint booth is not just where you earn your living. It's where you prove yourself, and the value of your entire shop, every single day. As an industry leader in paint application equipment, 3M continues to innovate and change the way you apply paint and other coatings.

# 3M™ Performance Spray Gun

Game-changing interchangeable nozzle technology delivering liquid material efficiency, increased productivity with a premium finish.

As every painter knows, once paint has been mixed, it's sold. You either use it or lose it, which can cut into your bottom line. What if we told you mixing less paint yet getting the same or better coverage was possible?

With the 3M™ Performance Spray Gun that possibility can become reality. It's superior transfer efficiency, with up to 26% less material waste\* than leading metal spray guns\*\*, all in the palm of your hand. Don't cut down on your efficiency – start spraying the smart way.

\* Using HVLP atomising heads

\*\* Maximum transfer efficiency varies by spray gun type and settings.



## Why work harder when you can just work smarter?

### High Transfer Efficiency

To prove the superior transfer efficiency of the 3M™ Performance Spray Gun, we sent it to Fraunhofer Institute for Manufacturing and Automation IPA, Stuttgart, DE. They conducted transfer efficiency testing according to the DIN EN ISO 13 966-1 test method. Transfer efficiency equates to the amount of material (paint) effectively used on the job. A higher transfer efficiency rating means less material is wasted, which in turn could save you money. And it can mean a cleaner paint booth due to less overspray, which can also pose potential cross-contamination.


Fraunhofer tested the 3M™ Performance Spray Gun against a range of industry-leading premium spray guns. The results showed a high **78% transfer efficiency** while spraying automotive base coat, exceeding the other leading metal spray guns tested.

The EN 13966-1 standard defines a reproducible laboratory procedure for transfer efficiency measurements. It is used by manufacturers to enable a reliable comparison of spraying equipment.

+ The 3M™ Performance Spray Gun falls within HVLP requirements up to an inlet pressure of 1.38 bar (Gravity fed).

### Spray Gun Transfer Efficiency\*

Tests conducted using PPG Envirobase with 1.3 mm nozzle with four of the leading metal spray guns.



\* Inlet pressure settings in line with HVLP+ requirements from each manufacturer. Transfer efficiency measured according to independent testing by Fraunhofer Institute, Germany.



# Replaceable atomising heads – now available as HVLP and Fine Finish nozzles

The secret lives inside our advanced interchangeable nozzle technology. With a range of fine finish and HVLP sizes, each atomising head is optimised for consistent atomisation and superior transfer efficiency – across a full range of high performance coatings.

Spray solid colours, metallics, pearls, clear coats, sealers, primers and more with the same premium performance you expect from your best spray gun.

And every time you swap out the replaceable nozzle for a fresh one, you can expect like-new spray performance.



HVLP Nozzle ●  
Fine Finish Nozzle ▲

## 3M™ Performance Gravity HVLP and Fine Finish Atomising Head Sizes

	2.0	1.8	1.6	1.4	1.3	1.2	0.9
<b>Automotive Coatings</b>	●	●	●	● ▲	● ▲	● ▲	●
High Viscosity Coatings	●	●					
Sprayable Fillers	●	●					
High Build Primer		●	●	● ▲			
Primer Surfacer		●	●	● ▲			
Wet on Wet Primer				● ▲	● ▲		
Primer Sealer				● ▲	● ▲		
Direct Gloss				● ▲			
Single Stage Top Coat				● ▲			
Solvent Base Colour				● ▲	● ▲		
Clearcoat				● ▲	● ▲	● ▲	
Waterborne Base Coat					● ▲	● ▲	
UV Primers					● ▲	● ▲	●
Midcoat / Effect Coats					● ▲	● ▲	●
Smart / Spot Repair							●



### TIPS:

- ✓ Store 3M™ Performance Spray Gun with a clean nozzle
- ✓ Change nozzles regularly to maintain like-new performance
- ✓ Move up or down one size if material flow is too low or high
- ✓ Dispose in accordance with your local regulations

## PERSONAL SAFETY

• Reusable Respirators with full face protection



• Reusable Coveralls



• Nitrile Gloves



### Requirements for Best Results and Quality




- ▶ Apply Dirt Trap Protection Film in order to keep a clean environment in the spray booth.
- ▶ Use 3M Aircare ACU-03 to obtain proper pressurized air.
- ▶ Use 3M Protective Coveralls to protect the operator and get a cleaner job.



### Determination of Colour



- ▶ Use 3M™ Perfect-It™ Fast Cut Plus Extreme to restore original surface condition for an accurate colour match.
  - ▶ If you are using the latest spectrometer technology, it is recommended to do an additional polishing step after 3M™ Perfect-It™ Fast Cut Plus Extreme with 3M™ Perfect-It™ Ultrafine SE (blue cap).
- Tip: The creation of a personal colour library will make life easier for you in the future as you can reuse your own sprayout cards.



### 1 Mixing of Base Coat




- ▶ Four 3M™ PPS™ Series 2.0 sizes are available to suit the most common repairs sizes in your shop.
  - ▶ By using 3M™ PPS™ Series 2.0 no additional mixing cup is needed.
  - ▶ As the filter is directly integrated to the 3M™ PPS™ Series 2.0 lid, no additional filtering stage is required.
- Note: Selecting the right size 3M™ PPS™ Series 2.0 Spray Cups for your needs, will reduce the chance of overmixing.



### 2 Setup 3M Performance Spray Gun




- ▶ Pull the trigger back
- ▶ Making sure locking collar is in the “+ configuration”
- ▶ Slide the atomizing head over the fluid needle and push towards the spray gun body
- ▶ Secure the atomizing head by rotating the retainer ring, clockwise until the retainer ring tabs are locked in the “X configuration”
- ▶ HVLP max inlet pressure 1.38 bar (20 psi)  
Fine Finish Operating Pressure 2.0 bar (29 psi)
- ▶ The Operating Pressure Range is 0.5 bar (7 psi) – 2.6 bar (37 psi) max



### 3 Base Coat Application




- ▶ Degrease the surface using paint company or other recommended product. Always follow the manufacturer's instructions.
- ▶ Clean the surface prior to base coat application with tack cloth.
- ▶ Always follow paint company recommendations regarding basecoat application process.
- ▶ When finished spraying, disconnect the air line, invert the spray gun, pull the trigger and gently tap 3M™ PPS™ Series 2.0 Lid and Liner on a surface to help break surface tension of liquid and allow it to flow back into liner.



### 4 Mixing of Clear Coat



- ▶ Four 3M™ PPS™ Series 2.0 sizes are available for the most common size repairs in your shop.
- Note: Modern clear coat technology should be mixed on demand, due to short pot life! Select the right size 3M™ PPS™ Series 2.0 Spray Cups for your needs, reducing the chance of over applying or wasting clear coat.



### 5 Clear Coat Application




- ▶ Always follow paint company recommendations regarding clearcoat application process.
  - ▶ 3M™ PPS™ Series 2.0 reduces cleaning time considerably and lowers your solvent consumption.
- Tip: Consult paint or solvent Safety Data Sheets (SDS) in addition to local regulations or authorities for safe use and proper disposal.



### 6 Cleaning 3M Performance Spray Gun



- ▶ Pull the trigger back
- ▶ Rotate the locking collar counter-clockwise and pull the atomizing head away from the gun body
- ▶ Clean the needle with solvent on a cloth.
- ▶ Simply put on the new nozzle and you're done
- ▶ 3M™ Performance Spray Gun & PPS™ reduce cleaning time considerably and lower your solvent consumption.



### 7 Forced Drying



- ▶ Please do observe the recommendations of your paint manufacturer concerning: object temperature & drying time.
- Note: The quality of drying has a positive influence on the later finishing properties of the surface. Forced drying accelerates the finish process and at the same time ensures an even drying of the paint. A clear coat, which has hardened evenly and well can be finished a lot easier.

## PERSONAL SAFETY

• Reusable Respirators

• Comfort Goggles

• Reusable Overall

• Nitrile Gloves

### Preparing the Vehicle



- ▶ Vehicle roughly masked.
- ▶ Surface prepared for primer application.



3M™ Smooth Transition Tape



3M™ Soft Edge Foam Masking Tape PLUS

### Cleaning of the Surface



- ▶ Degrease the surface using paint company or other recommended product. Always follow the manufacturer's instructions.
- ▶ Clean the surface prior to primer application with tack cloth.



3M™ Tack Cloth



3M™ Professional Panel Wipes

### 1 Mixing Primer



- ▶ Four 3M™ PPS™ Series 2.0 sizes allow for on demand mixing of the primer.
  - ▶ By using 3M™ PPS™ Series 2.0 no additional mixing cup is needed. Refilling of the primer into the primer gun is not necessary.
  - ▶ As the filter is directly integrated to the 3M™ PPS™ Series 2.0 lid, no additional filtering stage is required.
- Tip: Always use the primer shade recommended by your paint manufacturer! 3M™ PPS™ Series 2.0 allows a quick change between different primer shades.



3M™ PPS™ Series 2.0 Spray Cup System Kit Large 850ml, Standard 650ml, Midi 400ml, Mini 200ml



3M™ PPS™ Series 2.0 UV Kit



3M™ PPS™ Lid & Liner Dispensers

### 2 Setup 3M™ Performance Spray Gun



- ▶ Pull the trigger back
- ▶ Making sure locking collar is in the "+ configuration"
- ▶ Slide the atomizing head over the fluid needle and push towards the spray gun body
- ▶ Secure the atomizing head by rotating the retainer ring, clockwise until the retainer ring tabs are locked in the "X configuration"
- ▶ HVLP max inlet pressure 1.38 bar (20 psi)  
Fine Finish Operating Pressure 2.0 bar (29 psi)
- ▶ The Operating Pressure Range is 0.5 bar (7 psi) - 2.6 bar (37 psi) max



3M™ Performance Spray Gun



3M™ Performance Gravity HVLP Atomising Heads 0.9, 1.2, 1.3, 1.4, 1.6, 1.8, 2.0



3M™ Performance Gravity Fine Finish Atomising Heads 1.2, 1.3, 1.4

### 3 Primer Application Layer 1



- ▶ 3M™ PPS™ Series 2.0 allows the spray gun to be used upside down without leakage from the cup unlike a traditional vented hard cup.
- ▶ Edges and wheel arches can thus be coated safely.
- ▶ Always follow paint company recommendations regarding primer layer thickness.
- ▶ Modern primer technologies have reduced pot lives. Using freshly mixed primer with every application - avoids the possibility of subsequent shadow effects (curly Q's shows after solvent has fully evaporated) and - therefore considerably reduces the subsequent sanding work.



3M™ PPS™ Series 2.0 Midi, 400 ml



3M™ PPS™ Series 2.0 Mini 200 ml



3M™ PPS™ Lid & Liner Dispensers

### 4 Primer Application Layer 2



- ▶ A clean gun guarantees a finer coating.
- ▶ A finer coating ensures that the primer lays down flat.
- ▶ This ensures a smoother primer. A smooth primer allows for time and work savings in the process of primer sanding.
- ▶ Using 3M™ Performance Spray Gun & PPS™ Series 2.0 for primer application gives an advantage for the next process step.
- ▶ Note: A poorly maintained primer gun = a rough spray pattern.



3M™ PPS™ Series 2.0 Spray Cup System Kit Large 850ml, Standard 650ml, Midi 400ml, Mini 200ml



3M™ PPS™ Series 2.0 UV Kit



3M™ PPS™ Lid & Liner Dispensers

### 5 Cleaning 3M™ Performance Spray Gun



- ▶ Pull the trigger back
- ▶ Rotate the locking collar counter-clockwise and pull the atomizing head away from the gun body
- ▶ Clean the needle with solvent on a cloth.
- ▶ Simply put on the new nozzle and you're done
- ▶ 3M™ Performance Spray Gun & PPS™ Series 2.0 reduce cleaning time considerably and lower your solvent consumption.



3M™ Professional Panel Wipes PN 34567

### Forced Drying



- ▶ Always follow paint company recommendations on the following:
  - ▶ Object temperature.
  - ▶ Drying time.
  - ▶ Distance of the heater from the object.
- ▶ The quality of drying influences the sanding properties of the primer. Forced drying accelerates the repair process and at the same time ensures an even drying of the primer. A primer that has hardened evenly and fully is a lot easier to sand.



# Paint Application Systems

## Sprayer Systems

Focus

### 3M™ Performance HVLP Spray Gun System with PPS™ 2.0

3M™ Performance Spray Gun is one of the first ever spray guns designed specifically to save you time while delivering top-of-the-line performance. Its integrated system includes quick-change replaceable atomizing heads and 3M™ PPS™ Series 2.0 Spray Cups, which makes for faster clean-up, changeovers and cycle times. HVLP nozzles come in sizes from 0.9 to 2.0 to spray a full range of high-performance automotive coatings with the high transfer efficiency, consistent atomization and large fan pattern you expect from a premium spray gun. Engineered from an impact-resistant composite material reinforced with stainless steel, 3M™ Performance Spray Gun is one of the lightest spray guns in the industry — all while maintaining the power and performance you expect as a professional painter.



- Precision spray performance with high transfer efficiency and large, adjustable fan pattern
- Faster clean up and change overs that can help improve your cycle times
- Quick-change, replaceable atomizing heads connect directly to 3M™ PPS™ Series 2.0 Spray Cup System

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100228461	26778	3M™ Performance HVLP Spray Gun System with PPS™ 2.0, 26778		Kit		

Focus

### 3M™ Performance Industrial Spray Gun System

Lightweight and easy to use, the 3M™ Performance Spray Gun was built for the industrial painter. Made from impact-resistant composite, it is one of the lightest spray guns in the industry, yet durable enough for demanding conditions. Its versatile design allows spraying from a pressurized source or a gravity cup. Replaceable nozzles from 0.9 to 2.0 allow you to spray a wide range of coatings.



- Lightweight, impact-resistant body made from advanced composite material
- Convert between pressure-fed whip hose and 3M™ PPS Series 2.0 Spray Cup System
- Quick-change, replaceable nozzles ranging from 0.9 to 2.0

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100228476	26878	3M™ Performance Industrial Spray Gun System, 26878		Kit		

# Paint Application Systems

## 3M™ Performance Spray Gun

Lightweight and easy to use, the 3M™ Performance Spray Gun was built for the modern painter. Capable of spraying a wide range of coatings from either a pressure-fed source or attached gravity cup, its impact-resistant composite body makes it one of the lightest spray guns available, yet it is durable enough for demanding industrial and automotive conditions.



- 3M™ Performance Spray Gun works with HVLP pressure- and gravity-fed nozzles as well as 3M™ Performance Fine Finish Spray Heads.
- Lightweight, impact-resistant body made from advanced composite material
- Quickly converts between pressure-fed systems and gravity-fed 3M™ PPS™ Series 2.0 Spray Cup System

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100228462	26832	3M™ Performance Spray Gun, 26832				Kit

### Focus

## 3M™ Performance Fine Finish Spray Gun System with PPS™ 2.0

Spray faster and achieve a finer finish with the 3M™ Fine Finish Spray Gun System. It delivers finer atomisation and a faster flow rate than HVLP spray equipment. The system uses 3M™ Performance Fine Finish Nozzles to spray some of the most-challenging coatings, helping perfect your colour match and lay down clear coats like glass.



- **COMPLETE SYSTEM:** This spray gun system is packed with everything you need to start spraying - spray gun, PPS™ cups, 3M™ Performance Gravity Fine Finish Atomising Heads, and more.
- **PREMIUM FINISH:** Fine finish, high flow rate, fine atomisation, and pattern consistency meet to help bring you a smooth, controllable finish.
- **CONSISTENT ATOMISATION:** The 3M™ Performance Fine Finish Spray Gun System is optimised to help you effectively colour match the most challenging colours and textures.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100276849	26978	3M™ Performance Fine Finish Spray Gun System with PPS™ 2.0, 26978				

### Focus

## 3M™ Performance Gravity HVLP Atomising Head Refill Kit

3M™ Performance Gravity HVLP Atomising Heads are designed to deliver premium spray performance for coatings including paints, clear coats and topcoats. Replaceable nozzles are built exclusively for gravity feed applications with the 3M™ Performance Spray Gun System and 3M™ PPS™ Series 2.0 Spray Cup System, offering like-new spray performance with the change of each nozzle.



- Quick-change nozzles range from 0.9 to 2.0 for spraying a wide range of industrial and automotive coatings
- Like-new spray performance with each new atomising head
- Use exclusively with the 3M™ Performance Spray Gun and 3M™ PPS™ Series 2.0 Spray Cup System

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100206004	26712	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Blue, 1.2, 26712				Pack
7100206003	26718	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Clear, 1.8, 26718				Pack

# Paint Application Systems

## Focus

### 3M™ Performance Gravity HVLP Atomising Head Refill Kit

3M™ Performance Gravity HVLP Atomising Heads are designed to deliver premium spray performance for coatings including paints, clear coats and topcoats. Replaceable nozzles are built exclusively for gravity feed applications with the 3M™ Performance Spray Gun System and 3M™ PPS™ Series 2.0 Spray Cup System, offering like-new spray performance with the change of each nozzle.



- Quick-change nozzles range from 0.9 to 2.0 for spraying a wide range of industrial and automotive coatings
- Like-new spray performance with each new atomising head
- Use exclusively with the 3M™ Performance Spray Gun and 3M™ PPS™ Series 2.0 Spray Cup System

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100206008	26713	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Green, 1.3, 26713		Pack		
7100205981	26714	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Orange, 1.4, 26714		Pack		
7100205984	26716	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Purple, 1.6, 26716		Pack		
7100205982	26720	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Red, 2.0, 26720		Pack		
7100271255	26709	3M™ Performance Gravity HVLP Atomising Head Refill Kit, White, 0.9, 26709				

## Focus

### 3M™ Performance Gravity Fine Finish Atomising Head Refill Kit

Spray today's most-challenging paints and clearcoats with 3M™ Performance Gravity Fine Finish Atomising Heads. Built to work with the 3M™ Performance Spray Gun, they deliver finer atomisation and a faster flow rate than typical HVLP spray equipment - helping you work faster, perfect your colour match and lay down coatings like glass. Available in three sizes: 1.2, 1.3 and 1.4.



- **PREMIUM FINISH:** High flow rate, fine atomisation, and pattern consistency meet to help bring you a smooth, controllable finish.
- **CONSISTENT ATOMISATION:** Optimised to help you effectively colour match the most challenging colours and textures.
- **FASTER APPLICATION:** Experience effortless application and lay down paint faster than HVLP spray equipment.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100272189	26912	3M™ Performance Gravity Fine Finish Atomising Head Refill Kit, Blue, 1.2, 26912				
7100272188	26913	3M™ Performance Gravity Fine Finish Atomising Head Refill Kit, Green, 1.3, 26913				
7100272187	26914	3M™ Performance Gravity Fine Finish Atomising Head Refill Kit, Orange, 1.4, 26914				



# Paint Application Systems

Focus

## 3M™ Performance Pressure HVLP Atomising Head Refill Kit

3M™ Performance Pressure HVLP Atomising Heads are designed to deliver excellent spray performance for coatings including stains, primers, base coats, topcoats, clear coats and adhesives. Replaceable nozzles are built exclusively for pressure-feed applications using the 3M™ Performance Spray Gun, offering like-new spray performance with the change of each nozzle.

- Quick-change nozzles in sizes 0.9, 1.1, 1.4, 1.8 and 2.0 for spraying a wide range of industrial and automotive coatings
- Nozzles attach to the spray gun and whip hose easily without the need for additional tools
- Like-new spray performance with each new atomising head

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100206005	26818	3M™ Performance Pressure HVLP Atomising Head Refill Kit, Clear, 1.8, 26818		Pack		
7100206006	26814	3M™ Performance Pressure HVLP Atomising Head Refill Kit, Orange, 1.4, 26814		Pack		
7100271256	26820	3M™ Performance Pressure HVLP Atomising Head Refill Kit, Red, 2.0, 26820				
7100271059	26809	3M™ Performance Pressure HVLP Atomising Head Refill Kit, White, 0.9, 26809				
7100206007	26811	3M™ Performance Pressure HVLP Atomising Head Refill Kit, Yellow, 1.1, 26811		Pack		

## 3M™ Performance Spray Gun Ball Valve

3M™ Performance Spray Gun Ball Valve is an accessory for the 3M™ Performance Spray Gun System configured as a pressure feed sprayer. The valve gives the spray gun operator the ability to stop the flow of paint from the pressure source (pot or pump) at the spray gun end of the supply hose. Recommended for use when the painter does not have easy access to the pressure source. Light and easy to use.

- Ball valve lets the painter stop fluid flow to spray gun
- Attaches between whip hose and supply hose in a pressure feed configuration
- Seals are compatible with both solvent-based and waterborne coatings



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100228103	26839	3M™ Performance Spray Gun Ball Valve, 26839		Each		

# Paint Application Systems

## 3M™ Performance Spray Gun Pressure Whip

The 3M™ Performance Spray Gun Pressure Whip Hose connects to the 3M™ Performance Spray Gun for use in pressure feed applications. Provides a fast connection between the atomizing head and the pressurized paint supply hose. Securely fastens to the spray gun base for better balance and hose control. Can be used with optional ball valve to control paint from the pressure line.

- Helps quickly convert Performance Spray Gun between gravity and pressure fed systems
- Securely fastens to spray gun base for better balance and hose control
- Quick connection to 3M™ Performance Pressure HVLP Atomizing Heads for easy assembly or replacement



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100228105	26833	3M™ Performance Spray Gun Pressure Whip, 26833		Each		

## 3M™ Performance Spray Gun Rebuild Kit

The 3M™ Performance Spray Gun Rebuild Kit provides the replacement parts needed for rebuilding the 3M™ Performance Spray Gun. Includes exterior replacement parts as well as all required interior seals, springs, screws and parts. Instruction manual provides specific details on how to rebuild.

- Includes everything needed to rebuild, including all fasteners
- Refresh trigger pull, needle, fan and fluid control with new springs and seals
- Use only with 3M™ Performance Spray Gun



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100228530	26840	3M™ Performance Spray Gun Rebuild Kit, 26840		Kit		

## 3M™ Performance Spray Gun Whip Pin

3M™ Performance Spray Gun Whip Pin is a replacement attachment pin for the 3M™ Performance Spray Gun Pressure Whip Hose. The clevis pins are used to secure the whip hose to the body of the 3M™ Performance Spray Gun. The connection helps give the painter additional control and helps prevent the atomizing head from twisting and unwanted stress.

- Pin securely attaches whip hose to 3M™ Performance Spray Gun
- Package contains 4 steel ball detent clevis pins
- Smooth steel construction inserts into and out of whip hose attachment bracket



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100228107	26834	3M™ Performance Spray Gun Whip Pin, 26834		Pack		

# Paint Application Systems

## 3M™ Performance Spray Gun H/O Conversion Pack

Get more application control of heavy or texture coatings with our 3M™ Performance Spray Gun H/O Conversion Pack for the 3M™ Performance Spray Gun. When used with a 3M™ PPS™ Series 2.0 Type H/O Pressure Cup, this upgrade lets technicians spray thick, high-viscosity coatings with better control of texture, pattern size, and delivery rate than aerosol cans and Body Schutz guns.



- Upgrades 3M™ Performance Spray Gun to spray heavy, thick coatings using 3M™ PPS™ Series 2.0 H/O pressure cups.
- Provides excellent application control of heavy or texture coatings.
- Easy-to-install kit adds a port for connecting the pressure cup's air supply tube to the gun body.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100244430	26837	3M™ Performance Spray Gun H/O Conversion Pack, 26837		Each		

## 3M™ Performance Spray Gun Locking Collar

The unique 3M™ Performance Spray Gun Locking Collar helps ensure a solid connection between the 3M™ Performance Spray Gun and 3M™ Performance Atomizing Heads. The locking collar is easy to use, allowing for quick nozzle changes while switching between paints and coatings or for cleanup at the end of a job. The easy-grip tabs make it easier to turn the locking collar.



- Securely attaches 3M™ Performance Atomizing heads to 3M™ Performance Spray Gun
- Easy grip tabs for coupling and uncoupling of atomizing heads
- Built from a durable polymer material

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100228101	26835	3M™ Performance Spray Gun Locking Collar, 26835				

## 3M™ Performance Spray Gun Needle

The 3M™ Performance Spray Gun Needle is designed specifically for 3M™ Performance Spray Gun. Use this replacement needle when the existing spray gun needle is damaged, bent, the gun leaks through its nozzle, or as routine preventative maintenance.



- Specifically designed replacement part for 3M™ Performance Spray Gun
- Durable stainless steel construction resists wear, bending and damage
- Engineered to provide a leakproof seal when used with 3M™ Performance Spray Gun atomizing heads

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100220927	26838	3M™ Performance Spray Gun Needle, 26838				

# Paint Application Systems

## 3M™ Performance Spray Gun O-Ring Kit

The 3M™ Performance Spray Gun O-Ring Kit contains a selection of replacement o-rings for the 3M™ Performance Spray Gun.



- Includes replacement o-rings
- Selection of ring sizes
- Used for routine maintenance of 3M™ Performance Spray Gun.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100261169	26841	3M™ Performance Spray Gun O-Ring Kit, 26841				Kit

## 3M™ Accuspray™ ONE Spray Gun Kit

Our 3M™ Accuspray™ ONE Spray Gun Kit delivers the performance of a new spray gun, on demand and at a fraction of the cost. You'll find a full selection of Accuspray™ replaceable atomizing heads for a range of applications. A 1-piece composite Accuspray™ ONE Spray Gun body eliminates the need for maintenance kits. Also includes an air control valve.



- Durable, lightweight 1-piece composite spray gun body eliminates maintenance kits
- Complete selection of replaceable atomizing heads allows for a range of applications and fluid viscosities
- Air control valve helps regulate vertical or horizontal spray patterns

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100096182	16578	3M™ Accuspray™ ONE Spray Gun Kit, 16578				

## 3M™ Accuspray™ HGP Spray Gun Kit

An HVLP gravity pressurized spray gun, to be used with a pressurized H/O cup system to provide superior application of high viscosity coatings. Kit contains 1 each HGP spray gun and 4 atomizing heads - 2 each 1.8mm nozzles and 2 each 2.0mm nozzles.



- Provides the equivalent of a brand new Pressurized spray gun on demand for a fraction of the cost
- Kit contains 1 spray gun, 3 atomizing heads
- Use with 3M™ PPS™ Type H/O Mini Pressure Cup, PN 16121

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100137847	16587	3M™ Accuspray™ HGP Spray Gun Kit, 16587				Kit

## 3M™ Accuspray™ HG14 Spray Gun

3M™ Accuspray™ Spray Gun System for applications requiring the use of a 1.4 mm atomizing head. The 3M™ Accuspray™ Spray Guns perform like a premium spray gun, without the premium price. It can also be used with 1.8 mm or 2.0 mm heads depending on the task at hand.



- Provides the equivalent of a brand new spray gun on demand for a fraction of the cost
- Increase productivity and lower coat usage
- Maximise the benefits of the 3M™ PPS™ System

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100021016	16577	3M™ Accuspray™ HG14 Spray Gun, 16577				Kit

# Paint Application Systems

## 3M™ Accuspray™ Atomising Head for PPS™ Series 2.0

The 3M™ Accuspray™ Atomising Head for PPS™ Series 2.0 is an approved 3M replacement part to use with any 3M™ Accuspray™ Replaceable Nozzle Series Spray Gun. This product is only to be used with the 3M™ PPS™ Series 2.0 items.



- To be used with 3M™ PPS™ Series 2.0 items only
- Use on any application, such as wet on wet primer, primer surfacer, basecoat, topcoat, lacquer, adhesives and some coatings
- Apply with any 3M™ Accuspray™ Replaceable Nozzle Series Spray Gun

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100141417	26614	3M™ Accuspray™ Atomising Head for PPS™ Series 2.0, 1.4 mm, Orange, 26614		Pack		
7100141416	26618	3M™ Accuspray™ Atomising Head for PPS™ Series 2.0, 1.8 mm, Clear, 26618		Pack		
7100141414	26620	3M™ Accuspray™ Atomising Head for PPS™ Series 2.0, 2.0 mm, Red, 26620		Pack		

## 3M™ Accuspray™ Atomising Heads

3M™ Accuspray™ Atomising Heads are designed specifically for use with 3M™ Accuspray™ Spray Guns. This selection of replaceable heads makes for the incredibly fast, efficient application of low-, medium- and high-viscosity materials from one gun. Technicians simply remove and replace the head for the performance of a new spray gun on demand. See-through heads are easily cleaned and reused. Not compatible with 3M™ PPS™ Series 2.0 items.



- Selection of replaceable atomising heads for application of very low- to high-viscosity coatings
- Fast, simple head replacement – the performance of a brand new spray gun on demand
- See-through design makes it easy to see when the heads are clean

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100086806	16614	3M™ Accuspray™ Atomising Heads, Green, 1.3 mm, 16614				
7100017731	16612	3M™ Accuspray™ Atomising Heads, Orange, 1.4 mm, 16612		Kit		
7000045543	16609	3M™ Accuspray™ Atomising Heads, Red, 2.0 mm, 16609		Kit		
7000000500	16611	3M™ Accuspray™ Atomising Heads, Transparent, 1.8 mm, 16611		Kit		

## 3M™ Accuspray™ Needle Kit

The 3M™ Accuspray™ Needle Kit is a genuine replacement part for 3M™ Accuspray™ Series 05 spray guns, designed to provide optimal performance in the delivery of automotive paint and finishing materials.



- Authorized 3M replacement part
- A vital part for consistent fluid delivery on 3M spray guns
- Kit restores optimal performance

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000071803	16571	3M™ Accuspray™ Needle Kit, 16571				

# Paint Application Systems

## 3M™ Conical Paper Filters

3M™ Conical Paper Filters are used to filter coarse particles out of liquids.

- Single use
- Easy handling
- Available in 125 my and 190 my mesh size



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000097470	50412	3M™ Conical Paper Filters, 125 μ, 50412				
7000097469	50411	3M™ Conical Paper Filters, 190 μ, 50411				

## 3M™ Lids for Mixing Cups

Clear plastic lids fitting the corresponding 3M Mixing cup size.

- Clear transparent material
- Round
- Variety of sizes to fit the mixing cups



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033085	50408	3M™ Lids for Mixing Cups, 1.55 L, 50408				
7000033086	50409	3M™ Lids for Mixing Cups, 2.3 L, 50409				
7000095187	50550	3M™ Lids for Mixing Cups, 120 ml, 50550				
7000033083	50406	3M™ Lids for Mixing Cups, 365 ml, 50406				
7000033084	50407	3M™ Lids for Mixing Cups, 870 ml, 50407				

## 3M™ Mixing Cup

3M™ Mixing Cups are available for mixing and storing paint, primer and clear coats.

- Great for mixing and storing primer, paint or clear coats
- Printed ratio guide on cups
- Clear transparent material



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033082	50405	3M™ Mixing Cup, 2.3 L, 50405				
7000095188	50549	3M™ Mixing Cup, 120 ml, 50549				
7000032397	50402	3M™ Mixing Cup, 365 ml, 50402				
7000033080	50403	3M™ Mixing Cup, 870 ml, 50403				
7000033081	50404	3M™ Mixing Cup, 1550 ml, 50404				



# Paint Application Systems

## 3M™ Spray Gun Kit

3M™ Spray gun kit for stonechip coating applications.

- No clean up system
- Useful for 2k coatings to obtain coarse textures
- Ideal for stone chip coatings



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000095171	08987	3M™ Spray Gun Kit, 08987				

## 3M™ Air Regulator

3M™ Air Regulator is a multi-purpose regulator recommended to be used with pneumatic guns .

- Robust construction
- Ideal for controlling air for seam sealer applications
- Recommended for Universal Seam Sealer Gun 08993



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000041356	08804	3M™ Air Regulator, 08804		Each		

## 3M™ Air-Line Fed Gun

3M™ Air-Line Fed Gun is an applicator gun for applying Undercoating and Stonechip coatings.

- Use for underbody and stonechip coatings
- Smooth application of coatings
- Use with 1 litre or 1 kilogram coating cans



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000041350	08996	3M™ Air-Line Fed Gun, Undercoating Spray Gun, 08996		Each		

## 3M™ Air-powered Applicator Gun

Access hard to reach areas with a 3M™ Air-powered Applicator Gun. Our special robust metal applicator gun is designed for deep penetration of protective wax into cavities.

- Spray protective wax coatings into hard to reach areas
- Ideal tool for deep penetration of protective wax into cavities
- Robust metal construction



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000070303	08998	3M™ Air-powered Applicator Gun, 08998				
7000070302	08997	3M™ Air-powered Applicator Gun, Cavity Gun, 08997		Each		

# Paint Application Systems

## Spray Cup Systems

Focus

### 3M™ PPS™ Series 2.0 Kits

3M™ PPS™ Series 2.0 Kits is our next generation, highest performing disposable spray cup system for mixing/measuring, filtering, spraying in any direction (360° spray rotation) and protecting coatings not in use. Each lid and liner kit contains 50 disposable lids with integrated collars and full diameter filters, 50 disposable liners, 1 reusable hard cup and 32 sealing plugs.



- 3M's Cleanest Disposable Cup System: 3M™ PPS™ Series 2.0 is a complete disposable spray cup solution for mixing/measuring, filtering, and spraying
- A Cup Size for Every Repair: available in 4 sizes: Mini (200 ml), Midi (400 ml), Standard (650 ml) and Large (850 ml)
- Integrated locking collars on lids to help reduce paint build-up and possible contamination

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100128903	26740	3M™ PPS™ Series 2.0 Kits, Large, 850 ml, 125 µ, 26740				Kit
7100128801	26024	3M™ PPS™ Series 2.0 Kits, Large, 850 ml, 200 µ, 26024				Kit
7100138281	26175	3M™ PPS™ Series 2.0 Kits, Midi with extra lids, 400 ml, 200 µ, 26175				
7100128900	26312	3M™ PPS™ Series 2.0 Kits, Midi, 400 ml, 125 µ, 26312				Kit
7100128901	26112	3M™ PPS™ Series 2.0 Kits, Midi, 400 ml, 200 µ, 26112				Kit
7100128800	26752	3M™ PPS™ Series 2.0 Kits, Mini, 200 ml, 125 µ, 26752				Kit
7100128904	26114	3M™ PPS™ Series 2.0 Kits, Mini, 200 ml, 200 µ, 26114				Kit
7100128799	26030	3M™ PPS™ Series 2.0 Kits, Standard, 650 ml, 80 µ, 26030				
7100128796	26026	3M™ PPS™ Series 2.0 Kits, Standard, 650 ml, 125 µ, 26026				Kit
7100128905	26000	3M™ PPS™ Series 2.0 Kits, Standard, 650 ml, 200 µ, 26000				Kit

Focus

### 3M™ PPS™ Series 2.0 Cups

3M™ PPS™ Series 2.0 hard cup that supports and holds the 3M™ PPS™ Series 2.0 flexible liner.



- A Cup Size for Every Repair: 3M™ PPS™ Series 2.0 Spray Cup System is available in 4 sizes: Mini (200 ml), Midi (400 ml), Standard (650 ml) and Large (850 ml)
- Re-useable hard cups feature clear windows to make refilling easier by grasping liner while removing lid
- The window also helps identify how much material is left while spraying. It provides a vertical view to help ensure uniform mixing of materials, great for metallics & pearls

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100134388	26023	3M™ PPS™ Series 2.0 Cups, Large, 850 ml, 26023				Carton
7100134611	26122	3M™ PPS™ Series 2.0 Cups, Midi, 400 ml, 26122				Carton
7100134394	26115	3M™ PPS™ Series 2.0 Cups, Mini, 200 ml, 26115				Carton
7100134300	26001	3M™ PPS™ Series 2.0 Cups, Standard, 650 ml, 26001				Carton

# Paint Application Systems

## Focus

### 3M™ PPS™ Series 2.0 Lids

These replacement lids fit 3M™ PPS™ Series 2.0 liners and cups. Case contains 50 lids with 200 or 125 micron filters.



- Integrated locking collars on lids help reduce paint build-up and possible contamination
- Improved Fluid Flow & Quality: New domed Standard/Large lid design allows for up to 90 ml of material to be held below the filter and lets you spray filtered material on demand, reducing inconsistent spray due to air-entrapment and sputter
- A wider fluid spout and a full-diameter filter for the highest quality filtration

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100134612	26205	3M™ PPS™ Series 2.0 Lids, Midi and Mini, 125 μ, 26205		Kit		
7100134285	26204	3M™ PPS™ Series 2.0 Lids, Midi and Mini, 200 μ, 26204		Kit		
7100134286	26199	3M™ PPS™ Series 2.0 Lids, Standard and Large, 125 μ, 26199		Kit		
7100134284	26200	3M™ PPS™ Series 2.0 Lids, Standard and Large, 200 μ, 26200		Kit		

### 3M™ PPS™ Series 2.0 Adapter

3M™ PPS™ Series 2.0 Adapter converts paint spray guns for use with the 3M™ Paint Preparation System (PPS™) Series 2.0.



- The newly designed 3M™ PPS™ Series 2.0 Adapter provides a four-point connection and a wider 360° platform to ensure a stable, reliable lid-to-spray-gun connection
- Enhanced Cup-to-Spray Gun Stability
- Stainless steel adapter offers exceptional durability

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100116972	26032	3M™ PPS™ Series 2.0 Adapter, Type S-2, 26032		Each		
7100116970	26033	3M™ PPS™ Series 2.0 Adapter, Type S-3, 26033		Each		
7100135830	26005	3M™ PPS™ Series 2.0 Adapter, Type S-4, 26005		Each		
7100145003	26035	3M™ PPS™ Series 2.0 Adapter, Type S-5, 26035		Each		
7100117060	26036	3M™ PPS™ Series 2.0 Adapter, Type S-6, 26036		Each		
7100150735	26038	3M™ PPS™ Series 2.0 Adapter, Type S-8, 26038		Each		
7100117057	26039	3M™ PPS™ Series 2.0 Adapter, Type S-9, 26039		Each		
7100135927	26017	3M™ PPS™ Series 2.0 Adapter, Type S-10, 26017		Each		
7100135943	26022	3M™ PPS™ Series 2.0 Adapter, Type S-12, 26022		Each		
7100117058	26044	3M™ PPS™ Series 2.0 Adapter, Type S-14, 26044		Each		
7100135334	26046	3M™ PPS™ Series 2.0 Adapter, Type S-15, 26046		Each		
7100135934	26102	3M™ PPS™ Series 2.0 Adapter, Type S-16, 26102		Each		
7100135829	26105	3M™ PPS™ Series 2.0 Adapter, Type S-21, 26105		Each		
7100135925	26119	3M™ PPS™ Series 2.0 Adapter, Type S-27, 26119		Each		
7100117067	20480	3M™ PPS™ Series 2.0 Adapter, Type S-31, 26480		Each		
7100116946	20458	3M™ PPS™ Series 2.0 Adapter, Type S-32, 20458		Each		
7100117041	20573A	3M™ PPS™ Series 2.0 Adapter, Type S-40A, 20573A		Each		
7100117068	20587	3M™ PPS™ Series 2.0 Adapter, Type S-41, 20587		Each		
7100116971	20677	3M™ PPS™ Series 2.0 Adapter, Type S-43, 20677		Each		

# Paint Application Systems

## Focus

### 3M™ PPS™ Series 2.0 UV Kit

3M™ PPS™ Series 2.0 UV Kit is a black, non transparent version of 3M™ PPS™ Series 2.0 Standard Kit, designed for UV light curing materials.

- Block UV light from sensitive materials
- Measure, mix, filter and spray with ease
- Get black lids, liners and sealing plugs



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100128906	20730	3M™ PPS™ Series 2.0 UV Kit, Standard, 650 ml, 125 μ, 20730				Kit
7100128902	26710	3M™ PPS™ Series 2.0 UV Kit, Standard, 650 ml, 200 μ, 26710				Kit

## Focus

### 3M™ PPS™ Series 2.0 Type H/O Pressure Cup

3M™ PPS™ Series 2.0 Type H/O (High Output) Pressure Cup is a pressurized hard cup that supports and holds the disposable 3M™ PPS™ Series 2.0 Lids & Liners, offering the advantages and benefits of this innovative product.

- Use to support 3M™ PPS™ Series 2.0 Lids & Liners for the 3M™ PPS™ Type H/O Pressure Cup System
- Get also for protective coatings the benefits of working with the 3M™ PPS™ Series 2.0 System
- Great for a variety of materials from liquid to highly viscous (thick).



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100191753	26124	3M™ PPS™ Series 2.0 Type H/O Pressure Cup, Large 850 ml/Standard 650 ml, 26124				Kit
7100202755	26121	3M™ PPS™ Series 2.0 Type H/O Pressure Cup, Midi 400 ml/Mini 200 ml, 26121				Carton

### 3M™ PPS™ Spray Gun Holder

Keep your spray guns safe when not in use with 3M™ PPS™ Spray Gun Holder. Our tidy holder keeps them safe and conveniently to hand. They are a worthwhile accessory designed to hold one, two or four spray guns.

- Put spray gun in safe place
- Get within easy reach
- Reduce upkeep costs with less damage and maintenance



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032309	16025	3M™ PPS™ Spray Gun Holder, 16025				Each



# Engineered for peak performance.

3M™ PPS™ Series 2.0 is our most advanced Spray Cup System. It's packed with features to help you perfect your paint jobs.

**Domed Lid with Full-Diameter Filter.**  
More paint below the filter improves flow and consistency, while reducing spitting from start to finish.

**New Cup in Every Lid and Liner Kit**  
Start with a clean cup more often, reducing paint build-up. On-cup ratios and fill markings eliminate traditional mixing cups.

**Sealing Plug Included**  
Allows you to seal and protect coatings upside down with greater stability when not in use. Use fewer lids by keeping filters wet.



# 3M™ PPS™ Series 2.0 Spray Cup System


Choose the cup that fits the job.

Four sizes. Two filter options. H/O pressure cups for high viscosity materials. And opaque kits for UV coatings. You can have an unrivalled selection at your fingertips. And with 3M™ PPS™ Series 2.0 Adapters, they're compatible with nearly every spray gun on the market.




## Spot repair or 1-Panel Repairs

**Mini Cups** –  
Ideal for areas requiring 200 ml or less of material.




## 2-Panel Repairs

**Midi Cups** –  
Ideal for areas requiring 400 ml or less of material, such as bumpers.




## 3-Panel Repairs

**Standard Cups** –  
Ideal for areas requiring 650 ml or less of material.



## 4-Panel Repairs

**Large Cups** –  
Ideal for areas requiring 850 ml or less of material, including large, clear coat batches.





# Paint Application Systems

## 3M™ PPS™ Dispenser

Organise your workspace and keep it neat with 3M™ PPS™ Dispenser. The 3M™ PPS™ Paint Preparation System

Dispenser is a wall mounted storage unit, which allows easy access to well stored new liners / lids. It is suitable for all sizes of lids and liners of 3M™ PPS™ and 3M™ PPS™ Series 2.0 products.

- Dispenses supplies for the 3M™ PPS™ Paint Preparation System
- Top-loading access for reloading supplies
- Keeps supplies clean, neat, organized and free from contamination



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100042072	16299	3M™ PPS™ Dispenser, for Large, Standard, Midi Lids, 16299		Each		
7100041780	16219	3M™ PPS™ Dispenser, for Large, Standard, Midi Liners, 16219		Each		
7100042777	16298	3M™ PPS™ Dispenser, for Mini Lids & Liners, 16298		Each		

## 3M™ PPS™ Lid & Liner Kits

3M™ PPS™ Lid & Liner Kits (first version - not compatible with 3M™ PPS™ Series 2.0 items) each contain disposable lids with welded-in filters to strain paint material while spraying, along with liners and sealing plugs for use with the 3M™ PPS™ Paint Preparation System. Kits are available in four sizes for a range of jobs from large to small. 3M™ PPS™ Paint Preparation System is a complete painting system that allows the painter to measure, mix, filter and spray paint materials.

- Designed and only for use with 3M™ PPS™ items. Not compatible with 3M™ PPS™ Series 2.0 items.
- Kits contain disposable lids with micron filters, liners and sealing plugs
- Available for 3M™ PPS™ Cups & Collars in four sizes from 180 ml up to 850 ml for jobs ranging from spot repairs to large repairs



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100067466	16740	3M™ PPS™ Lid & Liner Kits, Large, 850 ml, 125 µ, 16740		Kit		
7100067538	16024	3M™ PPS™ Lid & Liner Kits, Large, 850 ml, 200 µ, 16024		Kit		
7100069190	16312	3M™ PPS™ Lid & Liner Kits, Midi, 400 ml, 125 µ, 16312		Kit		
7100068959	16112	3M™ PPS™ Lid & Liner Kits, Midi, 400 ml, 200 µ, 16112		Kit		
7100102623	16114	3M™ PPS™ Lid & Liner Kits, Mini Kit, 200 µ, Promotional Item, 16114				
7100067513	16752	3M™ PPS™ Lid & Liner Kits, Mini, 170 ml, 125 µ filter, 16752		Kit		
7100067512	16114	3M™ PPS™ Lid & Liner Kits, Mini, 170 ml, 200 µ filter, 16114		Kit		
7100062524	16761	3M™ PPS™ Lid & Liner Kits, Standard with extra lids, 650 ml, 200 µ, 16761				
7100067539	16030	3M™ PPS™ Lid & Liner Kits, Standard, 650 ml, 80 µ, 16030				
7100067560	16026	3M™ PPS™ Lid & Liner Kits, Standard, 650 ml, 125 µ, 16026		Kit		
7100062884	16000	3M™ PPS™ Lid & Liner Kits, Standard, 650 ml, 200 µ, 16000		Kit		

# Paint Application Systems

## 3M™ PPS™ Cup & Collar

Use our hard 3M™ PPS™ Cup & Collar range to support and hold 3M™ PPS™ flexible liners in the Paint Preparation System (PPS™). It's available in four sizes and allows the painter to measure, mix filter and spray paint materials easily.



- Hard cups and collars support liners for the 3M™ Paint Preparation System, PPS™
- 3M™ PPS™ is an all-in-one disposable solution for measuring, mixing, filtering, and spraying of paint materials
- System enables the painter the ability to consistently spray at 90° to the part, no matter the part orientation (even upside down)

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
700000642	16023	3M™ PPS™ Cup & Collar, Large, 850 ml, 16023		Pack		
7100074890	16023	3M™ PPS™ Cup & Collar, Large, 850 ml, 16023		Kit		
7100074613	16122	3M™ PPS™ Cup & Collar, Midi, 400 ml, 16122		Kit		
7100074725	16115	3M™ PPS™ Cup & Collar, Mini, 170 ml, 16115		Kit		
7100003286	16001	3M™ PPS™ Cup & Collar, Standard, 650 ml, 16001		Case		
7100074831	16001	3M™ PPS™ Cup & Collar, Standard, 650 ml, 16001		Kit		

## 3M™ PPS™ Adapter

3M™ PPS™ Adapter converts paint spray guns for use with the 3M™ Paint Preparation System (PPS™). Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun model. To use this adapter, remove the existing spray gun cup. Then simply thread the correct PPS™ adapter into the Spray Gun.



- Adapter converts typical spray guns into ones that work with the 3M Paint Preparation System (PPS™)
- Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun
- Stainless Steel adapter offers exceptional durability

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034249	16032	3M™ PPS™ Adapter, Type 2, 16032		Each		
7000034250	16033	3M™ PPS™ Adapter, Type 3, 16033		Each		
7000083620	16034	3M™ PPS™ Adapter, Type 4, 16034		Each		
7000083621	16035	3M™ PPS™ Adapter, Type 5, 16035		Each		
7000034251	16036	3M™ PPS™ Adapter, Type 6, 16036		Each		
7000083622	16037	3M™ PPS™ Adapter, Type 7, 16037				
7000045758	16015	3M™ PPS™ Adapter, Type 8, 16015				
7000083623	16038	3M™ PPS™ Adapter, Type 8, Four-way, 16038		Each		
7000034253	16039	3M™ PPS™ Adapter, Type 9, 16039		Each		
7100003288	16017	3M™ PPS™ Adapter, Type 10, 16017		Each		
7000034254	16042	3M™ PPS™ Adapter, Type 12, 16042		Each		
7000083625	16043	3M™ PPS™ Adapter, Type 13, 16043		Each		
7000034255	16044	3M™ PPS™ Adapter, Type 14, 16044		Each		
7000045759	16053	3M™ PPS™ Adapter, Type 14, 16053		Each		
7000045760	16046	3M™ PPS™ Adapter, Type 15, 16046		Each		
7000043152	16742	3M™ PPS™ Adapter, Type 16, 16742		Each		
7000045761	16105	3M™ PPS™ Adapter, Type 21, 16105		Each		
7000045762	16106	3M™ PPS™ Adapter, Type 22, 16106				

# Paint Application Systems

## 3M™ PPS™ Adapter

3M™ PPS™ Adapter converts paint spray guns for use with the 3M™ Paint Preparation System (PPS™). Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun model. To use this adapter, remove the existing spray gun cup. Then simply thread the correct PPS™ adapter into the Spray Gun.



- Adapter converts typical spray guns into ones that work with the 3M Paint Preparation System (PPS™)
- Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun
- Stainless Steel adapter offers exceptional durability

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000118473	16119	3M™ PPS™ Adapter, Type 27, 16119		Each		
7000084247	50480	3M™ PPS™ Adapter, Type 31, 50480		Each		
7000084191	50458	3M™ PPS™ Adapter, Type 32, 50458		Each		
7000034487	5073A	3M™ PPS™ Adapter, Type 40A, 5073A		Each		
7000034387	50578	3M™ PPS™ Adapter, Type 41, 50578				
7000084572	50677	3M™ PPS™ Adapter, Type 43, 50677		Each		
7000083912	16757	3M™ PPS™ Adapter, Type 47, Four-way, 16757		Each		
7000083735	16754	3M™ PPS™ Adapter, Type 48, 16754		Each		

## 3M™ PPS™ Refillable Kit

Use 3M™ PPS™ Refillable Kit as a refillable version of 3M™ PPS™ Standard Kit to quickly and easily refill paint without removing cup and liner from gun.



- Efficiently refill paint without removing cup and liner from gun
- Comes with a 200 µ filter
- For 125 µ process needs, please use the additional drop-in filter (extra)

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100083560	16743	3M™ PPS™ Refillable Kit, 650 ml, 200 µ, 16743		Kit		

## 3M™ PPS™ UV Kit

3M™ PPS™ UV Kit is a black, non transparent version of 3M™ PPS™ Standard Kit, designed for UV light curing materials.



- Block UV light from sensitive materials
- Measure, mix, filter and spray with ease
- Get black lids, liners and sealing plugs

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100067511	50730	3M™ PPS™ UV Kit, Standard, 650 ml, 125 µ, 50730		Kit		

# Paint Application Systems

## 3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun

3M™ PPS™ Type H/O (High Output) Pressure Cup is a pressurized hard cup and collar that supports and holds the disposable 3M™ PPS™ Lids & Liners.



- Use to support PPS lids & liners for the PPS Pressure Cup System
- Achieve various coating textures easily
- Get also for protective coatings the benefits of working with the PPS System

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000119668	16124	3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun, Large, 16124		Each		
7000119727	16121	3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun, Mini, 177 ml, 16121		Kit		

## 3M™ PPS™ Type V Lid & Cup Kits

3M™ PPS™ Type V Lid & Cup Kits features disposable vented cups and lids for collision repair professionals who prefer vented systems for paint prep and spray. The kits contain 50 cups and lids and are available in 2 sizes (Standard with 700 ml volume cups and Midi with 400 ml volume cups). Pre-assembled valve assemblies and lids with pre-welded filters reduce setup time.



- For professional painters who prefer vented paint cups
- Midi 400 ml size is ideal for spot, 1-panel and 2+-panel repairs
- Standard 700 ml size is ideal for most 3+-panel repairs

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100231267	16352	3M™ PPS™ Type V Lid & Cup Kits, Midi Size Lids & Vented Cups, 400 ml, 125 µ filters, 16352				
7100231270	16152	3M™ PPS™ Type V Lid & Cup Kits, Midi Size Lids & Vented Cups, 400 ml, 200 µ filters, 16152				
7100231271	16360	3M™ PPS™ Type V Lid & Cup Kits, Standard Size Lids & Vented Cups, 700 ml, 125 µ filters, 16360				
7100231272	16160	3M™ PPS™ Type V Lid & Cup Kits, Standard Size Lids & Vented Cups, 700 ml, 200 µ filters, 16160				

## 3M™ PPS™ Type V Cups

3M™ PPS™ Type V Cups features disposable vented cups for the 3M™ PPS™ Type V System, ideal for collision repair professionals who prefer vented systems for paint prep and spray. The cups are available in 2 sizes (Standard with 700 ml volume and Midi with 400 ml volume). Pre-assembled valve assemblies reduce setup time.



- For professional painters who prefer vented paint cups
- Midi 400 ml size is ideal for spot, 1-panel and 2+-panel repairs
- Standard 700 mL size is ideal for most 3+-panel repairs

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100231266	16156	3M™ PPS™ Type V Cups, Midi Size Cups, 400 ml, 16156				

# Paint Application Systems

## 3M™ PPS™ Type V Lids

3M™ PPS™ Type V Lids feature disposable lids for the 3M™ PPS™ Type V System, ideal for collision repair professionals who prefer vented systems for paint prep and spray. The lids are available with 2 filter sizes - 125 micron, recommended for waterbased paints and 200 micron. The 3M™ PPS™ Type V Lids fit both cups sizes (400 ml and 700 ml). Pre-welded filters reduce setup time.



- For professional painters who prefer vented paint cups
- Connect with a suitable 3M™ PPS™ adapter to the chosen paint gun or directly to any 3M™ Accu-spray™ gun.
- Lids feature pre-welded 200 micron for solventborne or 125 micron filters for waterborne paint systems

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100231613	16364	3M™ PPS™ Type V Lids, Standard-Midi Size Lids, 125 µ filters, 16364				
7100231582	16164	3M™ PPS™ Type V Lids, Standard-Midi Size Lids, 200 µ filters, 16164				

## 3M™ PPS™ Type V Accessories

3M™ PPS™ Type V Accessories features useful additional parts such as spare sealing plugs for the 3M™ PPS™ Type V System. This system is ideal for collision repair professionals who prefer vented systems for paint prep and spray. The sealing plugs fit any size of 3M™ PPS™ Type V Kits.



- For professional painters who prefer vented paint cups
- Sealing plugs fit any size of 3M™ PPS™ Type V Lids
- Securely close 3M™ PPS™ Type V Lids for storing and sealing unused paint.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100106365	16432	3M™ PPS™ Type V Accessories, Sealing Plugs, Any Size, 16432				








# Finishing Products

Each time a vehicle rolls out of the shop, it's a chance to showcase your passion for automotive refinishing. You've worked to ensure the vehicle has been prepped, painted, and polished back to the way it was when it came in. But to your customer, it's now somehow even better, more exciting — like it was when it was brand new. This is among most powerful endorsements you can deliver for your collision repair operation, and it represents the full potential of your paint shop.

**Important note on process safety**  
Always wear Personal Protective Equipment

- Comfort Particle Mask P3 
- Hearing Protection 
- Comfort Goggles 
- Reusable Overall 
- Safety Gloves 

Select Step 1a, 1b or 1c based on the size of your repair. Then continue on to Step 2 (Compound) and Step 3 (Polish).

<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Sanding Spot Defects</b></p>	 <p>1a</p>	<ul style="list-style-type: none"> <li>▶ Denib with 3M™ Finesse-it™ Trizact™ A5 Disc, grade 3000 on denib tool</li> <li>▶ Refine scratches with 3M™ Trizact™ Foam Disc, grade 8000, 75 mm on orbital sander.</li> <li>▶ <b>Proceed directly to Polish Step.</b></li> </ul>	 <p>466LA Trizact™ A5 Discs 3000 3M™ Mini Orbital Sander, Air Pressure Festool LEX 3 77 3M™ Trizact™ Foam Disc 8000, 75 mm</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Sanding Small Area Defects</b></p>	 <p>1b</p>	<ul style="list-style-type: none"> <li>▶ Sand the area with a 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, grade P1500, 3" (75 mm). Use disc with a soft interface pad. Remove all panel defects and match texture to adjacent OEM panels. Wipe panel clean.</li> <li>▶ Refine scratches with a dual action sander and a 3M™ Trizact™ Foam Disc, grade 3000, 3" (75 mm). Use disc damp with a soft interface pad. Sand each area 4-6 times.</li> <li>▶ Wipe panel clean. If scratches are still visible, continue refining.</li> </ul>	 <p>3M™ Hookit™ 260L Purple Finishing Film Disc, 3" (75 mm) 3M™ Trizact™ Foam Disc 3000, 3" (75 mm) Festool LEX 3 77 Festool Interface-Pad</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Sanding Large Area Defects</b></p>	 <p>1c</p>	<ul style="list-style-type: none"> <li>▶ Sand the area with a 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, grade P1500 - P2000, 6" (150 mm). Use disc with a soft interface pad. Remove all panel defects and match texture to adjacent OEM panels. Wipe panel clean.</li> <li>▶ Refine scratches with a dual action sander and a 3M™ Trizact™ Foam Disc, grade 3000, 6" (150 mm). Use disc damp with a soft interface pad. Go over each area 4-6 times.</li> <li>▶ Wipe panel clean. If scratches are still visible, continue refining.</li> </ul>	 <p>3M™ Hookit™ 260L Purple Finishing Film Disc, 6" (150 mm) 3M™ Trizact™ Foam Disc 3000, 6" (150 mm) Festool LEX 3 150/5 Festool Interface-Pad</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Compound</b></p>	 <p>2</p>	<ul style="list-style-type: none"> <li>▶ Apply the compound to the pad in a circular motion by using the cap from the bottle to help spread a small amount of compound throughout the pad. When applying compound to a new pad, its recommended starting at speed setting 1 for a few seconds, to ensure the pad is loaded evenly with compound before starting the task.</li> <li>▶ Set the pad flat on the surface and start at speed setting 4 to spread compound, increase speed as necessary. Apply minimal down pressure in a north/south, east/west, crosshatch pattern to remove scratches/defects.</li> <li>▶ Compound small areas at a time. Approximately a 60 cm x 60 cm area is recommended to ensure adequate scratch/defect removal.</li> <li>▶ Use a 3M™ Perfect-It™ Ultra Soft Cloth - High Performance to remove the residual film from the surface. If scratches/defects remain, apply 4 drops of compound to the pad and continue compounding.</li> <li>▶ Ensure all sand scratches have been completely removed. Inspect the surface by spraying with 3M™ Perfect-It™ Finish Control Spray and wipe with a clean microfiber cloth.</li> </ul> <p><b>Note:</b> Clean pads often with a conditioning brush for optimal performance.</p>	 <p>3M™ Perfect-It™ Random Orbital Compound 3M™ Perfect-It™ Random Orbital Coarse Wool Compounding Pad 5" (130 mm) or 6" (150 mm) - OR - 3M™ Perfect-It™ Random Orbital Medium Wool Compounding Pad 5" (130 mm) or 6" (150 mm) - OR - 3M™ Perfect-It™ Random Orbital Foam Compounding Pad 5" (130 mm) or 6" (150 mm) 3M™ Perfect-It™ Random Orbital Polisher, 15 mm or 21 mm 3M™ Perfect-It™ Ultra Soft Cloth - High Performance 3M™ Perfect-It™ Finish Control Spray</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Polish</b></p>	 <p>3</p>	<ul style="list-style-type: none"> <li>▶ Apply the polish to the pad in a circle near the edge of the pad. When applying polish to a new pad, its recommended starting at speed setting 1 for a few seconds, to ensure the pad is loaded evenly before starting the task.</li> <li>▶ Set the pad flat on the surface and start at speed setting 4 to spread polish. Reduce speed as necessary. Apply minimal down pressure in a north/south, east/west, crosshatch pattern to remove swirls/defects.</li> <li>▶ Polish small areas at time. Approximately a 60 cm x 60 cm area is recommended to ensure adequate swirl/defect removal</li> <li>▶ Use a 3M™ Perfect-It™ Ultra Soft Cloth - High Performance to remove the residual film from the surface. If swirls/defects remain, apply 4 drops of polish to the pad and continue polishing.</li> </ul>	 <p>3M™ Perfect-It™ Random Orbital Polish 3M™ Perfect-It™ Random Orbital Polishing Pad 5" (130 mm) or 6" (150 mm) 3M™ Perfect-It™ Random Orbital Polisher, 15 mm or 21 mm 3M™ Perfect-It™ Ultra Soft Cloth - High Performance</p>

**3M United Kingdom PLC**  
Automotive Aftermarket  
3M Centre  
Cain Road  
Bracknell, RG12 8HT  
+44 (0)161 237 6391  
aadukenquiries@mmm.com

**3M Ireland Limited**  
Automotive Aftermarket  
The Iveagh Building  
The Park  
Carrickmines, Dublin 18  
+353 12160301  
aadukenquiries@mmm.com



For more information, visit us at [www.3m.co.uk/randomorbital](http://www.3m.co.uk/randomorbital)

For additional information, including important safety and warranty information, regarding 3M Automotive Aftermarket Products, please visit: [www.3m.co.uk/aad-info](http://www.3m.co.uk/aad-info)

3M, Finesse-It, Trizact, Hookit and Perfect-It are trademarks of 3M Company. All other trademarks are property of their respective owners. Please recycle. © 3M 2023. All rights reserved.

# 3M™ Perfect-It™ Random Orbital Polishing System



Refinishing.  
Redefined.

## USE

### Introducing the 3M™ Perfect-It™ Random Orbital Polishing System

- A professional grade set of tools, pads and polishes
- Re-engineered for the collision repair industry
- An easy-to-use polishing tool
- Specially formulated liquids and pads
- No more fear of **swirls, burn through**, or other pitfalls common with traditional rotary systems

Its paint finishing, redefined.



### 3M™ Random Orbital Polisher

- User-friendly, comfortable tool design
- Well-balanced and easy to operate



### 3M™ Random Orbital Pads

- Single-sided 3M™ Hookit™ pad attachment for easy change-outs
- Compounding and polishing pads available in 5 inch / 130 mm and 6 inch / 150 mm sizes



### 3M™ Random Orbital Compound and Polish

- Bottle cap colour matches the liquid inside and the pad it should be used with
- Effective on a variety of paint and clear coat finishes



## BENEFITS

Consistent Swirl-Free Finish



3M™ Perfect-It™ Random Orbital Polisher **prevents swirl marks**, with our specially designed pads, compound and polish.

Avoid Burn Through and Rework




Experience **no fear of burn through** on your freshly painted panels. No trips back to the booth, no disruptions in cycle time and no loss of confidence on the job.

Designed For All Skill Levels



Whether you're a painter, detailer, novice or seasoned expert, the 3M™ Perfect-It™ Random Orbital Polishing System was designed to help deliver sleek, consistent results.

### Random Orbital Paint Finishing Solutions



#### Random Orbital Process

Ideal for:  
- Fresh and old paint  
- All clearcoat types  
- Full panel repair as well as small areas



#### Random Orbital 1-Step

Ideal for:  
- Fresh and old paint  
- All clearcoat types  
- Small to medium repair



#### Spot Repair

Ideal for:  
- Fresh paint  
- All clearcoat types  
- To keep sanded areas to a minimum





## PERSONAL SAFETY

- Comfort Particle Mask P3
- Hearing Protection
- Comfort Goggles
- Reusable Overall
- Safety Gloves

### Sanding Spot Defects



- ▶ Denib with 3M™ Finesse-it™ Trizact™ film disc, 32mm grade 3000 on denib tool.



466LA Trizact™ A5 Discs 3000



3M™ Mini Orbital Sander, Air Pressure



- ▶ Refine scratches with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 8000, 75mm on orbital sander.



3M™ Trizact™ Fine Finishing Disc 8000



Festool LEX 3 77

### Sanding Area Defects



- ▶ Sand the area with 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, grade P1500 - P2000.



3M™ Hookit™ 260L+



Festool LEX 3 150/3



Festool Interface-Pad



- ▶ Refine scratches with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 3000, 150 mm on orbital sander.
- ▶ Refine scratches with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 8000, 150 mm on orbital sander.



3M™ Trizact™ Fine Finishing Disc 3000



3M™ Trizact™ Fine Finishing Disc 8000

### Polishing



- ▶ Add a small amount of 3M™ Perfect-It™ 1-Step Finish Material to a purple foam pad on the rotary polisher.
- ▶ Polish in an overlapping pattern with rotary speed: 600 - 1400 rpm.
- ▶ When polishing always try to keep the pad flat on the surface to avoid jumping. Reduce pressure towards the end of the compounding stage to enable easy clean up.


Note: The softer the coating, the lower the temperature and thus the RPM needs to be.



3M™ Perfect-It™ 1-Step Finishing Material



3M™ Perfect-It™ Hookit Convoluted Purple Polishing Foam Pad



3M™ Perfect-It™ Quick Connect Double Sided Purple Convoluted Polishing Foam Pad



3M™ Perfect-It™ Pink High Performance Ultra Soft Cloth Microfiber



Festool SHINEX RAP 150

### Control



- ▶ Should sanding scratches from the first polishing step still be visible after controlling the surface, please repeat polishing step!

Note: It's important to ensure that you remove all sanding scratches at this stage, in order to avoid their reappearance at the end of the polishing process.



3M™ Perfect-It™ Finish Control Spray



3M™ Professional Panel Wipes

### Fine Polishing




- ▶ Re-Polish the area to ensure a high gloss finish is achieved, with no additional compound onto the foam needed.
- ▶ Polish area and surrounding in an overlapping pattern with rotary speed 600 - 1400 rpm.
- ▶ Keep the polishing pad flat on the surface to ensure an even appearance and glossy finish, reducing pressure towards the end of the polishing step.
- ▶ Wipe off any excess polish and inspect area - most colours are fine now.
- ▶ For critical colours (very dark or black) - remove the holograms with 3M™ Perfect-It™ Ultrafina SE Compound and blue polishing pads.



3M™ Perfect-It™ 1-Step Finishing Material



3M™ Perfect-It™ Hookit Convoluted Purple Polishing Foam Pad



3M™ Perfect-It™ Quick Connect Double Sided Purple Convoluted Polishing Foam Pad



3M™ Perfect-It™ Pink High Performance Ultra Soft Cloth Microfiber

## PERSONAL SAFETY

• Comfort Particle Mask P3



• Hearing Protection



• Comfort Goggles



• Reusable Overall



• Safety Gloves



### Sanding Spot Defects



- Denib with 3M™ Finesse-it™ Trizact™ film disc, 32mm grade 3000 on denib tool.



466LA Trizact™ A5 Discs 3000



3M™ Mini Orbital Sander, Air Pressure



- Scratch refinement with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 6000, 75mm on orbital sander.



3M™ Trizact™ Fine Finishing Disc 6000, 75mm



Festool LEX 3 77 Festool IAS-Adapter for Lex 2/3

### Sanding Area Defects



- Sand the area with 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, grade P1500 - P2000.



3M™ Hookit™ 260L+




Festool LEX 3 150/3



Festool Interface-Pad



- Sand the area with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 3000, 150mm on orbital sander.
- Scratch refinement with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 6000, 150 mm on orbital sander.



3M™ Trizact™ Fine Finishing Disc 3000, 150mm



3M™ Trizact™ Fine Finishing Disc 6000, 150mm

### Polishing Step



- Add a small amount of 3M™ Perfect-It™ Fast Cut Plus Extreme onto the green foam pad on the rotary polisher.
- Polish in an overlapping pattern with rotary speed: 600-1400 rpm
- When polishing always try to keep the pad flat on the surface to avoid jumping. Reduce pressure towards the end of the compounding stage to enable easy cleanup.

Note: The softer the coating, the lower the temperature and thus the RPM needs to be.




3M™ Perfect-It™ Fast Cut Plus Extreme



3M™ Perfect-It™ Quick Connect Double Sided Flat Green Polishing Pad



3M™ Perfect-It™ Quick Connect Double Sided Convuluted Green Polishing Pad



3M™ High Performance Cloth



Festool SHINEX RAP 150

### Control



- Should sanding scratches from the first polishing step still be visible after controlling the surface, please repeat polishing step!
- Note: It is important to ensure that you remove all sanding scratches at the stage, in order to avoid their reappearance at the end of the polishing process.



3M™ Perfect-It™ Finish Control Spray



3M™ Professional Panel Wipes

### Fine Polishing Step




- Change foam to a yellow foam and add small amount of 3M™ Perfect-It™ Extra-Fine Plus onto the pad.
- Polish area and surrounding in an overlapping pattern with rotary speed 600-1400 rpm
- Processing: keep polishing foam flatly on the surface for glossy finish, reduce pressure towards end of the polishing step.
- Wipe off any excess polish and inspect area - most colours are fine now.



3M™ Perfect-It™ Extra Fine PLUS



3M™ Perfect-It™ Quick Connect Double Sided Convuluted Yellow Polishing Pad



3M™ Perfect-It™ High Performance Cloth


### Hologram Removal (Optional)




- Add 3M™ Perfect-It™ Ultrafina SE onto the blue foam pad on the rotary polisher.
  - Processing: - polish with reduced speed - moving in an overlapping pattern covering generously the whole area.
  - Wipe off polish residues with the extra - soft 3M™ Perfect-It™ High Performance Blue Cloth Ultrafina polishing cloth to avoid generating new micro scratches on the surface.
- Tip: Always keep the polishing foam wet (using polish), as this delivers a more even coat of polish on the surface and will prevent the generation of the micro scratches from a dry pad.



3M™ Perfect-It™ Ultrafina SE



3M™ Perfect-It™ Quick Connect Double Sided Convuluted Blue Polishing Pad



3M™ Perfect-It™ High Performance Cloth

# Finishing Products

## Polishing Compounds

Focus

### 3M™ Perfect-It™ Random Orbital Compound

3M™ Perfect-It™ Random Orbital Compound is the fast-cutting professional-grade compound formula designed for our 3M™ Random Orbital Polishing System. Use with our 3M™ Perfect It™ Random Orbital Compounding Pads to quickly remove 3000 grade and finer sanding marks. It works on paints and clear coats whether they are fresh or cured.



- **FAST-CUTTING:** 3M™ Perfect-It™ Random Orbital Compound quickly removes 3000 grade and finer sanding marks without adding swirl marks -- making your polishing step easier
- **VERSATILE:** Works great on fresh and cured paints to help you achieve a high-quality finish
- **LESS MESS:** Its easy clean up formula allows you to get to the next job faster

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100265273	34130E	3M™ Perfect-It™ Random Orbital Compound, 473 ml, 34130E				
7100265274	34130E	3M™ Perfect-It™ Random Orbital Compound, 473 ml, 34130E				
7100264084	34131E	3M™ Perfect-It™ Random Orbital Compound, 946 ml, 34131E				
7100264085	34131E	3M™ Perfect-It™ Random Orbital Compound, 946 ml, 34131E				

### 3M™ Perfect-It™ Fast Cut Plus Extreme

3M™ Perfect-It™ Fast Cut Plus Extreme is a fast cutting abrasive liquid compound designed to quickly remove sanding scratches after flattening or denibbing process with 3M 260L P1500 then Trizact 3000. Use with green pad of the 3M™s colour coded compound range.



- Exceptional fast cut-rate performance
- 20% to 25% less product required than standard Fast Cut + / XL to polish the same area.
- Get a superior high gloss finish

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100268127		3M™ Perfect-It™ Fast Cut Plus Extreme Compound, 1 kg, 51815				
7100136343	51815	3M™ Perfect-It™ Fast Cut Plus Extreme, 1 kg, 51815		Bottle		
7100140631	51816	3M™ Perfect-It™ Fast Cut Plus Extreme, 500 g, 51816				

### 3M™ Perfect-It™ Fast Cut Compound

Use 3M™ Perfect It™ Fast Cut Compound to remove sanding scratches after flattening or denibbing processes (with 3M 260L P1200 / P1500 or 3M Microfine 1500 / 2000 wet sanding paper).



- Use a fast, easy apply and clean up compound
- Get fast, effective action
- Achieve a fine, high gloss finish in combination with a finer follow-up compound

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100064760	09374	3M™ Perfect-It™ Fast Cut Compound, 1 kg, 09374				
7000038014	09374	3M™ Perfect-It™ Fast Cut Compound, 1 kg, 09374				
7100222053	09374	3M™ Perfect-It™ Fast Cut Compound, 1 kg, 09374		Bottle		



# Finishing Products

## 3M™ Perfect-It™ Fast Cut Compound

Use 3M™ Perfect It™ Fast Cut Compound to remove sanding scratches after flattening or denibbing processes (with 3M 260L P1200 / P1500 or 3M Microfine 1500 / 2000 wet sanding paper).

- Use a fast, easy apply and clean up compound
- Get fast, effective action
- Achieve a fine, high gloss finish in combination with a finer follow-up compound



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100266279	09374	3M™ Perfect-It™ Fast Cut Compound, 1 kg, 09374				

## 3M™ Perfect-It™ Gelcoat Heavy Cutting Compound

3M™ Perfect-It™ Gelcoat Heavy Cutting Compound restores the lustrous beauty of boats by eliminating oxidation, scratches, scuff marks and other surface blemishes from gelcoat. Our fastest-cutting product for gelcoat, this compound removes P600 and finer scratches and leaves a high gloss finish ideal for cutting polish and wax.

- 3M's fastest-cutting gelcoat formula for removing heavy oxidation and P600 scratches
- Formula provides longer wet time for extended product life and easier cleanup
- Suitable for all gelcoat surfaces including marine, RV and industrial



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100085986	36102E	3M™ Perfect-It™ Gelcoat Heavy Cutting Compound, 946 ml, 36102E		Bottle		

## 3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax

3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax combines medium cutting power with durable wax for professional-grade one-step gelcoat compounding. It removes major defects and scratches P1000 or finer, and leaves a glossy wax finish that helps protect against weathering and may not require polishing.

- 3M's fast-cutting gelcoat formula for removing oxidation and scratches of P1000 or finer
- Can be used to cut, polish and wax in one step, reducing time and expense
- Formula provides longer wet time for extended product life and easier cleanup



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100094557	36106E	3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax, 946 ml, 36106E		Bottle		
7100274870	36106E	3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax, 946 ml, 36106E		Bottle		

# Finishing Products

## Fine Polishing Compounds

Focus

### 3M™ Perfect-It™ Random Orbital Polish

Achieve the best possible finish on all paints and clear coats with 3M™ Perfect-It™ Random Orbital Polish. Its advanced abrasives and gloss enhancers create a consistent high-quality finish. Designed to be used with our 3M™ Perfect-It™ Random Orbital Polisher and matching pad for paint finishing and detailing professionals of all skill levels who want a perfect finish without haze and swirl.



- **REFINISHING, REDEFINED:** Stop fighting swirls and haze - spend your polishing time perfecting the shine with 3M™ Perfect-It™ Random Orbital Polish, part of the 3M™ Perfect-It™ Random Orbital Polishing System.
- **CONSISTENT RESULTS:** Delivers high-quality, predictable results thanks to a proprietary combination of advanced abrasives and gloss enhancers.
- **EASY-TO-USE:** 3M™ Perfect-It™ Random Orbital Polish delivers a high-gloss finish for technicians of any skill level in collision and professional detailing shops when used as part of the 3M™ Perfect-It™ Random Orbital Polishing System.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100265260	34133E	3M™ Perfect-It™ Random Orbital Polish, 473 ml, 34133E				
7100265261	34133E	3M™ Perfect-It™ Random Orbital Polish, 473 ml, 34133E				
7100264093	34134E	3M™ Perfect-It™ Random Orbital Polish, 946 ml, 34134E				
7100263832	34134E	3M™ Perfect-It™ Random Orbital Polish, 946 ml, 34134E				

Focus

### 3M™ Perfect-It™ 1-Step Finishing Material

3M™ Perfect-It™ 1-Step Finishing Material is a high-performance, fast-cutting finishing material designed to remove 3M™ Trizact™ 8000 and finer scratches providing a 1-Step finish on most colours. It provides the cut of a compound and the swirl-free finish of a polish.



- Easily remove 3M™ Trizact™ 8000 scratches and leave a brilliant finish
- After 3M™ Trizact™ 8000, it provides a 1-Step finish on most colours
- Wetter formulation allows for longer work time without drying

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100193753	33039	3M™ Perfect-It™ 1-Step Finishing Material, 1 kg, 33039		Bottle		
7100194285	33039	3M™ Perfect-It™ 1-Step Finishing Material, 1 kg, 33039				

# Finishing Products

## 3M™ Perfect-It™ Extra Fine Plus Compound

3M™ Perfect-It™ Extra Fine Plus Compound is a fine finishing compound designed specifically for modern scratch resistant clear coat paint systems.

- Remove fine sanding and coarser compound scratches
- Specifically for modern scratch resistant clear coat paint systems
- Core product within the 3M Colour Coded Polishing Process



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100072586	80349	3M™ Perfect-It™ Extra Fine Plus Compound, 1 L, 80349				
7100224682	80349	3M™ Perfect-It™ Extra Fine Plus Compound, 1 L, 80349		Bottle		
7100020597	80349	3M™ Perfect-It™ Extra Fine Plus Compound, 1l, 80349				
7100266278	80349	3M™ Perfect-It™ Extra Fine Plus Compound, 1l, 80349				
7100228213	51301	3M™ Perfect-It™ Extra Fine Plus Compound, 500 ml, 51301				

## 3M™ Perfect-It™ Famous Finish

3M™ Perfect It™ Famous Finish is a specifically developed polishing system to obtain shiny results on all standard and new high-connected clear coat systems.

- Removes all standard paint defects in 2 short polishing steps without the necessity to use further polishing materials
- Low Time Consumption due to intuitive Application
- Time and Cost Savings due to Avoidance of Pad- or Material changes



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100225047	51677	3M™ Perfect-it™ Famous Finish, 1 kg, 51677				

## 3M™ Perfect-It™ Ultrafina SE Polish

Use 3M™ Perfect-It™ Ultrafina SE Polish with our machine polishers, for an exceptional high gloss finish to vehicles – no swirl marks or holograms. Designed for use as the final stage of our colour code process, to help you achieve the ultimate final finish, and fast clean up afterwards.

- Get an exceptional high gloss blemish-free finish
- Quick and Easy Clean up
- Use a minimal sling, good handing product



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100072690	50383	3M™ Perfect-It™ Ultrafina SE Polish, 1 L, 50383				
7100020598	50383	3M™ Perfect-It™ Ultrafina SE Polish, 1 L, 50383				
7100224683	50383	3M™ Perfect-It™ Ultrafina SE Polish, 1 L, 50383		Bottle		
7100266277	50383	3M™ Perfect-It™ Ultrafina SE Polish, 1 L, 50383				
7100227788	51302	3M™ Perfect-It™ Ultrafina SE Polish, 500 ml, 51302				

# Finishing Products

## 3M™ Perfect-It™ Fine Compound

3M™ Perfect-It™ Fine Compound is a fast acting, less aggressive compound sharing the same 3M formulation chemistry as 3M™ Perfect-It™ Fast Cut Compound and is a great second step product after the more aggressive Fast Cut Compound.

- Use an easy to use, versatile product chosen by professionals
- Gives a high gloss finish
- Easy to clean off surfaces



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100064962	09375	3M™ Perfect-It™ Fine Compound, 1L, 09375				
7000038023	09375	3M™ Perfect-It™ Fine Compound, 1L, 09375				
7100095151	09375	3M™ Perfect-It™ Fine Compound, 1L, 09375				Bottle
7100268129	09375	3M™ Perfect-It™ Fine Compound, 1L, 09375				

## 3M™ Perfect-It™ Machine Polish

Use 3M™ Perfect-It™ Machine Polish with 3M™ Perfect-It™ Foam Polishing Pads, to quickly remove compound swirl marks and achieve a high gloss finish. Our high performance polish is easy to use and ensures cleaning up is quick and efficient.

- High performance polish
- Designed to remove compound swirl marks and other minor surface defects
- Good handling, easy cleanup



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100072587	09376	3M™ Perfect-It™ Machine Polish, 1 L, 09376				
7100095152	09376	3M™ Perfect-It™ Machine Polish, 1 L, 09376				Bottle

## 3M™ Polish Rosa

Apply 3M™ Polish Rosa by hand or machine, for an exceptional blemish-free, deep gloss shine and lasting wax protection and finish.

Our polish won't discolour any black rubber parts. You'll get perfect clean-up, in small or large areas. A must-have for any vehicle cleaning or restoration kit.

- Silicone Polymer wax for high gloss and lasting protection
- Exceptional clean off whether working on large or small areas
- Work efficiently with easy clean-up in small or large areas



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034295	80345	3M™ Polish Rosa, 1 L, 80345				
7100064845	80345	3M™ Polish Rosa, 1L, 80345				
7000083978	80345	3M™ Polish Rosa, 1L, 80345				
7000083979	80345	3M™ Polish Rosa, 1L, 80345				Bottle
7000083980	80345	3M™ Polish Rosa, 1L, 80345				Bottle
7000084008	80345	3M™ Polish Rosa, 1L, 80345				

# Finishing Products

## 3M™ Perfect-It™ Finishing Glaze

Use 3M™ Perfect It™ Finishing Glaze for a high gloss and lasting protective shine on refinish or original paint surfaces finished by 3M™ Perfect It™ Paint Finishing System. Apply our glaze by hand with a soft wipe, or for more efficiency, by machine with a dual action sander.

- Get durable shining protection of fresh and original paint surfaces
- Easy to use manually or by machine
- High lustre



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100095154	09377	3M™ Perfect-It™ Finishing Glaze, 1L, 09377				
7100095153	09377	3M™ Perfect-It™ Finishing Glaze, 1L, 09377		Bottle		

## 3M™ Prep and Blend Liquid

Efficiently prepare new and refinished paint surfaces, with 3M™ Prep and Blend Liquid. Our unique blend of scuffing and cleaning liquid removes many different contaminants all in one go – grease, wax, resins and silicones. It leaves a uniform, matte finish.

- Use a fast application cleaning agent
- Efficiently remove grease, waxes, resins and silicones
- Get a uniform, matte finish



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100095708	09308	3M™ Prep and Blend Liquid, 0.5 kg, 09308				
7100095763	09308	3M™ Prep and Blend Liquid, 0.5 kg, 09308		Bottle		

## 3M™ Scuff-it™ Matt Gel

3M™ Scuff-it™ Matt Gel is an advanced scuffing and cleaning gel used in the final stage of preparation prior to paint spraying.

- Degreases, cleans and scuffs in a single process
- Water-based formula
- Complete abrasion for optimum paint adhesion



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034342	50018	3M™ Scuff-it™ Matt Gel, 700 g, 50018				
7000083440	50018	3M™ Scuff-it™ Matt Gel, 700 g, 50018		Bottle		

# Finishing Products

## 3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax

3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax is formulated to quickly remove light to medium oxidation, light scratches, swirl marks and other minor defects from gelcoat. This compound removes scratches of P1500 or finer, and leaves a polished wax finish without swirls even in difficult dark-colored gelcoats.

- 3M's fastest-cutting gelcoat formula for removing light to medium oxidation and scratches, part of a complete range of 3M™ Perfect It™ products for gelcoat finishing
- Removes swirl marks even on difficult dark-colored gelcoats
- Can be used to cut, polish and wax in one step, reducing time and expense



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100094555	36110E	3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax, 946 ml, 36110E		Bottle		
7100274869	36110E	3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax, 946 ml, 36110E		Bottle		

## 3M™ Perfect-It™ Gelcoat Compound + Polish

3M™ Perfect-It™ Gelcoat Compound + Polish is a professional-grade formula compounding and polishing product, specifically created for gelcoat applications.

- Removes P1000 and finer scratches on gelcoat
- Leaves a high gloss and fine finish (even on darker colored gelcoat)
- Formula provides longer wet time for extended product life and easier cleanup



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100237607	30344E	3M™ Perfect-It™ Gelcoat Compound + Polish, 946 ml, 30344E		Bottle		
7100274868	30344E	3M™ Perfect-It™ Gelcoat Compound + Polish, 946 ml, 30344E		Bottle		

## 3M™ Perfect-It™ Boat Wax

3M™ Perfect-It™ Boat Wax is the final, brilliant step in achieving a truly professional marine finish. Its blend of pure Brazilian carnauba wax, silicones, polymers and resins brings out an extraordinary gloss and provides durability against the elements. The liquid wax formula is easy to apply and performs even on warm surfaces, and is safe for gelcoat, paint, fiberglass and metal.

- An excellent final step for any process where wax finish is recommended
- Contains carnauba wax for a brilliant, pure wax finish
- Protects gelcoat, paint, fiberglass and metals from the elements



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100087468	36113	3M™ Perfect-It™ Boat Wax, 946 ml, 36113				
7100094553	36113E	3M™ Perfect-It™ Boat Wax, 946 ml, 36113E		Bottle		



# Finishing Products

## Bonnets & Buffing Pads

### Focus

### 3M™ Perfect-It™ Random Orbital Wool Compounding Pad

Achieve the best possible finish on a variety of paints and clear coats with the help of 3M™ Perfect-It™ Random Orbital Wool Compounding Pads. Engineered to work with the 3M™ Perfect-It™ Random Orbital Polishing System, it delivers the cut you want without creating haze, swirl marks, or holograms.



- **REFINISHING, REDEFINED:** Experience no more swirls, holograms, or burn through with the 3M™ Perfect-It™ Random Orbital Wool Compounding Pads and the matching 3M™ Perfect-It™ Random Orbital Compound
- **CONSISTENT RESULTS:** Experience a virtually defect-free finish with no fear of burn through on your freshly painted panels. Designed for no trips back to the booth, no disruptions in cycle time and no loss of confidence on the job.
- **TWO SIZES AND GRADES:** Available in both 5" / 130 mm and 6" / 150 mm diameters in coarse and medium to fit the 3M™ Perfect-It™ Random Orbital Polisher.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100286952	34120	3M™ Perfect-It™ Random Orbital Wool Compounding Pad, Coarse, White, 130 mm (5 in), 34120				
7100286950	34121	3M™ Perfect-It™ Random Orbital Wool Compounding Pad, Medium, White, 130 mm (5 in), 34121				
7100286951	34124	3M™ Perfect-It™ Random Orbital Wool Compounding Pad, Coarse, White, 150 mm (6 in), 34124				
7100286947	34125	3M™ Perfect-It™ Random Orbital Wool Compounding Pad, Medium, White, 150 mm (6 in), 34125				

### Focus

### 3M™ Perfect-It™ Random Orbital Foam Compounding Pad

Achieve the best possible finish on a variety of paints and clear coats with the help of the 3M™ Perfect-It™ Random Orbital Foam Compounding Pad. Engineered to work with the 3M™ Perfect-It™ Random Orbital Polishing System, it delivers the cut you want without creating haze, swirl marks, or holograms.



- **REFINISHING, REDEFINED:** Experience no more swirls, holograms, or burn through with the 3M™ Perfect-It™ Random Orbital Foam Compounding Pad and matching 3M™ Perfect-It™ Random Orbital Compound.
- **CONSISTENT RESULTS:** Experience a virtually defect-free finish with no fear of burn through on your freshly painted panels. Designed for no trips back to the booth, no disruptions in cycle time and no loss of confidence on the job.
- **FAST CUTTING:** 3M™ Perfect-It™ Random Orbital Foam Compounding Pad quickly removes 3000 grade and finer sanding marks without adding swirl marks -- making your polishing step easier.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100286949	34122	3M™ Perfect-It™ Random Orbital Foam Compounding Pad, White, 130 mm (5 in), 34122				
7100286948	34126	3M™ Perfect-It™ Random Orbital Foam Compounding Pad, White, 150 mm (6 in), 34126				

# Finishing Products

## Focus

### 3M™ Perfect-It™ Random Orbital Foam Polishing Pad

Achieve the best possible finish on a variety of paints and clear coats with the 3M™ Perfect-It™ Random Orbital Finishing Foam Polishing Pad, part of the 3M™ Perfect-It™ Random Orbital Finishing System. It's engineered to be used by paint finishing and detailing professionals of all skill levels who want a high-quality finish without haze and swirl.



- **CONSISTENT RESULTS:** Experience a virtually defect-free finish with no fear of burn through on your freshly painted panels. Designed for no trips back to the booth, no disruptions in cycle time and no loss of confidence on the job.
- **EASY-TO-USE:** The 3M™ Perfect-It™ Random Orbital Foam Polishing Pad delivers a high-gloss finish for technicians of any skill level in collision and professional detailing shops when used as part of the 3M™ Perfect-It™ Random Orbital Polishing System.
- **TOUGH:** This firm foam pad is built to withstand the circular and oscillating motion of the 3M™ Perfect-It™ Random Orbital Polisher while still being flexible enough to follow a vehicle's contours.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100286964	34123	3M™ Perfect-It™ Random Orbital Foam Compounding Pad, Purple, 130 mm (5 in), 34123				
7100286963	34127	3M™ Perfect-It™ Random Orbital Foam Compounding Pad, Purple, 150 mm (6 in), 34127				

### 3M™ Perfect-It™ 1-Step Foam Finishing Pad

3M™ Perfect-It™ 1-Step Foam Finishing Pads are our highest performing, purple foam finishing pads, ideal for refining 3M™ Trizact™ Abrasive 8000 sanding scratches in a single step. Use in combination with 3M™ Perfect-It™ Famous Finish or 3M™ Perfect-It™ 1-Step Finish to achieve best results.



- Ideal for use with 3M™ Perfect-It™ Famous Finish or 3M™ Perfect-It™ 1-Step Finish
- For optimal performance use a rotation speed between 800 to 1400 rpm
- Convoluted surface reduces heat generation

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100203934	33033	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Purple, 80 mm, 33033		Each		
7100205187	33042	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Purple, 150 mm, 33042		Each		
7100236733	33034	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Quick Connect, 150 mm, Purple, 33034		Each		
7100236734	33035	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Quick Connect, 216 mm, Purple, 33035				

# Finishing Products

## 3M™ Perfect-It™ Foam Compounding Pad

Use 3M™ Perfect-It™ Foam Compounding Pads for refining sand scratches and slow speed polishing for high performance at every step of the compounding process. Use as part of our 3M™ Perfect-It™ Paint Finishing System for more efficient polishing and enhanced end results.



- Get easy changeouts using 3M Hookit™ and Quick Connect attachment systems
- Prevent slinging for faster, cleaner results thanks to foam construction that holds polish
- Diameters as small as 3" for accuracy in tight spaces or small areas

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100145280	05737	3M™ Perfect-It™ Foam Compounding Pad, 8 in, 05737				
7000032139	50499	3M™ Perfect-It™ Foam Compounding Pad, Green, Convoluted, 75 mm, 50499		Each		
7000032137	50487	3M™ Perfect-It™ Foam Compounding Pad, Green, Flat, 150 mm, 50487		Each		
7000032308	09550	3M™ Perfect-It™ Foam Compounding Pad, Orange, Flat, 150 mm, 09550		Each		
7100094551	50962	3M™ Perfect-It™ Foam Compounding Pad, Quick Connect System, Green, Convoluted, 150 mm, 50962		Each		
7100094455	50874	3M™ Perfect-It™ Foam Compounding Pad, Quick Connect System, Green, Convoluted, 216 mm, 50874		Each		
7100094458	50878	3M™ Perfect-It™ Foam Compounding Pad, Quick Connect System, Green, Flat, 150 mm, 50878		Each		
7100008771	05737	3M™ Perfect-It™ Foam Compounding Pad, White, Convoluted, 203 mm, 05737				

## 3M™ Perfect-It™ Foam Polishing Pad

3M™ Perfect-It™ Foam Polishing Pad is a fine pore soft foam pad . This foam pad quickly removes compound swirls and minor defects in both aftermarket and OEM paint.



- Designed to remove compound swirl marks and other minor surface defects
- Get a high gloss finish using a fine, soft foam polishing pad
- For use with all 3M™ Polishes

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100145283	05707	3M™ Perfect-It™ Foam Polishing Pad, 203 mm, 05707				
7100003842	05738	3M™ Perfect-It™ Foam Polishing Pad, Black, Convoluted, 203 mm, 05738				
7100094457	50879	3M™ Perfect-It™ Foam Polishing Pad, Quick Connect System, Yellow, Convoluted, 150 mm, 50879		Each		
7100094456	50875	3M™ Perfect-It™ Foam Polishing Pad, Quick Connect System, Yellow, Convoluted, 216 mm, 50875		Each		

# Finishing Products

## 3M™ Perfect-It™ Ultrafine Polishing Pad

Our 3M™ Perfect-It™ Ultrafine Polishing Pad helps to eliminate swirl marks on painted surfaces, even on difficult dark colored cars. Featuring a unique waffle face design that holds liquid polish, this pad applies polish evenly without releasing excess polish that may cause ripples in the finish.



- Get a high gloss shine on dark coloured paint finishes
- Used to help eliminate swirl marks and apply high gloss finishes
- Waffle face provides sufficient contact surface while holding polish well

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000060159	50457	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 75 mm, 50457		Each		
7000032123	50388	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 150 mm, 50388		Each		
7100003841	05733	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 203 mm, 05733				
7000060134	50389	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 203 mm, 50389				
7100094459	50880	3M™ Perfect-It™ Ultrafine Polishing Pad, Quick Connect System, Blue, Convoluted, 150 mm, 50880		Each		
7100094550	50708	3M™ Perfect-It™ Ultrafine Polishing Pad, Quick Connect System, Blue, Convoluted, 216 mm, 50708		Each		

## 3M™ Perfect-It™ Polishing Pad

Use 3M™ Perfect-It™ Polishing Pad for finer and softer polishing and a more efficient way to achieve an exceptional high gloss finish in repair works. It helps to quickly and efficiently achieve a perfect finish.




- Achieve a hologram free finish
- Get excellent value for money due to durable, long lasting waffle foam
- Get maximum polishing efficiency

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000061475	50536	3M™ Perfect-It™ Polishing Pad, Yellow, Convoluted, 75 mm, 50536		Each		
7000032138	50488	3M™ Perfect-It™ Polishing Pad, Yellow, Convoluted, 150 mm, 50488		Each		

## 3M™ Perfect-It™ High Gloss Polishing Pad

Use 3M™ Perfect-It™ High Gloss Polishing Pad to remove swirl marks and achieve maximum gloss in repairing paintworks.



- Remove swirl marks and scratches
- Repair defects with more ease and efficiency
- Get maximum polishing efficiency

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032135	09378	3M™ Perfect-It™ High Gloss Polishing Pad, Black, Convoluted, 150 mm, 09378		Each		

# Finishing Products

## 3M™ Wool Polishing Pad

Use the 3M™ Wool Polishing Pad for fast scratch and swirl removal during collision repairs, and an exceptional finish on all surfaces, including composites. Our single-sided pad with 3M™Hookit™ system provides fast change-outs. Our double-sided pad boasts firm, easy centering and consistent surface contact.



- Remove fine paint defects including compound swirl marks
- Get a fast cut for efficient and effective results
- Double-sided soft edge pads protect body and style lines

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100015449	05705	3M™ Wool Polishing Pad, 229 mm, Double-sided, 05705		Each		

## 3M™ Wool Compounding Pad

Use 3M™ Wool Compounding Pad with 3M compounds and attachment systems, for compounding on paints, clear and composite surfaces. Choose from 100% wool or finer 60/40 wool blend, for a variety of jobs. Use with our Hookit™ attachment system, for fast change-outs. Get a flawless finish.



- Remove finishing abrasive sand scratches and other paint surface defects
- Fast Cutting Compound Pad
- Untwisted wool yarn construction improves handling across large surface areas

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100015405	05704	3M™ Wool Compounding Pad, Double sided, 203 mm, 05704		Each		

## 3M™ Perfect-It™ Low Linting Wool Compounding Pad

Use the high performing 3M™ Perfect-It™ Low Linting Wool Compounding Pad, for a finer result when refining scratches on vehicle finishes, and no linting mess. Our fast-cutting double-sided pad is 100% low linting wool with a quick connect design. Use with 3M compounds and quick release adaptor, 05752/33271.



- Removes finishing abrasive sand scratches and other paint surface defects
- Fast, easy way to attach Buffing Pads to Polishers
- Get maximum polishing efficiency

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100145353	33279	3M™ Perfect-It™ Low Linting Wool Compounding Pad, Quick Connect System, 230 mm, 33279		Each		

## 3M™ Perfect-It™ Quick Connect Adaptor

3M™ Perfect-It™ Quick Connect Adapter makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. Our heavy-duty adapter saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8", or M14 thread.



- Allows quick changes of buffing pads
- Makes it easy to change between compound and polishing pads
- Provides a reliable connection between pad and polisher

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100141852	05752	3M™ Perfect-It™ Quick Connect Adaptor, 5/8 in, 05752				

# Finishing Products

## 3M™ Perfect-It™ Quick Connect Adaptor

3M™ Perfect-It™ Quick Connect Adapter makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. Our heavy-duty adapter saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8", or M14 thread.

- Allows quick changes of buffing pads
- Makes it easy to change between compound and polishing pads
- Provides a reliable connection between pad and polisher



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100086812	33271	3M™ Perfect-It™ Quick Connect Adaptor, M14, 33271		Each		

## Dry Guide Coat and Inspection Sprays

### Focus

### 3M™ Dry Guide Coat

Discover surface imperfections with 3M™ Dry Guide Coat. Our Dry Guide Coat requires no masking before use and has no dry time after application. It highlights defects such as pinholes in body filler and deep scratches in primer.

- Use to detect surface imperfections such as pinholes in body filler and deep scratches in primer
- Requires no masking
- Use for wet and dry sanding



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034531	09651	3M™ Dry Guide Coat, Applicator, 09651		Each		
7000086677	09650	3M™ Dry Guide Coat, Black, 50 g, 09650		Each		
7000034533	50416	3M™ Dry Guide Coat, Orange, 50 g, 50416		Each		
7100010304	51362	3M™ Dry Guide Coat, x2 plus Applicator Kit, 51362		Kit		

### 3M™ Perfect-It™ Finish Control Spray

3M™ Perfect-It™ Finish Control Spray is a paint surface cleaner used to check on the progress of the polishing process.

- Aerosol spray
- To check progress inbetween compounding steps
- Remove remainders of compound



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100113682	55535	3M™ Perfect-It™ Finish Control Spray, 500 ml, 55535		Canister		





# Masking Films and accessories

Masking films and accessories are part of our full masking systems for great finishes, which can help control dust and overspray, helping keep the paint booth and your work clean.

## PERSONAL SAFETY

• Comfort Particle Mask P3



• Comfort Goggles



• Reusable Overall



### 1 Cleaning of the surface



- ▶ Degrease the surface using paint company or other recommended product. Always follow the manufacturer's instructions.



3M™ Professional Panel Wipes

### 2 Partly covering of the car



- ▶ Cover the vehicle as soon as possible, this reduces the possibility of contamination from the surrounding environment.



3M™ Purple Premium PLUS Clear Masking Film  
4m x 150m,  
5m x 120m,  
6m x 120m



3M™ Premium Cutter

### 3 Pre covering



- ▶ Prepare the area for paint application, ensuring sufficient space to allow for smooth transitions and avoid hard edges.
- ▶ Cut the masking film to the appropriate size and attach to the outline masking using 3M masking tapes.



3M™ Soft Edge Foam Masking Tape PLUS



3M™ Trim Masking Tape

### 4 Roughly covering for primer application



- ▶ For best results, apply 3M™ Smooth Transition Tape on top of the 3M Masking tape to allow a smooth transition of primer edges.

Note: Avoid generating hard edges when primer masking. This generates surface swelling due to the concentration of solvents on the tape edges.



3M™ Smooth Transition Tape

### 5 Fine covering - preparation for paint application



- ▶ Before applying the base and clear coats, further cut the masking film and attach it to previous contour and aperture masking.
- ▶ Primer sanding.



3M™ Scotch® Masking Tape 3030



3M™ Scotch® Masking Tape 3434

### 6 Final masking (details) before painting - attaching parts



- ▶ Degrease the surface and adjacent panels as necessary.
- ▶ Mask other areas such as rubbers, trim etc.



3M™ Fine Line Masking Tapes 471+

### 7 De-masking



- ▶ Removal of masking tapes and film is best done when the car has just left the oven and is still warm.
  - ▶ Always remove Masking tape by pulling at a right angle to the surface. A flatter or sharper angle has a higher risk of leaving adhesive residue on the surface.
- Tip: Using Premium Masking Tapes will pay-off as they have a lower tendency to leave adhesive residue or tape to silver.

# Masking Films and accessories

## Masking Films

Focus

### 3M™ Purple Premium Plus Masking Film

Resist moisture imprinting or ghosting on painted vehicle surfaces with 3M™ Purple Premium Plus Masking Film. Our masking film is a premium high density plastic sheeting with superior clinging properties for vehicles.

- Use to resist imprinting and ghosting on painted vehicle surfaces
- High-density, tear-resistant, clear durable film formulated to provide excellent paint overspray adhesion
- Achieve better handling and increase cling to vehicles



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033093	50988	3M™ Purple Premium Plus Masking Film, 4 m x 150 m, 50988				Roll
7100080400	06725	3M™ Purple Premium Plus Masking Film, 5 m x 76 m, 06725				
7000071806	50989	3M™ Purple Premium Plus Masking Film, 5 m x 120 m, 50989				Roll
7100149832	51871	3M™ Purple Premium Plus Masking Film, 6 m x 100 m, 51871				

### 3M™ Clear Masking Film

Protect parts of vehicle you don't want to spray with 3M™ Clear Masking Film. Our masking film is a high density, clear polyethylene sheeting designed to statically cling to the surface of the vehicle and protect it from paint overspray.

- No paint or primer flaking
- Static cling ensures complete masking
- Simple one-person application



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033027	07838	3M™ Clear Masking Film, 4 m x 150 m, 07838				Roll
7000033062	80110	3M™ Clear Masking Film, 5 m x 120 m, 80110				Roll
7000084964	51061	3M™ Clear Masking Film, 6 m x 100 m, 51061				Roll

### 3M™ Taped Masking Film

Use 3M™ Taped Masking Film for localised masking and smart repairs. Our masking film is easy to use and cuts cleanly, it protects against paint spray and prevents paint runs off the plastic film.

- Protect against paint spray
- Prevent paint runs
- Use for smart repairs



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000097453	06057	3M™ Taped Masking Film, 19 mm x 400 mm x 22.5 m, 06057				
7000097455	06059	3M™ Taped Masking Film, 19 mm x 900 mm x 22.5 m, 06059				
7000097456	06060	3M™ Taped Masking Film, 19 mm x 1100 mm x 22.5 m, 06060				
7000097457	05967	3M™ Taped Masking Film, 19 mm x 1800 mm x 22.5 m, 06061				
7000097454	06058	3M™ Taped Masking Film, 19 mm x 600 mm x 22.5 m, 06058				



# Masking Films and accessories

## 3M™ Taped Masking Film

Use 3M™ Taped Masking Film for localised masking and smart repairs. Our masking film is easy to use and cuts cleanly, it protects against paint spray and prevents paint runs off the plastic film.



- Protect against paint spray
- Prevent paint runs
- Use for smart repairs

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000079877	05967	3M™ Taped Masking Film, 400 mm x 25 m, 05967				
7100136345	05967	3M™ Taped Masking Film, 400 mm x 25 m, 05967				Roll
7000079879	05968	3M™ Taped Masking Film, 600 mm x 25 m, 05968				
7100135962	05968	3M™ Taped Masking Film, 600 mm x 25 m, 05968				Roll
7000079880	05969	3M™ Taped Masking Film, 900 mm x 25 m, 05969				
7100135963	05969	3M™ Taped Masking Film, 900 mm x 25 m, 05969				Roll
7000079881	05970	3M™ Taped Masking Film, 1100 mm x 25 m, 05970				
7100136344	05970	3M™ Taped Masking Film, 1100 mm x 25 m, 05970				Roll
7000079882	05971	3M™ Taped Masking Film, 1800 mm x 25 m, 05971				
7100136798	05971	3M™ Taped Masking Film, 1800 mm x 25 m, 05971				Roll

## Film Installation Tools

### 3M™ Clear Masking Film Cutter

Cut masking film quickly and easily with 3M™ Clear Masking Film Cutter. Our cutter is a high quality safety blade developed to cut 3M™ Clear Masking Film without fraying.



- Use to cut 3M™ Clear Masking Film
- Speeds up masking process
- Versatile small cutting tool

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000033075	50293	3M™ Clear Masking Film Cutter, Premium, White, 50293				Each
7000033028	07813	3M™ Clear Masking Film Cutter, Standard, Blue, 07813				Each

### 3M™ Masking Film Dispenser

Use our portable 3M™ Masking Film Dispenser to store and dispense your 3M Masking Film. Sheeting not included.



- Get an easy to use portable film dispenser
- Dispense protective sheeting and masking film products with ease
- Use to store protective sheeting and masking film products

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100003432	06780	3M™ Masking Film Dispenser, 06780				Each

# Masking Films and accessories

## Surface Protection Materials

### 3M™ Dirt Trap Protection Material Applicators

3M™ Dirt Trap Nonwoven Protection Material Applicators are durable, portable equipment for applying 3M™ Dirt Trap Nonwoven Protection Material (white) to paint booths, paint bays and other collision repair shop spaces. Wall and floor applicators hold material rolls securely and roll smoothly as material is applied, and can be pushed and pulled without disassembly for fast and efficient application.



- Quickly applies 3M™ Dirt Trap Protection Material to floors and walls for cleaner, brighter work areas
- Material rolls load quickly with simple clamp motion
- Smooth-rolling applicator may be pushed or pulled without disassembly allowing for easier, faster application.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045516	36865	3M™ Dirt Trap Protection Material Applicators, Floor Applicator, 711 mm, 36865				
7000045517	36866	3M™ Dirt Trap Protection Material Applicators, Wall Applicator, 36866				

### 3M™ Dirt Trap Protection Material

Trap dust and overspray with 3M™ Dirt Trap Protection Material. Our white non-woven covering material is specially created to protect paint booth walls and floors, and brighten the work areas. It gives better visibility for technicians and a more pleasant shop look for collision repair customers.



- Specially engineered surface protection material protects collision repair shop walls and floors
- Reduces labor and costs related to dust and paint removal
- Non-woven construction traps airborne contaminants, helping to control dust and overspray

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045499	36851	3M™ Dirt Trap Protection Material, White, 355.6 mm x 91.44 m, 36851				
7000000528	36852	3M™ Dirt Trap Protection Material, White, 711.2 mm x 91.44 m, 36852		Roll		

### 3M™ Dirt Trap Clear Film Dispenser

3M™ Dirt Trap™ Clear Film Dispenser is designed for use with 3M Dirt Trap Clear Film. Our dispenser is made with high strength magnets that secure it to a vertical metal surface.



- Conveniently dispenses 3M™ Dirt Trap Clear Film to protect lights and windows from overspray buildup
- High strength magnets secure the dispenser to a vertical metal surface
- Durable metal construction for use in automotive paint shops

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100173136	36863	3M™ Dirt Trap Clear Film Dispenser, 36863		Each		

# Masking Films and accessories

## 3M™ Dirt Trap Protection Material Dispenser

Store and dispense 3M™ Dirt Trap Protection Material with 3M™ Dirt Trap Protection Material Dispenser. Our material dispenser has high strength magnets that secure it on vertical metal surfaces to dispense and apply the dirt trap material covering.



- An approved component of the 3M™ Dirt Trap Protection System
- Easily dispense 3M™ Dirt Trap Protection Material
- High-strength magnets secure unit on vertical metal surfaces

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100003285	36862	3M™ Dirt Trap Protection Material Dispenser, Red, 36862				

## 3M™ Dirt Trap Clear Film Protection Material

3M™ Dirt Trap Clear Film Protection Material is an adhesive-backed clear film that protects lights and windows from overspray buildup. No more scraping and cleaning is needed and application and removal is easy and fast.



- Specially engineered surface protection material protects collision repair shop lights and windows.
- Adhesive backing keeps material in place and removes cleanly, suitable for a variety of substrates
- Applies quickly and removes easily

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000028295	36856	3M™ Dirt Trap Clear Film Protection Material, 457 mm x 30.5 m, 36856		Roll		

## 3M™ Booth Coating

Protect paint booth walls, lights and windows from paint and primer overspray with 3M™ Booth Coating. Our non-tacky booth coating can be applied with a paint gun and dries to a clear film. To remove it, just wash with water.



- Sprayable water-based liquid that dries to a clear film and cleans up with water.
- Protect paint booth walls, lights and windows
- Use conventional spray gun equipment to apply

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000028421	06839	3M™ Booth Coating, 3.78 L, 06839				
7000084145	06839	3M™ Booth Coating, Clear, 3.78 L, 06839		Each		



# Masking Films and accessories

## 3M™ Overspray Masking Liquid Dry

Guard against overspray of vehicles, with 3M™ Overspray Masking Liquid Dry. Our lightly-bonding film spray on water-based solution replaces time-intensive masking and is easy to clean – it simply dissolves in water and washes off.



- Protect all vehicle surfaces against auto paint and primer overspray
- Cover hard-to-mask surfaces
- Apply with conventional spray equipment – no additional costs for liquid masking

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045767	06847	3M™ Overspray Masking Liquid Dry, 3.78 L, 06847		Bottle		
7000045768	06851	3M™ Overspray Masking Liquid Dry, 18.9 L, 06851		Drum		
7000045769	06856	3M™ Overspray Masking Liquid Dry, 56.7 L, 06856		Drum		

## 3M™ Interior Protection Automotive Seat Cover

Protect your car seats during maintenance and repairs with 3M™ Interior Protection Automotive Seat Cover. Our disposable plastic seat cover has nonslip technology to keep it in place. It's available in a single pocket or dual pocket design.



- Use for all vehicles –one size fits all
- Get resistance to water, oil and grease
- Reduce valeting costs

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000088700	50588	3M™ Interior Protection Automotive Seat Cover, 50588		Each		
7000088640	80307	3M™ Interior Protection Automotive Seat Cover, 80307				
7000088742	50731	3M™ Interior Protection Automotive Seat Cover, BMW Dual Pocket Seat Cover, 50731		Each		

## 3M™ Self-Stick Liquid Protection Fabric

3M™ Self-Stick Liquid Protection Fabric is ideal for a wide range of temporary surface protection in industrial settings. Its liquid-proof layer protects work surfaces from water, oils, solvents and more. Its nonwoven surface traps dirt, dust and debris and prevents them from spreading through the facility. Its adhesive backing keeps it securely in place and removes without residue.



- 3M™ Self-Stick Liquid Protection Fabric must not be used in any areas where explosive concentrations of ignitable materials could be present, as static discharge may occur. These include areas identified as ATEX Zones 0, 1, 2 and 20, 21, 22
- Specially engineered surface protection material for industrial, marine and automotive applications
- Temporarily protects surfaces from the damaging effects of liquids, oils and solvents while also trapping dirt

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100169348	36876	3M™ Self-Stick Liquid Protection Fabric, Blue, 10.16 cm x 91.5 m, 36876				
7100169347	36877	3M™ Self-Stick Liquid Protection Fabric, Blue, 15.24 cm x 91.5 m, 36877				
7100169505	36878	3M™ Self-Stick Liquid Protection Fabric, Blue, 35.56 cm x 91.5 m, 36878				

# ■ Masking Films and accessories

## 3M™ Self-Stick Liquid Protection Fabric

3M™ Self-Stick Liquid Protection Fabric is ideal for a wide range of temporary surface protection in industrial settings. Its liquid-proof layer protects work surfaces from water, oils, solvents and more. Its nonwoven surface traps dirt, dust and debris and prevents them from spreading through the facility. Its adhesive backing keeps it securely in place and removes without residue.



- 3M™ Self-Stick Liquid Protection Fabric must not be used in any areas where explosive concentrations of ignitable materials could be present, as static discharge may occur. These include areas identified as ATEX Zones 0, 1, 2 and 20, 21, 22
- Specially engineered surface protection material for industrial, marine and automotive applications
- Temporarily protects surfaces from the damaging effects of liquids, oils and solvents while also trapping dirt

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100169496	36879	3M™ Self-Stick Liquid Protection Fabric, Blue, 71.12 cm x 91.5 m, 36879				
7100169352	36880	3M™ Self-Stick Liquid Protection Fabric, Blue, 91.44 cm x 91.5 m, 36880				
7100169351	36881	3M™ Self-Stick Liquid Protection Fabric, Blue, 121.92 cm x 91.5 m, 36881				
7100169350	36882	3M™ Self-Stick Liquid Protection Fabric, Blue, 142.24 cm x 91.5 m, 36882				



# Tapes

Achieve sharp lines and smooth transitions in every paint job. Choose tapes for trim masking, jamb masking, multi-color striping and much more.

# Tapes

## Masking & Paper Tapes

Focus

### Scotch® High Performance Masking Tape 3434

Use Scotch® High Performance Masking Tape 3434 for a wide variety of applications in auto refinishing. Use in environments up to 110°C and in conditions of high water resistance. Our high performance blue crepe paper masking tape has excellent solvent and water resistance properties.



- Maximum solvent and water resistance
- High temperature (110C) resistance
- Good conformability

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100037748	07895	Scotch® High Performance Masking Tape 3434, Blue, 18 mm x 50 m, 07895				Roll
7100037749	07897	Scotch® High Performance Masking Tape 3434, Blue, 24 mm x 50 m, 07897				Roll
7000034687	07893	Scotch® High Performance Masking Tape 3434, Blue, 30 mm x 50 m, 07893				
7100037750	07898	Scotch® High Performance Masking Tape 3434, Blue, 36 mm x 50 m, 07898				Roll
7100037744	07899	Scotch® High Performance Masking Tape 3434, Blue, 48 mm x 50 m, 07899				Roll

### Scotch® Masking Tape 2328

Use Scotch® Masking Tape 2328 for a wide variety of applications in auto refinishing. Our masking tape adheres well. It offers a secure grip, clean removal and excellent edge definition. It also conforms well and has high edge tear resistance. Available in a range of popular widths.



- Use in a variety of applications as a medium tier performance tape
- Get a conformable tape with excellent tear edge
- Remove cleanly and give excellent adhesion

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100137086	06304	Scotch® Masking Tape 2328, Beige, 18 mm x 50 m, 06304				Roll
7100137090	06304	Scotch® Masking Tape 2328, Beige, 18 mm x 50 m, 06304				
7100136825	06309	Scotch® Masking Tape 2328, Beige, 24 mm x 50 m, 06309				
7100137237	06309	Scotch® Masking Tape 2328, Beige, 24 mm x 50 m, 06309				Roll
7100138270	06310	Scotch® Masking Tape 2328, Beige, 30 mm x 50 m, 06310				
7100137087	06311	Scotch® Masking Tape 2328, Beige, 36 mm x 50 m, 06311				Roll
7100137088	06311	Scotch® Masking Tape 2328, Beige, 36 mm x 50 m, 06311				
7100137089	06313	Scotch® Masking Tape 2328, Beige, 48 mm x 50 m, 06313				
7100138271	06313	Scotch® Masking Tape 2328, Beige, 48 mm x 50 m, 06313				Roll
7100035734	51287	Scotch® Masking Tape 2328, Beige, 72 mm x 40 m, 51287				Roll
7000095910	127858	Scotch® Masking Tape 2328, Beige, 100 mm x 50 m, 127858				

# Tapes

## Scotch® Premium Auto Refinish Masking Tape 3030

Get clean paint lines and less build up with Scotch® Premium Auto Refinish Masking Tape 3030. Our green-coloured, smooth creped masking tape is a specially formulated cross-linked rubber/resin adhesive and suits a wide variety of bodyshop applications.



- Use with water based paint systems
- Stick easily without lifting or curling
- Remove easily and cleaning without leaving adhesive residue

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100038518	50977	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 18 mm x 50 m, 50977				Roll
7100039717	50978	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 24 mm x 50 m, 50978				Roll
7000088819	50979	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 30 mm x 50 m, 50979				
7100041822	50980	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 36 mm x 50 m, 50980				Roll
7100037752	50981	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 48 mm x 50 m, 50981				Roll
7100037745	50982	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 72 mm x 50 m, 50982				Roll
7000088823	50983	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 100 mm x 50 m, 50983				Roll

## Scotch® Profi Tape 3430

Scotch® Profi Tape 3430 is a premium, high temperature resistant crepe paper masking tape.



- High temperature resistant (up to 100° C for up to 1 hour)
- Water and solvent resistant
- Conformable - ideal for corner masking

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100037742	06750	Scotch® Profi Tape 3430, Brown, 18 mm x 50 m, 06750				
7100037743	06751	Scotch® Profi Tape 3430, Brown, 24 mm x 50 m, 06751				
7000088457	06752	Scotch® Profi Tape 3430, Brown, 30 mm x 50 m, 06752				
7100037751	06753	Scotch® Profi Tape 3430, Brown, 36 mm x 50 m, 06753				
7100044280	06754	Scotch® Profi Tape 3430, Brown, 48 mm x 50 m, 06754				

# Tapes

## Scotch® Performance Masking Tape 233+

Scotch® Performance Masking Tape 233+, is a highly-conformable tape that provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results. Waterborne paint compatible.



- High performance masking tape
- Highly conformable, provides outstanding paint lines; resists bleed-through and adhesive transfer
- Sticks and stays when applied, no lifting or edge curl

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100006159	26334	Scotch® Performance Masking Tape 233+, Green, 18 mm x 55 m, 26334				Roll
7000048804	26336	Scotch® Performance Masking Tape 233+, Green, 24 mm x 55 m, 26336				Roll
7100007214	26338	Scotch® Performance Masking Tape 233+, Green, 36 mm x 55 m, 26338				
7000048805	26340	Scotch® Performance Masking Tape 233+, Green, 48 mm x 55 m, 26340				Roll

## Scotch® Masking Tape 2822

Scotch® Masking Tape 2822 is a cream coloured masking tape with paper backing and a rubber based adhesive for general masking bodywork.



- Good for curved / shaped applications
- Does not lift or curl
- Heat resistant for normal baking applications

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100138269	51822	Scotch® Masking Tape 2822, Cream, 18 mm x 50 m, 51822				
7100137216	51819	Scotch® Masking Tape 2822, Cream, 24 mm, x 50 m, 51819				
7100138420	51823	Scotch® Masking Tape 2822, Cream, 30 mm, x 50 m, 51823				
7100137091	51820	Scotch® Masking Tape 2822, Cream, 36 mm, x 50 m, 51820				
7100137092	51821	Scotch® Masking Tape 2822, Cream, 48 mm, x 50 m, 51821				

## Scotch® Masking Tape 233

Scotch® Masking Tape 233 is a premium masking tape, made of very thin beige crepe paper. This high performance masking tape has excellent solvent and water resistance properties and is particularly suited to high temperature exposure.



- High temperature resistance - up to 120°C for up to 1 hour
- Excellent solvent resistance. Conformable, hugs curves and contours
- Easy to apply and fast and clean to remove

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100036080	06354	Scotch® Masking Tape 233, Beige, 18 mm x 50 m, 06354				
7100037746	06355	Scotch® Masking Tape 233, Beige, 24 mm x 50 m, 06355				
7100044159	06357	Scotch® Masking Tape 233, Beige, 36 mm x 50 m, 06357				
7100037747	06358	Scotch® Masking Tape 233, Beige, 48 mm x 50 m, 06358				



# Tapes

## Scotch® Masking Tape 233

Scotch® Masking Tape 233 is a premium masking tape, made of very thin beige crepe paper. This high performance masking tape has excellent solvent and water resistance properties and is particularly suited to high temperature exposure.

- High temperature resistance - up to 120°C for up to 1 hour
- Excellent solvent resistance. Conformable, hugs curves and contours
- Easy to apply and fast and clean to remove



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000088669	06340	Scotch® Masking Tape 233, Beige, 48 mm x 55 m, 06340		Roll		

## 3M™ Precision Masking Tape

3M™ Precision Masking Tape is excellent for critical edge paint performance, helping auto body painters produce sharp paint lines using solvent and waterborne paint systems. Its ultra thin paper backing helps produce very low paint edges, yet it's strong enough to pull through layers of color and clear coat. The tape is ideal for two-tone separation, bumper black out areas and back masking.

- Prevent paint running
- Ideal for critical edge masking applications such as two-tone separation, bumper black out areas and back masking with solvent and waterborne paints
- Semitransparent for better visibility



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045536	06525	3M™ Precision Masking Tape, Green, 6.35 mm x 55 m, 06525		Roll		
7000045537	06526	3M™ Precision Masking Tape, Green, 19.05 mm x 55 m, 06526		Roll		
7000120100	06529	3M™ Precision Masking Tape, Green, 19.05 mm x 55 m, 06529		Roll		
7000120065	06528	3M™ Precision Masking Tape, Green, 50.8 mm x 55 m, 06528		Roll		

### Focus

## 3M™ Soft Edge Foam Masking Tape PLUS

Eliminate rework of unwanted paint lines and save time with 3M™ Soft Edge Foam Masking Tape PLUS. Our tape is ideal for masking door apertures, bonnet or boot lid openings that need to be sealed during an automotive painting job. The off-set adhesive keeps adhesive away from the paint edge.

- Avoid hard paint lines in apertures and other vehicle areas
- Reduce painting time with less rework needed for unwanted paint lines
- Offset adhesive and tubular design to conform and seal opening



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034714	50421	3M™ Soft Edge Foam Masking Tape PLUS, Blue, 21 mm x 7 m, 50421		Roll		
7000000527	066293	3M™ Soft Edge Foam Masking Tape PLUS, Blue, 21 mm x 49 m, 066293				

# Tapes

## 3M™ Soft Edge Foam Masking Tape

Mask door apertures, bonnet or boot lid openings and other vehicle parts with 3M™ Soft Edge Foam Masking Tape. Our tape is perfect for the sealing part of a painting operation and saves you time on reworking due to unwanted tape lines.



- Avoid hard paint lines in aperture areas and seal them with confidence
- Eliminate rework due to unwanted tape lines, saving time and money
- Get a specially designed polyurethane foam structure

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000112769	xxx	3M™ Soft Edge Foam Masking Tape, Kit				
7000000514	06287	3M™ Soft Edge Foam Masking Tape, White, 13 mm x 50 m, 06297				
7000034663	09678	3M™ Soft Edge Foam Masking Tape, White, 13 mm x 50 m, 09678			Roll	
7000034744	09678	3M™ Soft Edge Foam Masking Tape, White, 13 mm x 50 m, 09678				
7000000515	06298	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 35 m, 06298				
7000034664	09973	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 35 m, 09973			Roll	
7000034743	09973	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 35 m, 09973				

## 3M™ Smooth Transition Tape

Our 3M™ Smooth Transition Tape is a fast, simple way to virtually eliminate rework caused by hard paint lines. It is designed specifically to create smooth transitions to existing finishes: a raised center ridge contains adhesive, while the paint feathers in naturally beneath the edges for virtually invisible paint lines.



- Eliminate hard paint lines
- Apply and remove easily with speed and ease
- Leaves a smooth paint transition - no hard edge line for collision repair painters

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000000459	06800	3M™ Smooth Transition Tape, White, 6.35 mm x 9 m, 06800				Roll

## 3M™ Perforated Trim Masking Tape

3M™ Perforated Trim Masking Tape features a rigid band along one edge that slips gently behind moldings, lifting them slightly from the body. This tape allows paint to flow beneath the moldings while masking their exteriors for a professional, finished paint job without removing or replacing the moldings or rework for paint lines. Perforations allow you to tear the tape by hand, saving time.



- Perforations allow for hand tearing without tools
- Hard band at the tape edge slightly lifts moldings from the body for concealed paint edges
- Speeds paint time – no need to remove or clean auto body moldings

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100145500	06345	3M™ Perforated Trim Masking Tape, 5 mm Hard Band, 50.8 mm x 10 m, 06345				Roll
7100145503	06347	3M™ Perforated Trim Masking Tape, 7 mm Hard Band, 50.8 mm x 10 m, 06347				Roll
7100145501	06349	3M™ Perforated Trim Masking Tape, 10 mm Hard Band, 50.8 mm x 10 m, 06349				Roll
7100145502	06348	3M™ Perforated Trim Masking Tape, 15 mm Hard Band, 50.8 mm x 10 m, 06348				Roll

# Tapes

## Scotch® Fine Line Striping Tape

Save time and create precise fine lines when auto body paint striping, using Scotch® Fine Line Striping Tape. Our 1in wide tape is pre-slit and easy to use. Simply apply our specially engineered tape, and pull out up to eight 1/6in wide strips to expose paintable areas.



- Create fine lines quickly and easily, without bleed
- Use for excellent multicolour striping, thanks to solvent and waterborne coating resistance
- Even adhesion allows taping over fresh basecoats sooner with less chance of imprinting

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000029139	06314	Scotch® Fine Line Striping Tape, 8 Pull Outs, 25.4 mm x 13.9 m, 06314		Roll		

## 3M™ Welding and Spark Deflection Paper

3M™ Welding and Spark Deflection Paper helps protect vertical surfaces from damage caused by welding spatter and grinding sparks. Our flame-retardant paper comes with adhesive backing for easy application to vertical surfaces. The adhesive backing allows for easy repositioning of the spark deflection paper as needs change at a work site.



- Deflection paper helps protect vertical surfaces from sparks and spatter
- Recommended wherever welding or grinding tasks are performed
- Adhesive backing allows for simple installation

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045694	05916	3M™ Welding and Spark Deflection Paper, 0.6 m x 45.7 m, 05916		Roll		

## 3M™ Masking Paper

3M™ Masking Paper is a traditional product for protecting areas of the vehicle to be protected from paint overspray.



- Colour brown
- For simple masking applications
- Use with 3M Masking Tape

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000098436	06290	3M™ Masking Paper, Brown, 200 mm x 400 m, 06290				
7000097475	06291	3M™ Masking Paper, Brown, 300 mm x 366m, 06291				
7000037614	06291	3M™ Masking Paper, Brown, 300 mm x 400 m, 06291				
7000097474	06281	3M™ Masking Paper, Brown, 450 mm x 366 m, 06281				
7000037615	06281	3M™ Masking Paper, Brown, 450 mm x 400 m, 06281				
7000097473	06282	3M™ Masking Paper, Brown, 600 mm x 366 m, 06282				
7000037616	06282	3M™ Masking Paper, Brown, 600 mm x 400 m, 06282				
7000097472	06283	3M™ Masking Paper, Brown, 900 mm x 366 m, 06283				
7000037617	06283	3M™ Masking Paper, Brown, 900 mm x 400 m, 06283				
7000097471	06284	3M™ Masking Paper, Brown, 1100 mm x 366 m, 06284				
7000037618	06284	3M™ Masking Paper, Brown, 1150 mm x 400 m, 06284				

# Tapes

## Vinyl Tapes

### 3M™ Vinyl Tape 471+

3M™ Vinyl Tape 471+ is for accurate masking alignment with simple or complex patterns. Our tape provides clean removal without adhesive residue, even after a 30 minute bake cycle at 121 °C. It resists lifting from compound surfaces, contours, depressions and angles for precision paint results.



- Provides clean removal without adhesive residue after a 30 minute bake cycle at 121 °C. Even no ghosting effect
- Flexible and conformable tape creates fine paint lines for striping, colour separation and complex designs
- Semi-translucent backing allows for accurate alignment with simple and complex patterns

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100055258		3M™ Vinyl Tape 471+, Indigo, 3 mm x 32 m, 0.14 mm, PN6404			Roll	
7100055835		3M™ Vinyl Tape 471+, Indigo, 6 mm x 32 m, 0.14 mm, PN6405			Roll	

## Bonding, Mounting & Transfer Tapes

### 3M™ Press-In-Place Emblem Adhesive

3M™ Press-In-Place Emblem Adhesive is a transfer adhesive allowing emblems with existing foam tape to be re-attached.






















- Pressure sensitive adhesive attaches automotive emblems and trim
- Simply press emblem onto adhesive and place emblem on vehicle
- No-mess convenience eliminates messy drips and runs common to conventional glue

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000045704	08069	3M™ Press-In-Place Emblem Adhesive, 50.8 mm x 305 mm, 08069			Each	

# Workers Safety



Reliable Processes and safe working starts before taking the first step.

Process Step	Particle mask	Half-mask	Full face respirators with fresh air supply	Powered Air Respirator Systems	Safety Glasses / Goggles
					
Preparation					
Filler Application					
Dry sanding					
Paint Mixing					
Painting					
Finish / Polishing					

\* Please always consult national regulations for suitable Personal Protective Equipment (PPE) for use against hazards, including isocyanates. PPE shown may not be adequate or suitable for your specific application or substances used.

Hearing protection	Protective Paintshop Coveralls	Standard Coveralls	Gloves	Skin cleaning	Skin protection cream
					
					
					
					
					
					
					





# Respiratory Protection

Providing PPE to help protect the health of your technicians helps protect the whole business. 3M's personal protective products can help you protect workers: A paint shop's most valuable resource!

# Respiratory Protection

## Disposable Respirators

### 3M™ Aura™ Particulate Respirators 9300+ Series

3M™ Aura™ Particulate Respirators 9300+ Series has an ergonomic, flat-fold, 3-panel design featuring a low breathing resistance filter media. Available in FFP1, FFP2 and FFP3 protection levels, and with valved and unvalved models, our respirators feature an innovative chin tab for easy adjustments and an embossed, sculpted upper panel to help reduce eyewear fogging.



- Original 3-panel design allows for greater facial movement
- Low resistance filter technology helps you breathe easily
- Available with 3M™ Cool Flow™ Valve which helps reduce heat build-up

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000088725		3M™ Aura™ Particulate Respirator, FFP1, Unvalved, 9310+		Each		
7000034717	9312+	3M™ Aura™ Particulate Respirator, FFP1, Valved, 9312+		Each		
7000088724		3M™ Aura™ Particulate Respirator, FFP1, Valved, 9312+	120	Each		
7000088723	542075	3M™ Aura™ Particulate Respirator, FFP2, Unvalved, 9320+		Each		
7100241313		3M™ Aura™ Particulate Respirator, FFP2, Unvalved, Bulk, 9320D+				
7000088722	542037	3M™ Aura™ Particulate Respirator, FFP2, Valved, 9322+		Each		
7000034741	9330+	3M™ Aura™ Particulate Respirator, FFP3, Unvalved, 9330+		Each		
7100231525	9330+ BULK	3M™ Aura™ Particulate Respirator, FFP3, Unvalved, 9330+Gen3 RU		Each		
7100101249		3M™ Aura™ Particulate Respirator, FFP3, Valved, 9332+		Each		

## Full Face Respirators

### 3M™ Reusable Full Face Mask 6000 Series

3M™ Reusable Full Face Masks 6000 Series have a large polycarbonate lens and soft, elastomeric facepiece. The 3M™ Bayonet Connection System enables you to connect to a broad range of 3M twin lightweight filters. The 6000 Series is lightweight and features a 3M™ Cool Flow™ Valve and four-strap suspension.



- Soft, elastomeric facepiece for wearer comfort
- Four-strap suspension means the mask is easy to put on and take off
- Large polycarbonate lens offers good visibility and that complies to relevant performance requirements of EN166:B

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100015052	6900	3M™ Reusable Full Face Mask, Large, 6900		Each		
7100211632		3M™ Reusable Full Face Mask, Medium, 6800				
7100015974	6700	3M™ Reusable Full Face Mask, Small, 6700		Each		

# Respiratory Protection

## 3M™ Reusable Full Face Respirator Kits

3M™ Reusable Full Face Mask Respirator Kits provide A2P3 R breathing protection. Our respiratory kit includes a 3M™ Full Face Respirator 6000 Series with two A2 gas and vapour filters, two P3 R particle filters, two filter retainers, twenty-five visor-protective film covers and ten cleaning wipes. The mask facepiece is made from durable, soft silicone and is available in Medium or Large Size.



- Ready-to-use respiratory kit containing a full-face mask and set of filters
- Soft silicone full facepiece offers comfort and durability
- Lightweight, low-maintenance, economical and easy to handle

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000061622		3M™ Reusable Full Face Respirator Kit, A2P3 R Filter, Large Mask, 50649		Each		
7000061621		3M™ Reusable Full Face Respirator Kit, A2P3 R Filter, Medium Mask, 50648		Each		

## Half Mask Respirators

### 3M™ Maintenance Free Reusable Respirators 4000+ Series

3M™ Maintenance Free Reusable Respirators 4000+ Series are a range of simple and ready-to-use respirators with integrated cartridge and filters. A newly enhanced valve assembly helps to reduce exhalation breathing resistance, and the close-fitting, non-silicone, textured face seal is soft and non-allergenic. Includes a resealable bag for hygienic storage and transportation.



- A newly enhanced valve assembly helps to reduce exhalation breathing resistance for improved breathing comfort
- Lightweight, well-balanced design
- Integrated filters mean it's ready to use and maintenance free

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100113098	4251+	3M™ Maintenance Free Reusable Respirator Half Mask, FFA1P2 R D Filters, 4251+		Each		
7100113101	4255+	3M™ Maintenance Free Reusable Respirator Half Mask, FFA2P3 R D Filters, 4255+		Each		
7100113102	4277+	3M™ Maintenance Free Reusable Respirator Half Mask, FFABE1P3 R D Filters, 4277+		Each		
7100113103	4279+	3M™ Maintenance Free Reusable Respirator Half Mask, FFABEK1P3 R D Filters, 4279+		Each		

# Respiratory Protection

## 3M™ Reusable Respirator Starter Kits

Get convenient, ready to go respiratory protection for a wide variety of applications with the 3M™ Reusable Respirator Starter Kits. Ready to use kits contain a 3M™ Reusable Half Mask with a set of filters to protect against a wide range of gases, vapours and particulates. A wide variety of options are available to ensure the correct protection for your application.



- Reusable Respirator kit with filters
- Options available for a wide variety of applications
- Low profile half mask for a balanced secure fit.

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100049926	6783	3M™ Reusable Respirator Starter Kit, A2P2 R Filter, Large Half Mask, 06783				Kit

## 3M™ Respirator Starter Kit 06782

With Ready-to-Use Respiratory kit you have a safe solution for Painting. Ready to use kit contains a medium size reusable half mask with a set of A2P2 R filters to protect against organic vapours and particulates. Soft silicone face piece for comfort and durability with Cool Flow valve for reduced heat and moisture build up. Low profile, twin filter design half mask for a balanced secure fit.



- Ready-to-use respiratory kit contains a half mask and set of filters
- Soft silicone facepiece offers comfort and durability
- Lightweight, low-maintenance, economical and easy to handle

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100049925	6782	3M™ Respirator Starter Kit, A2P2 R Filter, Medium Half Mask, 06782				

## 3M™ Reusable Half Mask Respirator 7500 Series

3M™ Reusable Half Face Masks 7500 Series have a bayonet-style twin-filter design that fits a broad range of 3M lightweight filters. Our 7500 Series reusable masks have a 3M™ Cool Flow™ Valve, a soft sealing surface for comfort, and a unique head harness with an optional drop-down strap.



- Soft sealing surface and low breathing resistance makes them comfortable to wear for long durations
- Cool Flow™ Valve helps reduce heat build-up by allowing warm, exhaled air to escape
- Twin-filter design for even distribution of weight and minimal obstruction to field of vision

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000104178	7503	3M™ Reusable Half Face Mask, Large, 7503				Each
7000104177	7502	3M™ Reusable Half Face Mask, Medium, 7502				Each
7000104176	7501	3M™ Reusable Half Face Mask, Small, 7501				Each

# Respiratory Protection

## 3M™ Reusable Half Mask Respirator Kits 5073X

3M™ Reusable Half Mask Respirator Kits, 5073X provide breathing protection for workers in a wide variety of industrial applications. Our respiratory kits includes a 3M™ Reusable Half Face Mask 7500 Series with two gas and vapour filters, two particle filters, two filter retainers, twenty-five visor-protective film covers and ten cleaning wipes. The mask facepiece is made from durable, soft silicone.



- Ready-to-use respiratory kit contains a half mask and set of filters
- Soft silicone facepiece offers comfort and durability
- Lightweight, low-maintenance, economical and easy to handle

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000062385		3M™ Reusable Half Mask Respirator Kit, A2P3 R Filter, Large Mask, 50734		Each		
7000061627		3M™ Reusable Half Mask Respirator Kit, A2P3 R Filter, Medium Mask, 50733		Each		

## 3M™ Reusable Respirator Filter Kits

3M™ Reusable Respirator Filter Kits are replacement filter kits designed for use with 3M™ Reusable Respirators. 3M™ Reusable Respirator Filter kits contain 3M™ Bayonet Style Gas & Vapour Filters, 3M™ Bayonet Style Particulate filters and 3M™ Cleaning Wipes.



- Convenient Filter bundle for paintshop applications
- Contains 3M™ Gas & Vapour Filters, A2, 06915
- Contains 3M™ Particulate Filters, P2, 06925

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100052194		3M™ Reusable Respirator Filter Kit, A2P2R Filter, 06959				

## 3M™ Reusable Respirator Half Mask Starter Kits

With Ready-to-Use Respiratory kit you have a safe solution for Painting. Ready to use kit contains a medium size reusable half mask with a set of A1P2 R filters to protect against organic vapours and particulates. Soft silicone face piece for comfort and durability with Cool Flow valve for reduced heat and moisture build up. Low profile, twin filter design half mask for a balanced secure fit.



- Respirator kit with medium size half mask & A1P2 R filters
- Low profile, twin filter design half mask for a balanced secure fit
- Cool Flow valve for reduced heat and moisture build up

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100049923		3M™ Reusable Respirator Half Mask Starter Kit, A1P2 R Filter, Medium Mask, 06772				

# Respiratory Protection

## 3M™ Secure Click™ Reusable Half Mask Respirator HF-800 Series

Designed with smart and intuitive features 3M™ Secure Click™ Reusable Half Mask Respirator HF-800 Series is simple, comfortable and reliable. Available in three sizes: small, medium, and large, our respirators all come with an optional speaking diaphragm.



- Greater breathability and comfort provided by the world's first quad flow cartridge system
- Push button seal check helps bolster confidence that the respirator is properly sealed to the face
- Speaking diaphragm is designed to help provide easier communication while you work

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100172004	HF-803	3M™ Secure Click™ Half Mask Reusable Respirator, Large, HF-803		Each		
7100172003	HF-802	3M™ Secure Click™ Half Mask Reusable Respirator, Medium, HF-802		Each		
7100171979	HF-801	3M™ Secure Click™ Half Mask Reusable Respirator, Small, HF-801		Each		
7100172005	HF-803SD	3M™ Secure Click™ Half Mask Reusable Respirator, Speaking Diaphragm, Large, HF-803SD		Each		
7100171980	HF-802SD	3M™ Secure Click™ Half Mask Reusable Respirator, Speaking Diaphragm, Medium, HF-802SD		Each		
7100172006	HF-801SD	3M™ Secure Click™ Half Mask Reusable Respirator, Speaking Diaphragm, Small, HF-801SD		Each		

## Cartridges & Filters

### 3M™ Gas, Vapour and Particulate Filters

3M™ Gas, Vapour and Particulate Filters have a bayonet-style connection that fits a wide range of compatible half and full-face 3M™ Reusable Masks. The swept back profile is designed to optimise your field of vision. Our range of lightweight filters offer well-balanced breathing protection for hazardous environments.



- Protects against a range of vapours, gases and particulates
- Combines protection with comfort and balance
- Low profile design to optimise your field of vision

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000034747	6059	3M™ Gas and Vapour Filter, ABEK1, 6059		Each		
7000089106	6911	3M™ Organic Gas and Vapour Filter, A1, 06911				
7000089105	6915	3M™ Organic Vapour Filter, A2, 06915				



# Respiratory Protection

## 3M™ Particulate Filters

3M™ Particulate Filters provide protection against a wide range of dusts, mist and other particles. 3M particulate filters offer low breathing resistance and good balance with a slim, swept back profile, designed to optimise your field of vision when wearing the respirator. Selected filters in the range can be used in conjunction with a 3M™ 501 filter retainer and a 3M™ Gas & Vapour Filter to provide combined gas, vapour and particulate protection.



- Protects against a range of dusts, mists and particulates
- Options for P1, P2 or P3 protection
- Features the 3M Bayonet style connection

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000037675	5935	3M™ Particulate Filter P3 R, 5935		Each		

## 3M™ Secure Click™ Gas, Vapour and Particulate Filters D8000 Series

3M™ Secure Click™ Gas, Vapour and Particulate Filters D8000 Series can offer protection against a range of respiratory hazards depending upon the model selected. Use with 3M™ Secure Click™ Reusable Respirators. New dual flow cartridges and filters allow for easier breathing.



- New dual flow cartridges and filters allow for easier breathing
- Protects against a range of respiratory hazards depending upon the model selected
- Quick, simple cartridge connection. Simply align the connections and push until you hear a click

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100153224	D8051	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A1 ,with Dual Flow, D8051		Pack		
7100153226	D8059	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A1B1E1K1, with Dual Flow, D8059		Pack		
7100153236	D8094	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A1B1E1K1P3 R, with Dual Flow, D8094		Pack		
7100153231	D8055	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A2, with Dual Flow, D8055		Pack		
7100153235	D8095	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A2P3 R, with Dual Flow, D8095		Pack		

## 3M™ Secure Click™ Particulate Filters

3M™ Secure Click™ Series Particulate Filters are CE approved for environments containing certain particles for use with 3M™ Secure Click™ Respirators



- New dual flow cartridges and filters allow for easier breathing
- Protects against particulates with optional nuisance level organic vapour/acid gas relief
- Quick, simple connection. Simply align the connections and push until you hear a click

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100206892	D9038	3M™ Secure Click™ Hard Case Particulate Filter with Hydrogen Fluoride and Nuisance Level Organic Vapour and Acid Gas Relief, P3 R, D9038		Pack		
7100197480	D3128	3M™ Secure Click™ Particulate Filter with Nuisance Level Organic Vapour and Acid Gas Relief, and Ozone up to 10 x OEL, P2 R, D3128		Pack		

# Respiratory Protection

## 3M™ Secure Click™ Particulate Filters

3M™ Secure Click™ Series Particulate Filters are CE approved for environments containing certain particles for use with 3M™ Secure Click™ Respirators



- New dual flow cartridges and filters allow for easier breathing
- Protects against particulates with optional nuisance level organic vapour/acid gas relief
- Quick, simple connection. Simply align the connections and push until you hear a click

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100197270	D3138	3M™ Secure Click™ Particulate Filter with Nuisance Level Organic Vapour and Acid Gas Relief, and Ozone up to 10 x OEL, P3 R, D3138		Pack		
7100197283	D7915	3M™ Secure Click™ Particulate Filter, P1 R, D7915		Each		
7100197481	D3125	3M™ Secure Click™ Particulate Filter, P2 R, D3125		Pack		
7100197286	D7925	3M™ Secure Click™ Particulate Filter, P2 R, D7925		Each		
7100197284	D3135	3M™ Secure Click™ Particulate Filter, P3 R, D3135		Pack		
7100197285	D7935	3M™ Secure Click™ Particulate Filter, P3 R, D7935		Each		

## Reusable Respirator Parts & Accessories

### 3M™ Secure Click™ Reusable Respirator Filter Retainers

3M™ Secure Click™ Reusable Respirator Filter Retainers enable users to add particulate protection to existing 3M™ Secure Click™ Gas & Vapour filters for use in a wider range of applications. For use with 3M™ Secure Click™ Particulate Filters 7000 Series, 3M™ Reusable Respirator Filter Retainers enable users to easily combine their protection for use with a wide range of gas, vapour and particulate hazards, or a combination of these.



- Easily combine 3M™ Secure Click™ Gas & Vapour filters with 3M™ Secure Click™ Particulate Filters D7000 Series
- Connects the 3M™ Secure Click™ Particulate Filters 7000 Series to the 3M™ Secure Click™ Gas & Vapour Filters
- Specially designed for 3M™ Secure Click™ Reusable Respirators

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100184498	D701	3M™ Secure Click™ Reusable Respirator Filter Retainer, D701		Each		

### 3M™ Maintenance Free Reusable Respirators 0694X+

3M™ Maintenance Free Reusable Respirators 0694X+ Series are a range of simple and ready-to-use respirators with integrated cartridge and filters. A newly enhanced valve assembly helps to reduce exhalation breathing resistance, and the close-fitting, non-silicone, textured face seal is soft and non-allergenic. Includes a resealable bag for hygienic storage and transportation.



- A newly enhanced valve assembly helps to reduce exhalation breathing resistance for improved breathing comfort
- Lightweight, well-balanced design
- Integrated filters mean it's ready to use and maintenance free

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100113099		3M™ Maintenance Free Half Mask Reusable Respirator, FFA1P2R D Filters, 06941+				

# Respiratory Protection

## 3M™ Maintenance Free Reusable Respirators 0694X+

3M™ Maintenance Free Reusable Respirators 0694X+ Series are a range of simple and ready-to-use respirators with integrated cartridge and filters. A newly enhanced valve assembly helps to reduce exhalation breathing resistance, and the close-fitting, non-silicone, textured face seal is soft and non-allergenic. Includes a resealable bag for hygienic storage and transportation.



- A newly enhanced valve assembly helps to reduce exhalation breathing resistance for improved breathing comfort
- Lightweight, well-balanced design
- Integrated filters mean it's ready to use and maintenance free

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100113100		3M™ Maintenance Free Half Mask Reusable Respirator, FFA2P3R D Filters, 06942+				

## 3M™ Reusable Respirator Filter Retainers

3M™ Reusable Respirator Filter Retainers enable users to add particulate protection to existing 3M™ Gas & Vapour filters for use in a wider range of applications. For use with 3M™ Particulate Filters 5000 Series, 3M™ Reusable Respirator Filter Retainers enable users to easily combine their protection for use with a wide range of gas, vapour and particulate hazards, or a combination of these.



- Easily combine 3M™ Gas & Vapour filters with 3M™ Particulate Filters 5000 Series
- Connects the 3M™ Particulate Filters 5000 Series to the 3M™ Gas & Vapour Filters
- Specially designed for 3M™ Reusable Respirators

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100066103	3M501	3M™ Reusable Respirator Filter Retainer, 501		Each		

## 3M™ Reusable Respirator Paintshop Starter Kits

3M™ Reusable Respirator Paintshop Starter Kits offer a convenient, ready to use option for workers in paintshops and undertaking painting applications. Contains a 3M™ Half Mask, made from a lightweight, comfortable elastomeric material with a bayonet-style twin-filter design, cradle head harness and easy-fasten neck strap. Available in a range of sizes and with different filter options to best suit your needs. Supplied in a convenient, durable storage box.



- Convenient ready to use kit for painting applications
- Includes 1 × 3M™ Reusable Half Mask 6000 Series
- Includes 2 × 3M™ Reusable Respirator Filters, A2, 06915 and 2 × 3M™ Filters, P3, 05935

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000061624		3M™ Reusable Respirator Paintshop Starter Kit Standard Paint Masks, A2P3 R Filter, Large Mask, 50685				
7000061623		3M™ Reusable Respirator Paintshop Starter Kit Standard Paint Masks, A2P3 R Filter, Medium Mask, 50684				

# Respiratory Protection

## 3M™ Reusable Respirator Face Shield & Lens Covers



3M™ Reusable Respirator Face Shield & Lens Covers is our range of covers designed to extend the service life of 3M™ Reusable Respirator lenses.

- Designed for use with 3M™ Reusable Respirators
- Helps to extend the service life of the mask when in use and when in storage
- Spare or replacement part

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100188168		3M™ Reusable Respirator Full Facepiece Faceshield Cover, for 3M™ Reusable Full Face Mask 6000 Series, 6800		Each		

## Hoods & Headgear

### 3M™ Versaflo™ Helmets M-300 Series

3M™ Versaflo™ Helmets, M-300 Series feature lightweight, compact and well-balanced helmets that can offer integrated protection from a range of respiratory, head, eye, face and hearing hazards, making it suitable for use on construction sites. It can be used with 3M™ Powered Air Respirators and Supplied Air Respirator Systems in a wide variety of applications.



- Highly versatile, integrated protection from a range of respiratory, head (EN397), eye and face (EN166 medium energy impact), and hearing hazards
- Lightweight, compact and well-balanced helmet providing head protection approved according to EN397
- Fully-adjustable suspension that includes textile harness for optimal fit and weight distribution

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100257937	M-306	3M™ Versaflo™ Helmet with Comfort Faceseal, M-306		Each		

### 3M™ Versaflo™ Helmets with Shroud M-400 Series

3M™ Versaflo™ Helmets with Shroud, M-400 Series offer integrated protection from a range of respiratory, head, eye and face with additional neck and shoulder coverage. It can be used with 3M™ Powered Air Respirators and Supplied Air Respirator Systems in a wide variety of applications.



- Shroud options include Nylon for construction applications and heavy industry or Flame Resistant Polyaramid for applications with hot particles
- Versatile protection against a range of respiratory, head (EN397), eye and face hazards (EN166 medium impact)
- Lightweight, compact and well-balanced design

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000104037	M-406	3M™ Versaflo™ Helmet with Highly Durable Shroud, M-406		Each		

# Respiratory Protection

## 3M™ Versaflo™ Integrated Suspension Head Covers S-100 Series

3M™ Versaflo™ Integrated Suspension Head Cover, S-100 Series is our head cover with integrated head suspension for full head and face coverage, as well as eye and face protection. Our head cover is the entry-level, cost-effective head cover for powered and supplied air respiratory protection. It can be used with 3M™ Powered Air Respirators and Supplied Air Respirator Systems in a wide variety of applications.

- Entry-level, general-purpose head cover for powered and supplied air respiratory protection
- Integrated head suspension provides head and face coverage
- Provides face and eye protection from liquid splash and low energy flying particles and dust (Grade F)



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000000142	S-133L	3M™ Versaflo™ Integrated Suspension Head Cover, Large, S-133L		Each		
7000044300	S-133S	3M™ Versaflo™ Integrated Suspension Head Cover, Small, S-133S		Each		

## 3M™ Versaflo™ Premium Hoods with Reusable Suspension S-600 Series

3M™ Versaflo™ Premium Hoods with Reusable Suspension, S-600 Series offer combined head, hair, neck and shoulder coverage. It can be used with 3M™ Powered Air Respirators and Supplied Air Respirator Systems in a wide variety of applications.

- Provides head, hair, neck and shoulder coverage
- Protects eyes and face from liquid splash and low energy flying particles and dust (Grade F)
- Hood fabric: 2-layer polypropylene spunbond/laminated film



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100079870	S-655	3M™ Versaflo™ Premium Replacement Hood with Inner Collar, S-655		Each		

## Powered Air Respirator Systems

### 3M™ Versaflo™ Powered Air Respirator Starter Kits TR-600 Series

3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619E is our ready-to-use kit for respiratory protection against particles, gases and vapours. It comes with everything you need to get started including powered air turbo TR-602E, A2P filter, filter cover, prefilters, spark arrestors, easy clean belt, high capacity battery, single station battery charger kit, BT-30 length adjusting breathing tube and an airflow indicator. Simply add your 3M™ Versaflo™ Headtop for complete respiratory protection.



- Simple starter kit with all the component parts to get you up and running. Simply add the headtop required
- Easy to use, versatile respiratory protection against dusts, mists, fumes and organic vapours
- Kit includes Turbo Unit TR-602E, A2P filter, filter cover, pre-filters, spark arrestors, easy clean belt, high capacity battery, single station battery charger kit, BT-30 length adjusting breathing tube and airflow indicator

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100053532		3M™ Versaflo™ Powered Air Respirator Starter Kit, TR-619E				
7100065913	TR-619UK	3M™ Versaflo™ Powered Air Respirator Starter Kit, TR-619E, TR-619UK		Each		

# Respiratory Protection

## 3M™ Versaflo™ Intrinsically Safe Powered Air Respirator Starter Kits TR-800 Series



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100169180		3M™ Versaflo™ Intrinsic Safe Powered Air Turbo Starter Kit, TR-819E				

## Powered Air Cartridges & Filters

### 3M™ Versaflo™ Powered Air Respirator Filters TR-600 & TR-800 Series

3M™ Versaflo™ Powered Air Respirator Filters, TR-600 & TR-800 Series is our range of filters for use with 3M™ Versaflo™ Powered Air Respirators TR-600 & TR-800 Series and a 3M™ approved headtop, hood or facepiece. Filters are available in a range of options covering particulate only hazards, or for hazards containing a combination of gas, vapour and particulates.



- Designed for use with 3M™ Versaflo™ Powered Air Turbo TR-600 and TR-800 series
- TR-6710E - Particulate (P) filter for protection against dusts, mists, fumes and other particulate hazards.
- TR-6820E - Particulate (P) filter for protection against dusts, mists, fumes and other particulate hazards + nuisance level Acid Gases (concentrations below the occupational exposure limit). Protection against Hydrogen Fluoride up to 10 x Threshold Limit Value
- TR-6110E - A1P - For protection against organic vapours, dusts, mists, fumes and particulates.
- TR-6130E - ABE1P - For protection against organic vapours, inorganic vapours, acid gases, dusts, mists, fumes and particulates.
- TR-6310E - A2P - For protection against organic vapours, dusts, mists, fumes and particulates

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100020998	TR-6310E	3M™ Versaflo™ Powered Air Respirator A2P Filter, TR-6310E		Each		
7100020997	TR-6130E	3M™ Versaflo™ Powered Air Respirator ABE1P Filter, TR-6130E				
7100020999	TR-6580E	3M™ Versaflo™ Powered Air Respirator ABE2K1HgP Filter, TR-6580E				
7100020971	TR-6710E	3M™ Versaflo™ Powered Air Respirator Particulate Filter, TR-6710E				

### 3M™ Powered Air Respirator Prefilters

3M™ Prefilters for Powered Air Respirators can extend the service life of 3M™ Filters by trapping large particles that may otherwise clog the filter.



- Can help to extend the life of 3M™ filters by capturing large particles before they reach the filter
- Frequent replacement can help to maintain overall system performance
- Discard when clogged or damaged

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100236853		3M™ Powered Air Respirator Prefilter and Prefilter Holder for PF-600E/DF-600E Powered Air Turbo, SS-6601				



# Respiratory Protection

## 3M™ Powered Air Respirator Prefilters

3M™ Prefilters for Powered Air Respirators can extend the service life of 3M™ Filters by trapping large particles that may otherwise clog the filter.



- Can help to extend the life of 3M™ filters by capturing large particles before they reach the filter
- Frequent replacement can help to maintain overall system performance
- Discard when clogged or damaged

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100236854		3M™ Powered Air Respirator Prefilter for PF-600E/DF-600E Powered Air Turbo, SS-6600				
7100237884		3M™ Powered Air Respirator Prefilter for PF-600E/DF-600E Powered Air Turbo, SS-6602				
7100021255	TR-6600	3M™ Versaflo™ Pre-filter, TR-6600				

## Supplied Air Respirator Systems

### 3M™ Supplied Air Respirator Systems S200+ Series

3M™ Versaflo™ S-200+ Supplied Air System is our supplied air system which provides respiratory protection against particles, gases and vapours, and combination hazards when used with an approved 3M face mask.



- For use with 3M™ Full Facepiece Respirator 6000 Series and 3M™ Half Face Mask 7500 Series
- Provides protection against particles like fine dusts, aerosols, paint spray or metal fume; gases and vapours; and combined hazards
- System provides constant flow of air across the face for maximum user comfort

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000144500	6972	3M™ Supplied Air Respirator System, 06972		Each		
7000144498	S200+	3M™ Supplied Air Respirator System, S-200+		Each		

## Powered & Supplied Air Parts & Accessories

### 3M™ Powered Air Respirator Protective Covers

3M™ Powered Air Respirator Protective Covers are replacement covers designed to protect 3M™ Powered Air Respirators. 3M™ Powered Air Respirator Covers protect the Powered Air Respirator turbo unit and optional covers can also protect the turbo unit breathing tube from debris, splash and spray contaminants.



- Replacement covers designed to protect against splash and spray contaminants
- For use with certain 3M™ Powered Air Respirators
- Spare or Replacement part

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100260718		3M™ Versaflo™ PAPR Cover TR-681, for TR-600/800 PAPR, 10 EA/Case				





# Eye Protection

# Eye Protection

## Safety Glasses

### 3M™ SecureFit™ Safety Glasses 200 Series

3M™ SecureFit™ 200 Series are lightweight safety glasses with 3M™ Pressure Diffusion Temple Technology. Our glasses feature a wraparound design that's secure and comfortable. They are available in various lens tints.



- Economical lightweight (18 gram) 3M™ SecureFit™ Safety Glasses range
- 3M's innovative SecureFit™ Pressure Diffusion Temple technology design features slotted ribs that provide comfortable pressure equalization. The temples flex and self-adjust to the size of wearer's head
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties (available on selected models)

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100112008	SF203AF	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch / Anti-Fog, Amber Lens, SF203AS/AF-EU, 20/Case	20	Each		
7100111990	SF201AF	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch / Anti-Fog, Clear Lens, SF201AS/AF-EU, 20/Case	20	Each		
7100112010	SF202AF	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch / Anti-Fog, Grey Lens, SF202AS/AF-EU, 20/Case	20	Each		
7100112180	SF201AS	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch, Clear Lens, SF201AS-EU, 20/Case	20	Each		
7100185279	SF201SGAF-BLU	3M™ SecureFit™ 200 Safety Glasses, Blue Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear Lens, SF201SGAF-BLU-EU	20	Each		
7000062787		3M™ SecureFit™ Safety Glasses, Anti-Scratch / Anti-Fog, Clear Lens, SF201AS/AF-EU, 20/Case	20	Each		

### 3M™ SecureFit™ Safety Glasses 400 Series

3M™ SecureFit™ Safety Glasses 400 Series features a lightweight design with a rimless polycarbonate lens, 3M™ Pressure Diffusion Temple Technology, wide flexible temple arms, and soft, adjustable nose pads.



- Comfortable 3M™ SecureFit™ Safety Glasses range with soft adjustable nose and soft temple ends to improve comfort and fit
- 3M's innovative SecureFit™ Pressure Diffusion Temple technology design features slotted ribs that provide comfortable pressure equalization. The temples flex and self-adjust to the size of wearer's head.
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties (available on selected models)

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100148082	SF405SGAF-BLA	3M™ SecureFit™ 400 Safety Glasses, Black/Brown Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Brown Lens, SF405SGAF-BLA-EU	20	Each		
7100148075	SF406SGAF-BLA	3M™ SecureFit™ 400 Safety Glasses, Black/Brown Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Orange Lens, SF406SGAF-BLA-EU	20	Each		
7100078986	SF403AF	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch / Anti-Fog, Amber Lens, SF403AS/AF-EU, 20/Case	20	Each		
7100078989	SF401AF	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch / Anti-Fog, Clear Lens, SF401AS/AF-EU, 20/Case	20	Each		
7100078987	SF402AF	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch / Anti-Fog, Grey Lens, SF402AS/AF-EU, 20/Case	20	Each		
7100078880	SF408AS	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch, Blue Mirror Lens, SF408AS-EU, 20/Case	20	Each		

# Eye Protection

## 3M™ SecureFit™ Safety Glasses 400 Series

3M™ SecureFit™ Safety Glasses 400 Series features a lightweight design with a rimless polycarbonate lens, 3M™ Pressure Diffusion Temple Technology, wide flexible temple arms, and soft, adjustable nose pads.



- Comfortable 3M™ SecureFit™ Safety Glasses range with soft adjustable nose and soft temple ends to improve comfort and fit
- 3M's innovative SecureFit™ Pressure Diffusion Temple technology design features slotted ribs that provide comfortable pressure equalization. The temples flex and self-adjust to the size of wearer's head.
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties (available on selected models)

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100078988	SF410AS	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch, Indoor/Outdoor Mirror Lens, SF410AS-EU, 20/Case	20	Each		
7100148074	SF401SGAF-BLU	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-BLU-EU	20	Each		
7100148052	SF402SGAF-BLU	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Grey Lens, SF402SGAF-BLU-EU	20	Each		
7100148072	SF407SGAF-BLU	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Indoor/Outdoor Grey Lens, SF407SGAF-BLU-EU	20	Each		
7100148073	SF401SGAF-BLU-F	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey Frame, Foam, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-BLU-F-EU	20	Each		
7100148026	SF401SGAF-RED	3M™ SecureFit™ 400 Safety Glasses, Red/Grey Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-RED-EU	20	Each		
7100148081	SF403SGAF-YEL	3M™ SecureFit™ 400 Safety Glasses, Yellow/Black Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Amber Lens, SF403SGAF-YEL-EU	20	Each		

## Safety Goggles

### 3M™ GoggleGear™ Safety Goggles 500 Series

3M™ Goggle Gear™ Safety Goggles 500 Series provides superior anti-fog protection in a modern slim-line and lightweight design.



- Small profile 3M™ GoggleGear™ Safety Goggles range with a lightweight design for all-day comfort and indirect airflow to help against fogging
- Premium spherical curved lens design for optimal horizontal and vertical field of vision
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100185183	GG501NSGAF-BLU	3M™ Goggle Gear™ 500 Safety Goggles, Neoprene Headband, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear Lens, GG501NSGAF-EU	10	Each		
7100074368	GG501S	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), GG501SGAF-EU, 10/Case	10	Each		
7100185290	GG502SGAF	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Grey Lens, GG502SGAF-EU, 10/Case	10	Each		

# Eye Protection

## 3M™ GoggleGear™ Safety Goggles 500 Series

3M™ Goggle Gear™ Safety Goggles 500 Series provides superior anti-fog protection in a modern slim-line and lightweight design.



- Small profile 3M™ GoggleGear™ Safety Goggles range with a lightweight design for all-day comfort and indirect airflow to help against fogging
- Premium spherical curved lens design for optimal horizontal and vertical field of vision
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100185182	GG550SGAF	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), IR5 Grey Lens, GG550SGAF-EU, 10/Case	10	Each		

## 3M™ GoggleGear™ Safety Goggles 2890 Series

3M™ GoggleGear™ Safety Goggles 2890 Series are high-wrap safety goggles available with a superior anti-scratch and anti-fog coatings for increased durability and vision. Our goggles feature a modern, slim design and a wide, nylon elastic strap for easy adjustability.



- Large profile 3M™ GoggleGear™ Safety Goggles range, with enough space to fit over most prescription glasses
- Polycarbonate lens options available for impact resistance and acetate lens options available for improved chemical resistance
- Indirect ventilation versions available to protect against liquid droplets and large dust particles and sealed ventilation versions available to protect against small dust particles and gas protection

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000032481	2890A	3M™ Safety Goggles 2890 Series, Indirect Vented, Anti-Fog, Clear Acetate Lens, 2890A, 10/Case	10	Each		
7000032480		3M™ Safety Goggles 2890 Series, Indirect Vented, Anti-Scratch / Anti-Fog, Clear Polycarbonate Lens, 2890, 10/Case	10	Each		
7100146292		3M™ Safety Goggles 2890 Series, Indirect Vented, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, 2891-SGAF, 10/Case	10	Each		
7000032483	2890SAS	3M™ Safety Goggles 2890 Series, Sealed, Anti-Fog, Clear Acetate Lens, 2890SA, 10/Case	10	Each		
7000061924		3M™ Safety Goggles 2890 Series, Sealed, Anti-Scratch / Anti-Fog, Clear Polycarbonate Lens, 2890S, 10/Case	10	Each		
7100010431	2895S	3M™ Safety Goggles 2890 Series, Sealed, Anti-Scratch / Anti-Fog, Welding Shade 5.0, 2895S, 10/Case	10	Each		
7100146291		3M™ Safety Goggles 2890 Series, Sealed, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, 2891S-SGAF, 10/Case	10	Each		





# Hearing Protection

# Hearing Protection

## Earplugs

### 3M™ Earplugs 1100 Series

The 3M™ 1100 Earplugs are disposable foam earplugs designed for insertion into the ear canal to help reduce exposure to hazardous levels of noise up to 37 dB.

- Reduces noise levels up to 37 dB
- Tapered design provides a good fit on a wide range of ear canal sizes
- Soft hypoallergenic foam softens with body temperature once inserted for comfortable extended wear



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100100638	1110	3M™ Earplugs, 37 dB, Corded, 500 Pairs / Box, 1110	500	Pair		
7000103721	1100B	3M™ Earplugs, 37 dB, Refill Bottle, Uncorded, 500 Pairs/Box, 1100D	500	Pair		
7100100263	1100R	3M™ Earplugs, 37 dB, Top Up Bag, Uncorded, 2000 Pairs/Box, 1100R	2000	Pair		
7100100637	1100	3M™ Earplugs, 37 dB, Uncorded, 200 Pairs/Box, 1100	200	Pair		

### 3M™ 1310 Banded Earplugs

3M™ E-A-R™ 1310 Banded Earplugs are designed with a patented headband with flexing capability that adjusts to the movements of your jaw and head, for a comfortable and secure fit with constant low pressure in the ear. Our blue robust acetal plastic band is made to fit behind the head or under the chin, making it ideal for wearers exposed to intermittent noise.

- Reduces noise levels up to 26 dB
- Flexible band design helps maintain a constant pressure, at a comfortable level, irrespective of head size
- Innovative flexible band for optimum fit and superior comfort



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100089592	1310	3M™ E-A-R™ Banded Earplugs, 26 dB, 10/Box, 1310		Each		
7100100262	1311	3M™ E-A-R™ Replacement Pods, 26 dB, 20 Pairs/Box, 1311	100	Pair		

## Earmuffs

### 3M™ PELTOR™ X4 Earmuffs

3M™ PELTOR™ X4 Earmuffs are our lightweight and slim hearing protectors with innovative foam earcup inserts and spacers to help boost attenuation and protect against low frequencies up to 33 dB. They feature an electrically insulated, twin headband that decreases heat build-up on top of the head.

- Reduces noise levels up to 33 dB
- Wide flat headband is electrically insulated making the earmuffs electrically resistant or ,dielectric'
- Colour-coding makes it easy to identify the level of protection being worn



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000103994	X4P3	3M™ PELTOR™ Earmuffs, 32 dB, Hi-Viz, Helmet Mounted, X4P3	10	Each		
7100095551	X4P5	3M™ PELTOR™ Earmuffs, 32 dB, Hi-Viz, Helmet Mounted, X4P3	10	Each		
7100123162	X4B- EU	3M™ PELTOR™ Earmuffs, 32 dB, Hi-Viz, Neckband, X4B		Each		
7100097444	X4P5-OR	3M™ PELTOR™ Earmuffs, 32 dB, Orange, Helmet Mounted, X4P5E-OR	10	Pack		

# Hearing Protection

## 3M™ PELTOR™ X4 Earmuffs

3M™ PELTOR™ X4 Earmuffs are our lightweight and slim hearing protectors with innovative foam earcup inserts and spacers to help boost attenuation and protect against low frequencies up to 33 dB. They feature an electrically insulated, twin headband that decreases heat build-up on top of the head.

- Reduces noise levels up to 33 dB
- Wide flat headband is electrically insulated making the earmuffs electrically resistant or ,dielectric'
- Colour-coding makes it easy to identify the level of protection being worn



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000103993	X4A	3M™ PELTOR™ Earmuffs, 33 dB, Hi-Viz, Headband, X4A	10	Each		

## 3M™ PELTOR™ Optime™ I Earmuffs

3M™ PELTOR™ Optime™ I Earmuffs are our innovative, lightweight hearing protectors that reduce noise levels up to 28 dB. They feature a low-profile design that makes them easy to combine with other safety equipment and have soft, wide comfortable cushions that reduce pressure around the ears.

- Reduces noise levels up to 28 dB
- Low-profile design combines easily with other safety equipment
- Sealing rings filled with a unique combination of liquid and foam



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000038206	H510PEGB	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Hi-Viz, Helmet Mounted, H510P3E-469-GB	1	Each		
7000107753	H510BGB	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, High-vis, Neckband, H510B-471-GB	1	Each		
7000104001		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Orange, Helmet Mounted, H510P3E-OR	1	Each		
7000089454		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, 60/Case, H510P3E-900-GU				
7000107744	H510PAGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3A-405-GU	1	Each		
7000043332	H510P3AF	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3AF-405-GU	1	Each		
7000107745	H510PBGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3B-405-GU	1	Each		
7000107746		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3BB-405-GU	1	Each		
7000039617	H510PEGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3E-405-GU	1	Each		
7000107747	H510EAGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3EA-405-GU	1	Each		
7000107748		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3EB-405-GU	1	Each		
7000107749		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3F-405-GU	1	Each		
7000107750	H510PGGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3G-405-GU	1	Each		
7000107751	H510PHGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3H-405-GU	1	Each		
7000107752	H510PKGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3K-405-GU	1	Each		

# Hearing Protection

## 3M™ PELTOR™ Optime™ I Earmuffs

3M™ PELTOR™ Optime™ I Earmuffs are our innovative, lightweight hearing protectors that reduce noise levels up to 28 dB. They feature a low-profile design that makes them easy to combine with other safety equipment and have soft, wide comfortable cushions that reduce pressure around the ears.

- Reduces noise levels up to 28 dB
- Low-profile design combines easily with other safety equipment
- Sealing rings filled with a unique combination of liquid and foam



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000039618	H510BGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Neckband, H510B-403-GU	1	Each		
7000103737	H510AGB	3M™ PELTOR™ Optime™ I Earmuffs, 27 dB, Hi-Viz, Headband, H510A-470-GB	1	Each		
7000103738	H510FGB	3M™ PELTOR™ Optime™ I Earmuffs, 28 dB, Hi-Viz, Foldable, H510F-459-GB	1	Each		
7000038205	H510FGU	3M™ PELTOR™ Optime™ I Earmuffs, 28 dB, Yellow, Foldable, H510F-404-GU	1	Each		

## Over-ear Headsets

### 3M™ PELTOR™ WS™ ALERT™ X Headsets

3M™ PELTOR™ WS™ ALERT™ X Headset is a Bluetooth® headset with noise-cancelling boom microphone that connects to your mobile phone for hands free calls and streaming in noisy environments. The headset has a level-dependent function for ambient listening and it synchs to a mobile app so users can easily set-up and adjust the headset

- Attenuating hearing protector comes in two models: headband or a safety helmet attachment
- Bluetooth® technology for connection to an external Bluetooth® device allows for hands-free talking and streaming
- Noise-cancelling boom microphone for clear speech transmission in noisy environments



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100256658		3M™ PELTOR™ WS™ ALERT™ X Headset, Bright Yellow Cups, Hard Hat Attached, Compatible with Mobile App, MRX21P3E4WS6		Each		
7100257811		3M™ PELTOR™ WS™ ALERT™ X Headset, Bright Yellow Cups, Headband, Compatible with Mobile App, MRX21A4WS6		Each		





# Head & Face Protection

# Head & Face Protection

## Hard Hats

### 3M™ Headgear Combinations G500 Series

The 3M™ Headgear G500 is a versatile and comfortable solution for use as a standalone face protection system or for combined face and hearing protection.



- Ventilation for increased comfort
- Design incorporates a cable holder for PELTOR™ Communication products
- A wide range of visors and face shields available for many industrial applications

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7000104156		3M™ Headgear Combination, Forestry, Orange, G500-OR				
7000103790		3M™ Headgear Combination, Forestry, Orange, G500V5CH510-OR	12	Each		
7000103820		3M™ Headgear Combination, Forestry, Orange, G500V5JH510-OR	12	Each		
7000038216	G500-GU	3M™ Headgear Combination, Industry, Yellow, G500-GU	10	Each		
7100029146		3M™ Headgear Combination, Industry, Yellow, G500V5F11H51-GU	12	Each		





# Welding Safety

# Welding Safety

## Welding Helmets

### 3M™ Speedglas™ Welding Helmets 9100 Series

3M™ Speedglas™ 9100 Series Welding Helmets protect workers from radiation, heat and sparks, while providing a precise view of your work.



- Available Auto Darkening Lenses with seven variable dark shades (5, 8 and 9-13) for most types of arc welding
- Available in multiple models with various viewing area sizes
- Available with or without side windows

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100166722	501826	3M™ Speedglas™ Welding Helmets 9100 Series, with Side Windows, with Welding Filter 9100XXi, 501826		Each		

### 3M™ Speedglas™ Welding Helmets 100 Series

3M™ Speedglas™ 100 Series Welding Helmet helps protect welders from flying sparks and airborne debris, and the Auto-Darkening Lens helps keep the eyes safe from the intense light of MIG, TIG, and stick welding while offering an accurate view of the workspace, before during and after the weld. With an optional hard-hat adapter, this helmet is a great choice for welders starting off their careers, tradesmen, and DIYers.



- Welding helmet with optional safety helmet adapter
- Great choice for welders starting off their careers, tradesmen, and DIYers
- Auto-Darkening Lens with five adjustable dark shades 8–12 (not applicable to 3M Speedglas 100 Passive Welding Helmet)

Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100166682		3M™ Speedglas™ Welding Helmets 100 Series, Black, with Passive Filter, 751101		Each		
7100166705	751120	3M™ Speedglas™ Welding Helmets 100 Series, Black, with Welding Filter 100v, 751120		Each		
7100166681		3M™ Speedglas™ Welding Helmets 100 Series, Black, without Welding Filter, 751100		Each		
7100166708	751220	3M™ Speedglas™ Welding Helmets 100 Series, Blaze, with Welding Filter 100v, 751220		Each		
7100166706	752520	3M™ Speedglas™ Welding Helmets 100 Series, Ice Hot, with Welding Filter 100v, 751520		Each		
7100166689	752420	3M™ Speedglas™ Welding Helmets 100 Series, Razor Dragon, with Welding Filter 100v, 752420		Each		
7100166702	751620	3M™ Speedglas™ Welding Helmets 100 Series, Trojan Warrior, with Welding Filter 100v, 751620		Each		
7100166688	752220	3M™ Speedglas™ Welding Helmets 100 Series, Xterminator, with Welding Filter 100v, 752220		Each		

# Welding Safety

## Auto Darkening & Passive Welding Lenses

### 3M™ Speedglas™ Auto-Darkening Welding Filters 100 Series

3M™ Speedglas™ Auto-Darkening Welding Filters 100-Series are replacement auto-darkening welding filters designed for use with 3M™ Speedglas™ Welding Helmet 100 Series.

- Replacement auto-darkening welding filters designed for use with 3M™ Speedglas™ Welding Helmet 100 Series
- 100V - Variable dark shades 8-12. 100B variable dark shades 10-12
- Light shade of 3



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100259002		3M™ Speedglas™ Auto-Darkening Welding Filters 100 Series, 100B, Shades 3, 10-12, 750014		Each		

### 3M™ Speedglas™ Auto-Darkening Welding Filters 9100 Series

3M™ Speedglas™ 9100 Series Auto-Darkening Welding Filters are designed for the professional welder using 3M™ Speedglas™ Welding Helmet 9100 Series. Incorporating dark shade ranges 5, 8-13, grinding, and cutting modes, these filters are ideal for use with most arc welding processes.

- Auto-darkening welding filter designed for use with 3M™ Speedglas™ Welding Helmet 9100 Series, suitable for most types of arc welding
- Delivers minimal distortion across the entire filter viewing area
- The sensitivity of arc detection can be adjusted for unsurpassed switching reliability. Switching time (light-dark) of 0.1ms.



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100032397	500026	3M™ Speedglas™ Auto-Darkening Welding Filters 9100 Series, 9100XXi, 500026		Each		

### 3M™ Speedglas™ Auto-Darkening Welding Filters 9002NC

The 3M™ Speedglas™ Welding Lens 9002 is used with the 9000 welding helmet. This lens offers rugged, dependable protection with advanced auto darkening optics that adjust to your working conditions providing a view that appears lighter, brighter and more realistic for better control of the weld puddle. Shade 3 light state with adjustable dark shades 8-12. Simplified UI, easy to operate, with a larger 2.1"x4.2" viewing area.

- User interface easy to operate and maintain
- Runs on CR2032 Lithium 3V batteries
- Shade 3 light state with adjustable dark shades 8-12



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100114634		3M™ Speedglas™ Auto-Darkening Welding Filters 9002NC, 400085		Pack		





# Apparel & Workwear



# Apparel & Workwear

## Coveralls

### 3M™ Protective Coverall 4540+

3M™ Protective Coverall 4540+ is made from a laminated premium bicomponent non-woven and features a breathable SMMMS triangular back panel for improved comfort. This soft and lightweight coverall provides an excellent barrier to hazardous particles and limited liquid splashes.

- Excellent barrier against dry particles and certain liquid chemical splash (CE Type 5/6)
- Soft and light, ultra low-linting laminated microporous material that drapes and hangs well over the body facilitating ease of movement
- 3 panel hood, 2-way zip and storm flap with sealable tape with elasticated back and ankles to reduce the risk of skin exposure



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100036529	4540W2XL	3M™ Protective Coverall 4540+, 2XL		Each		
7100041597	4540W3XL	3M™ Protective Coverall 4540+, 3XL		Case		
7100041420	4540W4XL	3M™ Protective Coverall 4540+, 4XL		Case		
7100040416	4540WL	3M™ Protective Coverall 4540+, L		Each		
7100040087	4540WM	3M™ Protective Coverall 4540+, M		Each		
7100040415	4540WS	3M™ Protective Coverall 4540+, S		Each		
7100040086	4540WXL	3M™ Protective Coverall 4540+, XL		Each		

### 3M™ Reusable Paintshop Coverall 51851

3M™ Reusable Coverall 51851 is CE Certified Category III to Type 6 standards and EN 1149 to reduce the build up of static charge. Made from Polyester material with carbon fibre threads running vertically down the fabric, it can be washed up to 30 times at 40°C. It also offers knee pads and a vented back panel to offer the optimum balance between protection and comfort.

- Reusable for 30 washes at 40°C
- Meets EN1149-5:2018 for anti-static protective properties
- EVA foam knee pads



Product ID	Part Number	Product	MOQ	Order Unit	MSU	SU
7100147722	51851XXL	3M™ Reusable Coverall 51851, 2XL		Each		
7100147721	51851L	3M™ Reusable Coverall 51851, L		Each		
7100147723	51851M	3M™ Reusable Coverall 51851, M		Each		
7100147724	51851XL	3M™ Reusable Coverall 51851, XL		Each		



# 3M Standard Operating Procedures (SOPs) Process for Success

For truly spectacular results coming out of your body and paint shop, discover the best practices, processes and procedures to bring into it. From metal and plastic repair, to sanding, paint finishing and car clean-up, 3M has the products and repair processes for you.

In our SOPs you will find step-by-step procedures from start to finish, including body, plastic and panel repair and restoration, how to mask a vehicle, sand primer, feather prime block, preparing bumpers and e-coat panels and mixing and spraying using disposable paint cups. These SOPs are recommended for helping ensure you create the highest quality repairs for paint application, and finishing a great job to your customers satisfaction.

### 3M Standard Operating Procedures Recommended Net Sanding Process

**CUBITRON II**

**PERSONAL SAFETY**

- 1 Sanding down the body filler**
  - 3M™ Cubitron™ II Net Abrasive Disc 120+ - 150+
    - To prolong the life of the backup pad when sanding with an abrasive disc (150 mesh) it is recommended that Festool Automotive Systems Protection Pad is used (PN 30089). Protection Pad (PP 01F 0550).
    - Festool Automotive Systems electric sander ETS EC 150/S or Festool Automotive Systems pneumatic sander LEX 3 150/S or 150/7.
- 2 Fine sanding of the filler surface**
  - 3M™ Cubitron™ II Net Abrasive Disc 220+ - 240+
    - Refine previous sanding scratches which reduce the possibility of solvents from the body filler penetrating into the OEM paint layer. If this happens it can lead to surface swelling around the repair.
- 3 Sanding filler**
  - 3M™ Cubitron™ II Net Abrasive Disc 150+ - 240+
    - Initial shaping of the body filler.
    - Ensure that you use dust extraction.
- 4 Preparing the surface**
  - 3M™ Grippy Sanding Cloth, P800 - P1000.
    - Note: This product is recommended for maximum process safety.
- 5 Fine sanding of the surface**
  - 3M™ Cubitron™ II Net Abrasive Disc 320+
    - It is advisable to work with a soft interface pad when sanding curved areas.
    - The choice of the fine grit has to be adjusted to the solvent sensitivity of the original paint. The finer the sanding before primer application.
- 6 The majority of the surface**
  - 3M Hookit™ Hand Block and 3M Abrasives 320+ - 400+
    - Highlight the texture and structure of the primer using dry guide coat.
    - For best result and the most efficient process always use dust extraction.
- 7 Preparation of the surface**
  - 3M™ Grippy Sanding Cloth, P800 - P1000.
    - Note: This product is recommended for maximum process safety.
- 8 Large area primer sanding**
  - Eccentric sanding with 3M Abrasives 400+ - P600.
    - For critical colours use a 3M™ Hookit™ Flexible Foam Disc P600 as a last sanding step after 400+.
    - Dusting of the surface with 3M™ Scotch-Brite™ Abrasives Discs.
    - Tip: It is advisable to work with a soft interface pad sanding curved areas.
- 9 Blending into adjacent parts**
  - 3M™ Hookit™ Flexible Foam Disc P800 - P1000
    - Prepare adjacent areas of the OEM clearcoat.
    - Note: This product is recommended for maximum process safety.

3M United Kingdom plc Automotive Aftermarket  
 3M Centre, Cleeve Road, Epsom, Surrey, UK  
 Phone: +44 (0)181 221 8200  
 info@uk.3m.com  
 www.3m.com/uk/ab-abrasives

3M Ireland Limited Automotive Aftermarket  
 The Forge Building, The Park Centre, Dublin 18  
 Phone: +353 (0)1 221 8200  
 info@ireland.3m.com  
 www.3m.com/ireland/ab-abrasives

Please recycle  
 3M, Cubitron, Hookit and Scotch-Brite  
 are trademarks of 3M Company.  
 © 3M 2021. All rights reserved.

powered by **FESTOOL** Automotive Systems

### 3M CUBITRON 3M Sanding Process

**PERSONAL SAFETY**

- 1 Sanding down the body filler**
- 2 Fine sanding of the filler surface**
- 3 Sanding filler**
- 4 Preparing the surface**
- 5 Fine sanding of the surface**
- 6 The majority of the surface**
- 7 Preparation of the surface**
- 8 Large area primer sanding**
- 9 Blending into adjacent parts**

powered by **FESTOOL** Automotive Systems

### 3M CUBITRON 3M Car Body Repair Process

**PERSONAL SAFETY**

- 1 Sanding down the body filler**
- 2 Fine sanding of the filler surface**
- 3 Sanding filler**
- 4 Preparing the surface**
- 5 Fine sanding of the surface**
- 6 The majority of the surface**
- 7 Preparation of the surface**
- 8 Large area primer sanding**
- 9 Blending into adjacent parts**

powered by **FESTOOL** Automotive Systems

### 3M Paint Application Process

**PERSONAL SAFETY**

- 1 Sanding down the body filler**
- 2 Fine sanding of the filler surface**
- 3 Sanding filler**
- 4 Preparing the surface**
- 5 Fine sanding of the surface**
- 6 The majority of the surface**
- 7 Preparation of the surface**
- 8 Large area primer sanding**
- 9 Blending into adjacent parts**

powered by **FESTOOL** Automotive Systems

### 3M Panel Bonding Process

**PERSONAL SAFETY**

- 1 Sanding down the body filler**
- 2 Fine sanding of the filler surface**
- 3 Sanding filler**
- 4 Preparing the surface**
- 5 Fine sanding of the surface**
- 6 The majority of the surface**
- 7 Preparation of the surface**
- 8 Large area primer sanding**
- 9 Blending into adjacent parts**

powered by **FESTOOL** Automotive Systems



Visit [www.3mbodyshop.co.uk](http://www.3mbodyshop.co.uk) to download a guide specific to your needs.





# Product Index

Part Number	Page
00164	21
00165	21
00168	21
00169	21
00171	21
00174	21
00315	19
00316	19
00317	19
00358	95
00692	19
00694	19
00696	19
00953	23
01053	23
01647	19
01649	19
01967	48
01970	47
01971	47
01972	47
01973	47
01974	47
01975	47
01976	47
01977	47
01978	47
01979	47
01980	47
01981	47
01982	47
01986	47
01987	47
01988	47
01989	47
01991	37
02034	48
02045	48
02048	48
02049	48
02556	43
02558	43
02559	43
02560	43
02561	43
02562	43
02563	43
02564	43
02565	43
02600	37
02601	37
02631	43
02636	43
03020	90
03416	44
03417	44
03418	44
03545	45

Part Number	Page
03549	45
03551	45
03552	45
03553	45
03555	45
03574	45
03577	45
03579	45
03583	45
03585	45
03587	45
03589	45
03591	45
03631	45
03633	45
03636	45
03637	45
03639	45
03808	37
03809	37
03810	37
04240	93
04394	42
04395	42
04396	42
04397	42
04398	42
04400	42
04493	42
04494	42
04533	42
04545	42
04748	92
04903	91
04904	91
04908	94, 95
05096	104
05098	104
05170	55
05171	55
05172	55
05173	55
05174	66
05175	55
05187	42
05275	42
05276	42
05277	42
05278	42
05279	42
05281	42
05282	42
05283	42
05423	104
05539	62
05540	62
05600	27
05601	27

Part Number	Page
05684	56
05704	161
05705	161
05707	159
05710	64
05717	59
05717M	59
05731	42
05733	160
05737	159
05738	159
05740	57
05741	57
05742	57
05744	57
05752	64, 161
05768	61
05771	61
05774	61
05777	61
05791	60
05792	60
05887	92
05888	91
05900	92, 93
05901	93
05916	177
05917	85
05917TF	85
05967	165, 166
05968	166
05969	166
05970	166
05971	166
06057	165
06058	165
06059	165
06060	165
06281	177
06282	177
06283	177
06284	177
06287	176
06290	177
06291	177
06298	176
06304	172
06309	172
06310	172
06311	172
06313	172
06314	177
06340	175
06345	176
06347	176
06348	176
06349	176
06354	174

Part Number	Page
06355	174
06357	174
06358	174
06396	91
06525	175
06526	175
06528	175
06529	175
066293	175
06725	165
06750	173
06751	173
06752	173
06753	173
06754	173
06780	166
06800	176
06839	168
06847	169
06851	169
06856	169
07333	80
07524	35
07525	35
07652	62
07813	166
07838	165
07893	172
07895	172
07897	172
07898	172
07899	172
07910	116
08006	89
08007	88
08012	88
08013	86
08014	86
08021	97
08025	97
08069	178
08080	81
08090	81
08115	80
08116	80
08117	86
08122	80
08158	110
08159	110
08190	86
08193	94
08198	94
08365	82
08401	84
08463	105
08475	90
08476	90
08509	96

# Product Index

Part Number	Page
08537	83
08540	85
08563	105
08568	90
08571	86
08578	90
08603	96
08605	87
08609	97
08610	89
08611	89
08612	89
08613	96
08614	96
08616	96
08629	96
08631	114
08665	83
08684	82
08689	83
08690	97
08694	82
08782	82
08783	83
08787	83
08788	83
08789	82
08793	82
08800	105
08801	88
08803	106
08804	133
08824	105
08825	105
08826	105
08827	105
08828	105
08829	105
08840	106
08851	84
08852	107
08855	82
08861	111
08871	110
08872	110
08873	110
08874	110
08875	110
08877	111
08881	111
08882	111
08888	110
08901	108
08909	108
08911	107
08919	108
08984	114
08987	133

Part Number	Page
08988	94
08991	89
08992	86
08993	87
08996	133
08997	133
08998	133
09035	117
09035E	117
09308	155
09374	150, 151
09375	154
09376	154
09377	155
09378	160
09550	159
09552	62
09553	61
09650	162
09651	162
09660	116
09678	176
09930	88
09973	176
1050	24
1055	24
1068	24
1069	24
1070	24
1100	200
1100B	200
1100R	200
1110	200
127858	172
1310	200
1311	200
16000	139
16001	140
16015	140
16017	140
16023	140
16024	139
16025	136
16026	139
16030	139
16032	140
16033	140
16034	140
16035	140
16036	140
16037	140
16038	140
16039	140
16042	140
16043	140
16044	140
16046	140
16053	140

Part Number	Page
16105	140
16106	140
16112	139
16114	139
16115	140
16119	141
16121	142
16122	140
16124	142
16152	142
16156	142
16160	142
16164	143
16219	139
16298	139
16299	139
16312	139
16352	142
16360	142
16364	143
16432	143
16571	131
16577	130
16578	130
16587	130
16609	131
16611	131
16612	131
16614	131
16740	139
16742	140
16743	141
16752	139
16754	141
16757	141
16761	139
2021	48
20382	95
20427	59
20458	135
20480	135
20573A	135
20587	135
20677	135
20730	136
25115	52
26000	134
26001	134
26005	135
26017	135
26022	135
26023	134
26024	134
26026	134
26030	134
26032	135
26033	135
26035	135

Part Number	Page
26036	135
26038	135
26039	135
26044	135
26046	135
26102	135
26105	135
26112	134
26114	134
26115	134
26119	135
26121	136
26122	134
26124	136
26175	134
26199	135
26200	135
26204	135
26205	135
26312	134
26334	174
26336	174
26338	174
26340	174
26614	131
26618	131
26620	131
26709	126
26710	136
26712	125
26713	126
26714	126
26716	126
26718	125
26720	126
26740	134
26752	134
26778	124
26809	127
26811	127
26814	127
26818	127
26820	127
26832	125
26833	128
26834	128
26835	129
26837	129
26838	129
26839	127
26840	128
26841	130
26878	124
26912	126
26913	126
26914	126
26978	125
28729	60

# Product Index

Part Number	Page
2890A	198
2890SAS	198
2895S	198
30344E	156
30367	25
30368	25
30369	25
30370	25
30371	25
30639	46
30666	26
30667	26
30668	26
30670	26
30671	26
30802	28
30804	28
30806	28
31180	104
31366	16
31367	16
31368	16
31369	16
31471	16
31472	16
31473	16
31474	16
31641	13
31642	13
31643	13
31644	13
31645	13
31646	13
31647	13
31650	14
31651	14
31652	14
31653	14
31654	14
31655	14
31656	14
31665	14
31666	14
31667	14
31668	14
31669	14
31670	14
31671	14
31679	13
31680	13
31681	13
31682	13
31683	13
31684	13
31685	13
33033	158
33034	158
33035	158

Part Number	Page
33039	152
33042	158
33271	64, 162
33279	161
33377	31
33379	31
33380	31
33389	31
33391	32
33392	32
33395	31
33407	31
33409	31
33410	31
33431	31
33437	54
33439	54
33440	54
33443	54
33445	54
33446	54
33449	54
33451	54
33452	54
33455	36
33456	36
33460	36
33461	36
33467	37
33470	33
33471	33
33472	33
33538	29
33539	29
33540	29
33541	29
33542	29
33543	29
33544	29
33545	29
33546	29
33547	29
33548	29
33549	29
33550	29
33551	29
33552	29
33553	29
33554	29
33573	72
33575	71, 72
33577	72
33579	70, 71
33583	74
33584	74
33585	74
33586	74
33588	74

Part Number	Page
33623	73
33627	73
33628	73
33629	73
33645	65
33646	65
33647	67
33648	66
33652	68
33653	67
33654	67
33759	65
33765	66
33766	74
33889	50
33892	50
33895	50
33898	50
33909	57
34102E	70
34103E	70
34104E	70
34105E	70
34111	70
34120	157
34121	157
34122	157
34123	158
34124	157
34125	157
34126	157
34127	158
34128	63
34129	63
34130E	150
34131E	150
34133E	152
34134E	152
34144E	70
34145E	70
34240	93
34337	49
34339	49
34340	49
34341	49
34342	49
34343	49
34349	62
34417	24
34419	24
34420	24
34421	24
34422	24
34423	24
34550	38
34551	38
34552	38
34553	38

Part Number	Page
34554	38
34555	38
34556	38
34560	38
34561	38
34562	38
34563	38
34564	38
34565	38
34566	38
34567	116
34568	115
34572	38
34573	38
34574	38
34575	38
34576	38
34577	38
34578	38
34780	26
34781	26
34782	26
34783	26
34784	26
34785	26
34800	24
34801	25
34802	25
34803	25
34804	25
34805	25
35109	52
35110	52
35111	52
35112	52
35113	52
35114	52
35116	52
35123	58
35124	52
35825	56
35826	56
35828	56
35887	92
36102E	151
36106E	151
36110E	156
36113	156
36113E	156
36420	14
36421	14
36422	14
36423	14
36424	14
36425	14
36426	15
36462	39
36463	39

# Product Index

Part Number	Page
36464	39
36465	39
36466	39
36467	39
36468	39
36470	39
36471	39
36472	39
36473	39
36474	39
36475	39
36476	39
36851	167
36852	167
36856	168
36862	168
36863	167
36865	167
36866	167
36876	169
36877	169
36878	169
36879	170
36880	170
36881	170
36882	170
37455	102
38070	114
3M501	189
4251+	183
4255+	183
4277+	183
4279+	183
4540W2XL	210
4540W3XL	210
4540W4XL	210
4540WL	210
4540WM	210
4540WS	210
4540WXL	210
500026	207
50018	155
50080	20
50081	19
50083	19
50085	19
50086	19
50087	19
50088	19
501826	206
50193	59
50293	166
50318	96
50319	96
50330	46
50331	46
50333	46
50335	46

Part Number	Page
50337	46
50338	46
50339	46
50340	46
50341	29
50367	117
50371	117
50383	153
50388	160
50389	160
50391	59
50392	59
50393	59
50394	59
50396	61
50397	61
50400	115
50401	116
50402	132
50403	132
50404	132
50405	132
50406	132
50407	132
50408	132
50409	132
50410	106
50411	132
50412	132
50413	29
50414	28
50415	28
50416	162
50421	175
50432	44
50443	20
50445	20
50446	20
50447	20
50448	20
50449	20
50450	20
50451	20
50453	20
50454	20
50455	20
50457	160
50458	141
50474	59
50475	59
50480	141
50481	115
50486	115
50487	159
50488	160
50489	116
50499	159
50534	23

Part Number	Page
50535	22
50536	160
50539	60
50540	60
50541	60
50542	60
50543	60
50544	61
50545	61
50547	61
50548	61
50549	132
50550	132
50578	141
50588	169
50600	87
50601	93
50602	112
50603	112
50604	87
50661	85
50677	141
50708	160
50716	19
50717	19
50719	19
50721	19
50723	19
50725	19
50726	19
50728	56
50729	56
50730	141
50731	169
5073A	141
50740	82
50742	61
50743	46
50774	55
50781	55
50800	117
50801	117
50802	117
50803	117
50804	117
50874	159
50875	159
50878	159
50879	159
50880	160
50883	37
50884	37
50885	37
50886	37
50887	37
50913	23
50962	159
50977	173

Part Number	Page
50978	173
50979	173
50980	173
50981	173
50982	173
50983	173
50988	165
50989	165
51002	100
51003	100
51004	100
51005	101
51009	102
51019	23
51020	23
51040	23
51041	23
51053	23
51054	23
51055	23
51057	23
51061	165
51072	101
51073	101
51074	102
51075	101
51076	101
51077	102
51078	101
51079	101
51080	102
51081	112
51087	27
51089	27
51090	27
51091	27
51092	27
51095	22
51097	22
51098	22
51099	23
51122	60
51123	60
51124	60
51125	60
51126	61
51127	61
51130	28
51131	28
51137	27
51138	27
51139	27
51140	27
51141	27
51142	27
51150	27
51154	26
51155	26



# Product Index

Part Number	Page
51156	25
51157	26
51158	26
51212	104
51215	72
51218	46
51240	63
51241	46
51242	46
51243	46
51244	46
51245	46
51246	46
51257	25
51263	25
51264	25
51265	25
51266	25
51287	172
51301	153
51302	153
51304	23
51362	162
51369	16
51370	16
51371	21
51373	21
51374	21
51375	21
51376	21
51377	21
51378	21
51379	21
51381	22
51382	22
51383	22
51386	39
51387	39
51388	39
51389	39
51390	39
51391	40
51393	40
51395	40
51399	41
51400	41
51401	41
51402	41
51403	41
51404	41
51406	41
51408	41
51411	40
51412	40
51413	40
51414	40
51415	40
51416	40

Part Number	Page
51418	40
51418K	73
51419	73
51421	16
51422	16
51423	16
51424	16
51426	16
51428	16
51588	40
51589	40
51590	40
51591	40
51592	40
51596	46
51599	40
51600	40
51601	40
51602	40
51603	40
51610	15
51611	15
51612	15
51613	15
51614	16
51615	16
51616	16
51617	16
51626	15
51627	15
51629	15
51630	15
51631	15
51654	20
51656	20
51657	20
51658	20
51659	20
51660	21
51661	21
51662	21
51663	21
51664	21
51665	21
51666	21
51677	153
51815	150
51816	150
51819	174
51820	174
51821	174
51822	174
51823	174
51851L	210
51851M	210
51851XL	210
51851XXL	210
51871	165

Part Number	Page
51875	95
51889	30
51894	35
52020	16
52022	40
52023	40
52025	41
52026	15
52027	15
52028	15
53024	41
542037	182
542075	182
55045	92
55047	81
55535	162
58000	106
58001	106
58003	106
58012	84
5935	187
60053	48
60054	48
60055	48
60056	48
60057	48
60058	48
60060	48
60063	48
60099	48
60477	20
60479	20
60481	20
60483	20
60485	20
60487	20
60539	50
60540	50
60542	50
60544	50
60546	50
60547	50
60548	50
60549	50
6059	186
60713	49
60715	49
60717	49
60718	49
60719	49
60720	49
61001	41
61002	41
61003	41
61004	41
61005	41
61007	41
61028	42

Part Number	Page
61029	42
61030	42
61031	42
61032	42
61034	42
61035	41
61036	41
61072	43, 44
61073	44
61074	44
61075	44
61076	44
61077	44
61078	44
61079	44
61080	43
61081	43
61082	43
61083	43
61112	44
61114	44
61116	44
61118	44
61123	43
61124	43
61125	43
6700	182
6782	184
6783	184
6900	182
6911	186
6915	186
6972	193
7448+N	53
7501	184
7502	184
7503	184
751120	206
751220	206
751620	206
752220	206
752420	206
752520	206
80110	165
80307	169
80345	154
80347	115
80349	153
80350	19
80351	19
80352	19
80353	19
80354	19
80355	20
80357	20
80358	20
80359	20
80360	20

# Product Index

Part Number	Page
80361	20
80363	20
80364	20
80365	20
80366	20
83321	32
83322	32
83323	32
83326	32
83497	58
83978	58
8851WK	107
9312+	182
9330+	182
9330+ BULK	182
950	24
968	24
969	24
D3125	188
D3128	187
D3135	188
D3138	188
D701	188
D7915	188
D7925	188
D7935	188
D8051	187
D8055	187
D8059	187
D8094	187
D8095	187
D9038	187
empty productattribute	
28, 30, 31, 32, 33, 34, 35, 36,	
48, 51, 52, 53, 54, 63, 64, 65,	
71, 72, 104, 150, 178, 182, 183,	
185, 188, 189, 190, 191, 192,	
193, 196, 198, 201, 202, 204,	
206, 207	
G500-GU	204
GG501NSGAF-BLU	197
GG501S	197
GG502SGAF	197
GG550SGAF	198
H510AGB	202
H510BGB	201
H510BGU	202
H510EAGU	201
H510FGB	202
H510FGU	202
H510P3AF	201
H510PAGU	201
H510PBGU	201
H510PEGB	201
H510PEGU	201
H510PGGU	201
H510PHGU	201
H510PKGU	201
HF-801	186
HF-801SD	186

Part Number	Page
HF-802	186
HF-802SD	186
HF-803	186
HF-803SD	186
M-306	190
M-406	190
PN07580	36
PN07581	36
S-133L	191
S-133S	191
S-655	191
S200+	193
SB21538	30
SB21541	30
SF201AF	196
SF201AS	196
SF201SGAF-BLU	196
SF202AF	196
SF203AF	196
SF401AF	196
SF401SGAF-BLU	197
SF401SGAF-BLU-F	197
SF401SGAF-RED	197
SF402AF	196
SF402SGAF-BLU	197
SF403AF	196
SF403SGAF-YEL	197
SF405SGAF-BLA	196
SF406SGAF-BLA	196
SF407SGAF-BLU	197
SF408AS	196
SF410AS	197
TR-6130E	192
TR-619UK	191
TR-6310E	192
TR-6580E	192
TR-6600	193
TR-6710E	192
X4A	201
X4B- EU	200
X4P3	200
X4P5	200
X4P5-OR	200
xxx	176

# 3M Local Contact Addresses



## 3M Deutschland GmbH

Autoreparatur-Systeme  
Carl-Schurz-Straße 1  
41453 Neuss  
Deutschland  
Tel: +49 2131 88 19 265  
3m-autoreparatur.de@mmm.com  
www.3M.de/autoreparatur



## 3M Österreich GmbH

Autoreparatur-Systeme  
Kranichberggasse 4  
1120 Wien  
Österreich  
Tel: +43 1417 00 52  
autoreparatur-at@mmm.com  
www.3maustria.at/autoreparatur



## 3M (Schweiz) GmbH / 3M (Suisse) S.à r.l.

Autoreparatur-Systeme  
Eggstrasse 91  
8803 Rüschlikon  
Schweiz / Suisse  
Tel: +41 4350 896 58  
3M.PAS.ch@mmm.com  
www.3mschweiz.ch/autoreparatur  
www.3msuisse.ch/autocarroserie



## 3M Belgium bvba / sprl

Automotive Aftermarket  
Hermeslaan, 7  
1831 Diegem  
Belgique  
Tel: (+32) 2808 17 91  
3M.CDC.bnl@mmm.com  
www.3m.be/fr/autocarroserie  
www.3m.be/autoreparatie



## 3M Nederland B.V.

Automotive Aftermarket  
Molengraaffsingel 29, 2629 JD Delft  
Nederland  
Tel: (+31) 1580 80 217  
3M.CDC.bnl@mmm.com  
www.3m.nl/autoreparatie



## 3M Sanayi ve Ticaret As

Barbaros Mah., Mor Sümbül Sok.  
No:7/3F, 27-51  
Nidakule Ataşehir Güney  
34746 Ataşehir  
İstanbul  
Turkey  
www.3m.com/tr/cilauygulama



## 3M España, S.L.

Calle Juan Ignacio Luca de Tena, 19-25  
28027 Madrid  
www.3m.com.es/3M/es\_ES/  
empresa-es/contactar



## 3M France

1 Parvis de l'Innovation  
CS 20203  
95006 Cergy-Pontoise  
France  
Tel : +33 (0)1 30 31 61 61  
3M.contact.fr@mmm.com  
www.3M.com/fr/repauto



## 3M Italia srl

Divisione Prodotti Autocarrozzeria  
Via Norberto Bobbio 21  
20096 Pioltello MI  
Italia  
Tel. 02 7035.1  
3mitaly@mmm.com  
www.3mautocarrozzeria.it



## 3M United Kingdom plc

Automotive Aftermarket  
3M Centre, Cain Road,  
Bracknell, RG12 8HT  
England  
Phone: +44 (0)161 237 6391  
aadukenquiries@mmm.com  
www.3Mbodyshop.co.uk



## 3M Ireland Limited

Automotive Aftermarket  
The Iveagh Building  
Carrickmines Park  
Carrickmines, Dublin 18  
Ireland  
Tel: +353 12160301  
aadukenquiries@mmm.com  
www.3Mbodyshop.co.uk



## 3M Gulf Limited

Dubai Internet City  
Building No. 11, 3rd Floor  
U.A.E.



## 3M Svenska AB

Bileftermarknad  
Herrjärva torg 4  
170 67 Solna  
Svenska  
Tel: 08-922100  
aadukenquiries@mmm.com  
www.3M.se/bileftermarknad



## 3M Norge AS, Auto

Tærudgata 16  
2004 Lillestrøm  
Norge  
aadukenquiries@mmm.com  
www.3m.no/auto



## Denmark, 3M a/s,

Automotive Aftermarket  
Hannemanns Allé 53  
2300 København S  
Denmark  
aadukenquiries@mmm.com  
www.3MAuto.dk



## Finland, Suomen 3M Oy

Autotuotteet  
Keilaniementie 1  
02151 Espoo  
Tel: 09 5252 1  
aadukenquiries@mmm.com  
www.3M.fi/autotuotteet



## 3M Poland

Al. Katowicka 117  
Kajetany  
05-830 Nadarzyn  
Polska  
Telefon: +48 22 739 60 00  
www.3m.pl/kontakt



## 3M Česko, spol. s r.o.

V Parku 2343/24  
148 00 Praha 4



## 3M Slovensko s.r.o

Polus Tower 2, Vajnorska 100/B  
831 04 Bratislava



## 3M Hungária Kft

Neumann János u. 1/E  
1117 Budapest

For more AAD Contact details go to:  
[www.3m.com/collisionrepair](http://www.3m.com/collisionrepair)



